



Hurricane Services, Inc.  
 3613 A Y Road  
 Madison, KS 66860  
 Office # 620-437-2661  
 Brad Cell # 620-437-6765



HURRICANE SERVICES INC  
 OILFIELD SERVICES  
 MADISON, KANSAS

Ticket Number 100315  
 Location Madison  
 Foreman Brad Butler

**Cement Service ticket**

Date	Customer #	Well Name & Number	Sec./Township/Range	County
9-11-13		Cantrell # 8	11-24-16E	Woodson
Customer Ron - Bob Oil		Mailing Address	City	State Zip

Job Type:	Truck #	Driver
Longstring	201	Kelly
Hole Size: 5 7/8"	202	Jerry
Hole Depth: 1110'	105	Clayton
Bridge Plug:	106	Charlie
Packer:		

Quantity Or Units	Description of Services or Product	Pump charge	
30	Mileage	\$3.25/Mile	790.00 97.50
118 SACKS	Quick Set cement	17.90	2112.20
200 lbs	Gel Flush	.30	60.00
3 1/2 Hrs.	WATER TRUCK	84.00	294.00
3 1/2 Hrs.	WATER TRUCK	84.00	294.00
5000 GAL	WATER	13.00 per 1000	65.00
.30 miles	Truck # 290	1.50	45.00
	wireline Services	50.00	n/c
Tons	Bulk Truck > minimum charge	\$1.15/Mile	250.00
2	Plugs 2 7/8" Top Rubber	25.00	50.00
		Subtotal	4057.70
		Sales Tax 7.15%	163.53
		Estimated Total	4221.23

Remarks: Rig up to Tubing, Tagged float shoe at 1084' by wireline. Break circulation with 5 Bbls water, Pumped 10 Bbls of Gel Flush, circulated Gel around to condition hole. Mixed 118 sacks Quick Set cement, shut down - washout Pump lines, Release 2-Top Rubber Plugs, Displaced Plugs with 6 1/4 Bbls water. Final Pumping @ 500 PSI, Bumped Plugs to 1000 PSI - close tubing in with 1000 RST. Good cement returns with 5 Bbl slurry

"Thank you"

witnessed by Bob  
 Customer Signature





Hurricane Services, Inc.  
3613 A Y Road  
Madison, KS 66860  
620-437-2661

Ticket Number 1122  
Location \_\_\_\_\_  
Foreman JLH #392

FRAC Service ticket

Date	Customer #	Well Name & Number	Sec./Township/Range	County
9/23/13		CANTRELL #8		LD
Customer		Mailing Address	City	State Zip
Row 4 BOB ORL				KS

Well Data		Truck #	Driver	Truck #	Driver
Casing Size 2 7/8	Total Depth 1073.8	303	CLAYTON		
Casing Weight	Plug Depth	144/150	PERK		
Tubing Size	Packer Depth	842/151	HOWARD		
Tubing Weight	Open Hole	105	KELLY		
Perfs 1073.5 - 1030.5 17		312/311	DAVID		
Break PSI 1700	Max PSI 1500				
Treat PSI 1000 - 1500	ISIP 600				
Quantity	Acid	Additives Used	Charge		
1	303	Pump Charge			875 <sup>00</sup>
100	15%	Acid with inhibitor			195 <sup>00</sup>
1/2		NE-320			11 <sup>95</sup>
		FSW-4100			
		Iron Stay			
		Clay Stay			
4 3/4		KCL			124 <sup>93</sup>
2 1/2		Biocide			95 <sup>00</sup>
7	SP-902	Gel			35 <sup>00</sup>
1/2	LEB	Breaker			81 <sup>00</sup>
		Ball Sealers			
		Ball Gun			
12	303	Pump truck Mileage			39 <sup>00</sup>
		Acid Transport			
1	310	Acid Spotter			300 <sup>00</sup>
1	312/311	Sand Truck			200 <sup>00</sup>
12	392	Pickup Mileage			18 <sup>00</sup>
1 1/4	105	80 Vac			105 <sup>00</sup>
1 1/4	144/842	Transport			262 <sup>00</sup>
10		20/40 Sand			300 <sup>00</sup>
30		12/20 Sand			960 <sup>00</sup>
2 1/2		SR-445			67 <sup>00</sup>
				*BDA PRICE	Total 3950 <sup>00</sup>

Remarks: SPOT 100 GAL 15% ON PERFS. RIG UP & TEST LINE. LANA & BUREAU  
1700. EST RATE 10/SPM @ 1000. Pump 10 GAL AND START 10 SKS 20/40  
START 12/20 30 SKS PSF UP 1500 BRK. 1100-1300. 30 SKS ON  
FLUSH 5 OVER ISIP 600 130 GAL TOTAL

Customer Signature