

Lease Name: Cantrell	Spud Date: 9/17/2013	Surface Pipe Size: 7"	Depth: 40'	TD: 1086
Operator: Ron-Bob Oil	Well #11	Bit Diameter: 5 7/8"		
Footage taken	Sample type			
0_4	soil			
4_151	shale			
151_435	lime			
435_504	shale			
504_637	lime			
637_800	shale			
800_805	lime			
805_821	shale			
821_826	lime			
826_898	shale			
898_901	lime			
901_914	shale			
914_919	lime			
919_920	shale			
920_975	upper sand oil show			
975_1020	shale			
1020_1021	cap			
1021_1027	good oil sand			
1027_1031	badly broken sand			
1031_1086	shale			
	1086 TD			

Hurricane Services, Inc.
 3613 A Y Road
 Madison, KS 66860
 Office # 620-437-2661
 Brad Cell # 620-437-6765



Ticket Number 100319
 Location Madison
 Foreman Brad Butler

Cement Service ticket

Date	Customer #	Well Name & Number	Sec./Township/Range	County
9-17-13		Centrell #11	11-24-16E	Woodson
Customer Ron- Bob Oil		Mailing Address	City	State Zip

Job Type: Longstring	Truck #	Driver
Hole Size: 5 7/8"	201	Kelly
Hole Depth: 1088'	202	Ferry
Bridge Plug:	105	Charlie
Packer:	106	Rick
Casing Size:	Displacement: 6.27 Bbls	
Casing Weight:	Displacement PSI: 500	
Tubing: 2 7/8"	Cement Left in Casing: 0'	
PBTD: 1083'		

Quantity Or Units	Description of Services or Product	Pump charge	
30	Mileage	\$3.25/Mile	1790.00 97.50
115 SACKS	Quick Set cement	17.90	2058.50
200 lbs.	Gel Flush	.30	60.00
4 Hrs	WATER TRUCK	84.00	336.00
4 Hrs	WATER TRUCK	84.00	336.00
5000 GAL	WATER	13.00 per 1000	65.00
30 miles	TRUCK #250 Wireline Services	1.50 50.00	45.00 N/C
Tons	Bulk Truck > minimum charge	\$1.15/Mile	250.00
2	Plugs 2 7/8" Top Rubber	25.00	50.00
		Subtotal	4088.00
		Sales Tax 7.15%	159.70
		Estimated Total	4247.70

Remarks: Rig up to Tubing, Tased Float shoe at 1083' by wireline. Break circulation with 5 Bbls water, Pumped 10 Bbls of Gel Flush, circulated Gel around to condition Hole. Mixed 115 Sks Quick Set cement, shut down - wash out Pump & Lines. Release 2-Top Rubber Plugs - Displaced Plugs with 6 1/4 Bbls water. Final Pumping @ 500 PSI. Bumped Plugs to 1000 PSI. Closed Tubing in with 1000 PSI. Good cement returns with 5 1/2 Bbl slurry

"Thank you"

Witnessed by Ron
 Customer Signature



Hurricane Services, Inc.
 3613 A Y Road
 Madison, KS 66860
 620-437-2661

Ticket Number 1131
 Location _____
 Foreman Julie #392

FRAC Service ticket

Date	Customer #	Well Name & Number	Sec./Township/Range	County
9/26/13		CANTRELL #11		Woods
Customer		Mailing Address	City	State Zip
Row 4 BOB OIL				KS

Well Data			Truck #	Driver	Truck #	Driver
Casing Size 2 7/8	Total Depth		303	CLAYTON		
Casing Weight	Plug Depth		144/150	ROCK		
Tubing Size	Packer Depth		143/151	MARK		
Tubing Weight	Open Hole			TERRY		
Perfs 1025-1031 13			312/311	DAVID		
Break PSI 1700	Max PSI 1700			SUSTIN		
Treat PSI 900-1200	ISIP 600			BRAD		
Quantity	Acid	Additives Used	Charge			
1	303	Pump Charge	875 ⁰⁰			
100	158	Acid with inhibitor	195 ⁰⁰			
1/2		NE-320	11 ⁹⁵			
		FSW-4100				
		Iron Stay				
		Clay Stay				
4 3/4		KCL	124 ⁹²			
2 1/2		Biocide	95 ⁰⁰			
7	SP-902	Gel	315 ⁰⁰			
1/2	LEB	Breaker	81 ⁰⁰			
		Ball Sealers				
		Ball Gun				
9	303	Pump truck Mileage	39 ²⁵			
		Acid Transport				
1	310	Acid Spotter	200 ⁰⁰			
1	312/311	Sand Truck	200 ⁰⁰			
9	392	Pickup Mileage	13 ⁵⁰			
		80 Vac				
1 1/2		Transport	472 ⁵⁰			
10		20/40 Sand	300 ⁰⁰			
30		12/20 Sand	960 ⁰⁰			
2 1/2		SR-445	672 ⁵			
						Total 4040 ⁰⁰

Remarks: SPOT 100 GAL ON PERFS. RIG UP TEST LOGS. LOAD & BREAK. GET RATE 10:00 PM. PUMP 1050L PAA START 20/40 PSI UP WOOD & BROKE 900. START 12/20. 20 SIGS TO PSI UP 1200. 30 SIGS PSI 1050. FLUSH CORNER TREAT 600 145 GAL TOTAL.