





**CONSOLIDATED**  
Oil Well Services, LLC

**REMIT TO**  
Consolidated Oil Well Services, LLC  
Dept. 970  
P.O. Box 4346  
Houston, TX 77210-4346

**MAIN OFFICE**  
P.O. Box 884  
Chanute, KS 66720  
620/431-9210 • 1-800/467-8676  
Fax 620/431-0012

INVOICE

Invoice # 264046

Invoice Date: 11/20/2013 Terms: 0/0/30,n/30

Page 1

ALTAVISTA ENERGY INC  
4595 K-33 HIGHWAY  
P.O. BOX 128  
WELLSVILLE KS 66092  
(785) 883-4057

FLAKE RI-4A  
44836  
NE 28-22-16  
11-15-2013  
KS

| Part Number | Description                  | Qty    | Unit Price | Total  |
|-------------|------------------------------|--------|------------|--------|
| 1124        | 50/50 POZ CEMENT MIX         | 35.00  | 11.5000    | 402.50 |
| 1118B       | PREMIUM GEL / BENTONITE      | 59.00  | .2200      | 12.98  |
| 1111        | SODIUM CHLORIDE (GRANULA     | 68.00  | .3900      | 26.52  |
| 1110A       | KOL SEAL (50# BAG)           | 175.00 | .4600      | 80.50  |
| Description |                              | Hours  | Unit Price | Total  |
| 368         | CEMENT PUMP (SURFACE)        | 1.00   | 870.00     | 870.00 |
| 368         | EQUIPMENT MILEAGE (ONE WAY)  | .00    | 4.20       | .00    |
| 368         | CASING FOOTAGE               | 40.00  | .00        | .00    |
| 369         | 80 BBL VACUUM TRUCK (CEMENT) | 1.50   | 90.00      | 135.00 |
| 548         | TON MILEAGE DELIVERY         | 73.24  | 1.41       | 103.27 |

Parts: 522.50 Freight: .00 Tax: 32.13 AR 1662.90  
 Labor: .00 Misc: .00 Total: 1662.90  
 Sublt: .00 Supplies: .00 Change: .00

Signed \_\_\_\_\_ Date \_\_\_\_\_

BARTLESVILLE, OK 918/338-0808    EL DORADO, KS 316/322-7022    EUREKA, KS 620/583-7664    PONCA CITY, OK 580/762-2303    OAKLEY, KS 785/672-8822    OTTAWA, KS 785/242-4044    THAYER, KS 620/839-5269    GILLETTE, WY 307/686-4914    CUSHING, OK 918/225-2650



**CONSOLIDATED**  
Oil Well Services, LLC

264046

TICKET NUMBER 44836

LOCATION Ottawa

FOREMAN Alan Madec

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT**  
**CEMENT**

| DATE                                   | CUSTOMER # | WELL NAME & NUMBER | SECTION                  | TOWNSHIP          | RANGE | COUNTY     |  |                    |  |
|--|------------|--------------------|--------------------------|-------------------|-------|------------|--|--------------------|--|
| 11-15-13                               | 3244       | Flake RT-4A        | NE 28                    | 22                | 16    | CF         |  |                    |  |
| CUSTOMER<br><u>Altavista Energy</u>    |            |                    |                          |                   |       |            |  |                    |  |
| MAILING ADDRESS<br><u>P.O. Box 128</u> |            |                    |                          |                   |       |            |  |                    |  |
| CITY<br><u>Wellsville</u>              |            | STATE<br><u>KS</u> | ZIP CODE<br><u>66092</u> |                   |       |            |  |                    |  |
|  |            | TRUCK #            |                          | DRIVER            |       | TRUCK #    |  | DRIVER             |  |
|  |            | <u>516</u>         |                          | <u>Alan Madec</u> |       | <u>368</u> |  | <u>Safety Mast</u> |  |
|  |            | <u>368</u>         |                          | <u>Arli Mad</u>   |       | <u>369</u> |  | <u>Der Mas</u>     |  |
|  |            | <u>369</u>         |                          | <u>Der Mas</u>    |       | <u>548</u> |  | <u>Mikhaag</u>     |  |

JOB TYPE Surface HOLE SIZE 12 1/4 HOLE DEPTH 40 CASING SIZE & WEIGHT 7"  
 CASING DEPTH 40 DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING yes  
 DISPLACEMENT 1 2/3 DISPLACEMENT PSI 100 MIX PSI \_\_\_\_\_ RATE 41 bpm

REMARKS: Held meeting. Ests blished rate down casing. Mixed and pumped 35 sk 50150 cement plus 2% gel, 5% salt, 5# Kolseal per sack. Circulated cement. Displaced casing with clean water. Closed valve

Kurt Finney

Alan Madec

| ACCOUNT CODE     | QUANTITY or UNITS | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE      | TOTAL     |
|------------------|-------------------|------------------------------------|-----------------|-----------|
| 34015            | 1                 | PUMP CHARGE                        | <u>368</u>      | 870.00 ✓  |
| 5406             | —                 | MILEAGE                            | <u>368</u>      | — ✓       |
| 5402             | 40'               | Casing Footage                     | <u>368</u>      | — ✓       |
| 5407A            | 73.24             | 700 miles                          | <u>548</u>      | 103.29 ✓  |
| 5502L            | 1 1/2             | 80 vac                             | <u>369</u>      | 135.00 ✓  |
| 1124             | 35                | 50150 cement                       |                 | 402.50 ✓  |
| 1118B            | 59#               | gel                                |                 | 12.98 ✓   |
| 1111             | 68#               | salt                               |                 | 26.52 ✓   |
| 1110A            | 175#              | Kolseal                            |                 | 80.50 ✓   |
| <b>completed</b> |                   |                                    |                 |           |
|                  |                   | 6.15                               | SALES TAX       | 32.13 ✓   |
|                  |                   |                                    | ESTIMATED TOTAL | 1662.90 ✓ |

AUTHORIZATION [Signature] TITLE \_\_\_\_\_ DATE \_\_\_\_\_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



**CONSOLIDATED**  
Oil Well Services, LLC

**REMIT TO**  
Consolidated Oil Well Services, LLC  
Dept. 970  
P.O. Box 4346  
Houston, TX 77210-4346

**MAIN OFFICE**  
P.O. Box 884  
Chanute, KS 66720  
620/431-9210 • 1-800/467-8676  
Fax 620/431-0012

INVOICE

Invoice # 264163

Invoice Date: 11/22/2013 Terms: 0/0/30,n/30

Page 1

ALTAVISTA ENERGY INC  
4595 K-33 HIGHWAY  
P.O. BOX 128  
WELLSVILLE KS 66092  
(785) 883-4057

FLAKE RI-4A  
44870  
NE 28-22-16  
11-19-2013  
KS

| Part Number | Description                  | Qty     | Unit Price | Total   |
|-------------|------------------------------|---------|------------|---------|
| 1124        | 50/50 POZ CEMENT MIX         | 156.00  | 11.5000    | 1794.00 |
| 1118B       | PREMIUM GEL / BENTONITE      | 362.00  | .2200      | 79.64   |
| 1111        | SODIUM CHLORIDE (GRANULA     | 302.00  | .3900      | 117.78  |
| 1110A       | KOL SEAL (50# BAG)           | 780.00  | .4600      | 358.80  |
| 4402        | 2 1/2" RUBBER PLUG           | 1.00    | 29.5000    | 29.50   |
| Description |                              | Hours   | Unit Price | Total   |
| 495         | CEMENT PUMP                  | 1.00    | 1085.00    | 1085.00 |
| 495         | EQUIPMENT MILEAGE (ONE WAY)  | 45.00   | 4.20       | 189.00  |
| 495         | CASING FOOTAGE               | 1099.00 | .00        | .00     |
| 558         | TON MILEAGE DELIVERY         | 326.43  | 1.41       | 460.27  |
| 675         | 80 BBL VACUUM TRUCK (CEMENT) | 2.00    | 90.00      | 180.00  |

Parts: 2379.72 Freight: .00 Tax: 146.35 AR 4440.34  
Labor: .00 Misc: .00 Total: 4440.34  
Sublt: .00 Supplies: .00 Change: .00

Signed \_\_\_\_\_ Date \_\_\_\_\_



264163

TICKET NUMBER 44870

LOCATION Ottawa KS

FOREMAN Fred Madur

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT  
CEMENT**

| DATE                                     | CUSTOMER # | WELL NAME & NUMBER | SECTION                  | TOWNSHIP | RANGE   | COUNTY |
|--|------------|--------------------|--------------------------|----------|---------|--------|
| 11/19/13                                 | 3244       | Flake # RI-4A      | NE 28                    | 22       | 16      | CF     |
| CUSTOMER<br><u>Alta Vista Energy Inc</u> |            |                    | TRUCK #                  |          |         |        |
| MAILING ADDRESS<br><u>P.O. Box 128</u>   |            |                    | DRIVER                   |          |         |        |
| CITY<br><u>Wellsville</u>                |            | STATE<br><u>KS</u> | ZIP CODE<br><u>66092</u> |          | TRUCK # |        |
|  |            |                    | DRIVER                   |          |         |        |

JOB TYPE Long string HOLE SIZE 5 7/8 HOLE DEPTH 1110 CASING SIZE & WEIGHT 2 7/8  
 CASING DEPTH 1099' DRILL PIPE Baffle in TUBING @ 10.68' OTHER \_\_\_\_\_  
 SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING 31' + Plug  
 DISPLACEMENT 6.2 BB DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE 5 BPM

REMARKS: Hold crew safety meeting. Establish circulation. Mix + Pump 100' Gel Flush. Mix + Pump 0 SKS 50/50 Por Mix Cement 290 Gel 5' Salt 5# Kol Seal/sk. Cement to surface. Flush pump + lines clean. Displace 2 1/2" Rubber plug to casing. Pressure to 800# PSI. Release pressure to set float valve. Shut in casing.

Kurt Finney Drilling -

Fred Madur

| ACCOUNT CODE | QUANTITY or UNITS | DESCRIPTION of SERVICES or PRODUCT | UNIT PRICE      | TOTAL              |
|--------------|-------------------|------------------------------------|-----------------|--------------------|
| 5401         | 1                 | PUMP CHARGE                        | 495             | 1085 <sup>00</sup> |
| 5406         | 45 mi             | MILEAGE                            | 495             | 189 <sup>00</sup>  |
| 5402         | 1099              | Casing Footage                     |                 | N/C                |
| 5407A        | 326.43            | Ton Miles                          | 558             | 460 <sup>27</sup>  |
| 5502C        | 2 hrs             | 80 BBL Vac Truck                   | 675             | 180 <sup>00</sup>  |
| 1124         | 156 SKS           | 50/50 Por Mix Cement               |                 | 1784 <sup>00</sup> |
| 1115B        | 362#              | Premium Gel.                       |                 | 7964               |
| 1111         | 302#              | Granulated Salt                    |                 | 1172 <sup>8</sup>  |
| 1110A        | 780#              | Kol Seal                           |                 | 358 <sup>80</sup>  |
| 4402         | 1                 | 2 1/2" Rubber Plug                 |                 | 2950               |
|              |                   |                                    | 64576           |                    |
|              |                   |                                    | SALES TAX       | 146 <sup>35</sup>  |
|              |                   |                                    | ESTIMATED TOTAL | 4440 <sup>34</sup> |

completed

Ravin 3737

AUTHORIZATION [Signature] TITLE \_\_\_\_\_ DATE \_\_\_\_\_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form