

QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 1627

| | | | | | | | | |
|------------------------|----------------------------|--------------|--|-------------------|--|--------------|-----------|---------|
| Date | 11-22-13 | Sec. | Twp. | Range | Called Out | On Location | Job Start | Finish |
| Lease | Armbruster | Well No. | 5 | Location | Ellis 4N int | Ellis County | KS | 1:00 PM |
| Contractor | | | | Owner | To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. | | | |
| Type Job | port collar 2209? | | | Charge To | Grady Baldwin Corp | | | |
| Hole Size | 5 1/2 | T.D. | | | | | | |
| Csg. | 5 1/2 | Depth | | | | | | |
| Tbg. Size | 2 1/2 | Depth | | | | | | |
| Drill Pipe | | Depth | | | | | | |
| Tool | | Depth | The above was done to satisfaction and supervision of owner agent or contractor. | | | | | |
| Cement Left in Csg. | | Shoe Joint | | | | | | |
| Press Max. | | Minimum | | | | | | |
| Meas Line | | Displace | | | | | | |
| Perf. | | | 4 gallon side CEMENT | | | | | |
| EQUIPMENT | | | Amount Ordered | 250 DMDC 1/4 Flow | | | | |
| Pumptrk | 5 | No. Cementer | Lon W | | | | | |
| | | Helper | David L | | | | | |
| Bulktrk | 9 | No. Driver | Dave | | | | | |
| | | Driver | | | | | | |
| Bulktrk | PU | No. Driver | | | | | | |
| | | Driver | | | | | | |
| JOB SERVICES & REMARKS | | | Consisting of | Common | | | | |
| Pumptrk Charge | | | Poz. Mix | Gel. 4 | | | | |
| Mileage | | | Chloride | | | | | |
| Footage | | | Hulls | | | | | |
| | | | Salt | | | | | |
| | | Total | Flowseal | 62# | | | | |
| Remarks: | pressured casing @ 800 psi | | | | | | | |
| | mixed 4 gal opened | | | | | | | |
| | tool got cir mixed | | | | | | | |
| | 500 + Cir cement | | | | | | | |
| | closed tool pressured | | | | | | | |
| | to 800 psi + held | | | | | | | |
| | Ran 5 ft & wash | | | | | | | |
| | clean | | | | | | | |
| | Frank | | | | | | | |
| X Signature | [Signature] | | | Handling | \$50.254 | | | |
| | | | Mileage | 21 | | | | |
| | | | | Sales Tax | | | | |
| | | | | Sub Total | | | | |
| | | | | Total | | | | |
| | | | Floating Equipment & Plugs | | | | | |
| | | | Squeeze Manifold | | | | | |
| | | | Rotating Head | | | | | |
| | | | | port collar job | | | | |
| | | | | # 21 | | | | |
| | | | | Tax | | | | |
| | | | | Discount | | | | |
| | | | | Total Charge | | | | |

QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 7000

| | | | | | | | | | | | | | | | |
|------|---------|------|----|------|----|-------|----|--------|-------|-------|----|-------------|--|--------|---------|
| Date | 11-3-13 | Sec. | 17 | Twp. | 12 | Range | 20 | County | Ellis | State | KS | On Location | | Finish | 1:15 AM |
|------|---------|------|----|------|----|-------|----|--------|-------|-------|----|-------------|--|--------|---------|

Location Ellis NW of Black Top Curve W into

| | | | | | |
|---------------------|---------------------|------------|---------------|--|--|
| Lease | <u>Armbuster</u> | Well No. | <u>5</u> | Owner | To Quality Oilwell Cementing, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed. |
| Contractor | <u>Southwind #8</u> | | | Charge To | <u>Grady Balding</u> |
| Type Job | <u>Surface</u> | | | Street | |
| Hole Size | <u>12 1/4</u> | T.D. | <u>262'</u> | City | |
| Csg. | <u>8 5/8</u> | Depth | <u>262'</u> | State | |
| Tbg. Size | | Depth | | The above was done to satisfaction and supervision of owner agent or contractor. | |
| Tool | | Depth | | Cement Amount Ordered | <u>150 3% cc 2% Gel</u> |
| Cement Left in Csg. | <u>25'</u> | Shoe Joint | | | |
| Meas Line | | Displace | <u>15 bbl</u> | | |

EQUIPMENT

| | | | | | | | |
|---------|-----------|-----|--|----------|--------------|----------|------------|
| Pumptrk | <u>15</u> | No. | | Cementer | | Common | <u>150</u> |
| | | | | Helper | <u>Matt</u> | Poz. Mix | |
| Bulktrk | <u>14</u> | No. | | Driver | <u>Heath</u> | Gel. | <u>3</u> |
| | | | | Driver | <u>Brett</u> | Calcium | <u>5</u> |
| Bulktrk | <u>Pu</u> | No. | | Driver | | Hulls | |

JOB SERVICES & REMARKS

| | | | |
|-------------------|--|-------------------------|--|
| Remarks: | | Salt | |
| Rat Hole | | Flowseal | |
| Mouse Hole | | Kol-Seal | |
| Centralizers | | Mud CLR 48 | |
| Baskets | | CFL-117 or CD110 CAF 38 | |
| DV or Port Collar | | Sand | |

Handling 150
Mileage 21

FLOAT EQUIPMENT

| | |
|-------------|--|
| Guide Shoe | |
| Centralizer | |
| Baskets | |
| AFU Inserts | |
| Float Shoe | |
| Latch-Down | |

Pumptrk Charge Surface
Mileage 21

X Signature [Signature]

| | |
|--------------|--|
| Tax | |
| Discount | |
| Total Charge | |

Cement

Quality Oilwell
Cementing

QUALITY OILWELL CEMENTING, INC.

Federal Tax I.D.# 20-2886107

Phone 785-483-2025
Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 7801

| | | | | | | | | | | | | | | | |
|------|----------|------|----|------|----|-------|----|--------|-------|-------|----|-------------|----------|--------|--|
| Date | 11-10-13 | Sec. | 17 | Twp. | 12 | Range | 20 | County | Ellis | State | KS | On Location | 11:30 AM | Finish | |
|------|----------|------|----|------|----|-------|----|--------|-------|-------|----|-------------|----------|--------|--|

Lease Armbruster Location Ellis N to Curve 1 N

Well No. 5 Owner West into

Contractor Southwind S To Quality Oilwell Cementing, Inc.
You are hereby requested to rent cementing equipment and furnish
Type Job Long string cementer and helper to assist owner or contractor to do work as listed.

Hole Size 7 7/8 T.D. 4040 Cha To
Csg. 5 1/2 Depth 4034 Str Grady Baldwin

Tbg. Size Depth City State
Tool Depth The above was done to satisfaction and supervision of owner agent or contractor.

Cement Left in Csg. 42.12 Shoe Joint 42.12 Cement Amount Ordered 175sx pro-c 10% salt

Meas Line Displace 95 BBL 5% gilsonite
Common 175 pro-c

Pumptrk 15 No. Cementer Math Poz. Mix
Bulktrk 9 No. Driver Johnie W Gel.
Bulktrk 4 No. Driver Dave Calcium

JOB SERVICES & REMARKS
Hairs 5 gal
Salt 16

Remarks:
Rat Hole 30 Sks El 6150, 875 #

Mouse Hole 15 Sks ~~175 BBL~~

Centralizers 12, 3, 4, 8, 9, 10, 40 Mud CLR 48 500 gal

Baskets 44, 45 CFL-117 or CD110 CAF 38

D/V or Port Collar 45 1717 Sand

Dropped Ball Handling 100

1 hour for Ben and high Mileage 570

plug bit and mouse hole **QUALITY OILWELL CEMENTING**

mixed 135 Sks down Guide Shoe

rate displace first held Centralizer 8 tubs

Rigged down Baskets 2

9:00 AFU inserts

1:00 Float Shoe

PSI Latch Down 1

PSI Port collar

Pumptrk Charge pro-c long string

Mileage 21

Signature [Signature] Tax

Discount

Total Charge