







**TRILOBITE  
TESTING, INC.**

**DRILL STEM TEST REPORT**

**FLUID SUMMARY**

Tengasco inc.  
PO Box 458  
Hays KS. 67601+9744  
ATTN: Mike Bair

**21-8s-19w Rooks**  
**Veverka "D" #3**  
Job Ticket: 54340      **DST#: 3**  
Test Start: 2013.11.17 @ 19:35:01

**Mud and Cushion Information**

Mud Type: Gel Chem	Cushion Type:	Oil API:	deg API
Mud Weight: 9.00 lb/gal	Cushion Length: ft	Water Salinity:	ppm
Viscosity: 55.00 sec/qt	Cushion Volume: bbl		
Water Loss: 5.79 in <sup>3</sup>	Gas Cushion Type:		
Resistivity: ohm.m	Gas Cushion Pressure: psig		
Salinity: 2200.00 ppm			
Filter Cake: inches			


**Recovery Information**

Recovery Table

Length ft	Description	Volume bbl
1000.00	Drilling Mud	13.749

Total Length: 1000.00 ft      Total Volume: 13.749 bbl  
 Num Fluid Samples: 0      Num Gas Bombs: 0      Serial #:  
 Laboratory Name:      Laboratory Location:  
 Recovery Comments: Packer Failure Misrun

### Pressure vs. Time



Serial #: 8647

Below (Strat)psco inc.

Veverka "D" #3

DST Test Number: 3

