

Geological Report

American Warrior, Inc.

WTCOB Unit #1

500' FSL & 440' FWL

Sec. 30 T18s R21w

Ness County, Kansas



American Warrior, Inc.

General Data

Well Data: American Warrior, Inc.
WTCOB Unit #1
500' FSL & 440' FWL
Sec. 30 T18s R21w
Ness County, Kansas
API # 15-135-25688-0000

Drilling Contractor: Petromark Drilling, LLC. Rig #1

Geologist: Jason T Alm

Spud Date: November 4, 2013

Completion Date: November 13, 2013

Elevation: 2146' Ground Level
2152' Kelly Bushing

Directions: Bazine KS, from the intersection of Hwy 96 and
Austin St. 1/8 mi. North, East into location.

Casing: 223' 8 5/8" surface casing

Samples: 10' wet and dry, 3900' to RTD

Drilling Time: 3500' to RTD

Electric Logs: None

Drillstem Tests: None

Problems: Rig had to shut down for a day due to heavy
rainfall. They could not get water hauled into
location.

Remarks: None

Formation Tops

Formation	American Warrior, Inc.
	WTCOB Unit #1
	Sec. 30 T18s R21w
	500' FSL & 440' FWL
Anhydrite	1402', +750
Base	1436', +716
Heebner	3617', -1465
Lansing	3666', -1514
BKc	3983', -1831
Pawnee	4071', -1919
Fort Scott	4144', -1992
Cherokee	4164', -2012
Mississippian	4230', -2078
Osage	4249', -2097
RTD	4256', -2104

Sample Zone Descriptions

Mississippian Osage (4249', -2097): Not Tested

Dolo – Δ – Fine sucrosic crystalline with poor to fair inter-crystalline and vuggy porosity, very heavy triptolic chert, weathered with good vuggy porosity, few rocks with light spotted oil stain, mostly barren, no show of free oil, light “sour” odor, no fluorescents, no gas kick.

Structural Comparison

	American Warrior, Inc. WTCOB Unit #1 Sec. 30 T18s R21w 500' FSL & 440' FWL	American Warrior, Inc. Pablo #1-30 Sec. 30 T18s R21w 335' FSL & 2175' FEL		American Warrior, Inc. Witthuhn Heirs #1-25 Sec. 25 T18s R22w 775' FSL & 1950' FWL	
Formation					
Anhydrite	1402', +750	1393', +753	(-3)	1410', +741	(+9)
Base	1436', +716	1427', +719	(-3)	1441', +710	(+6)
Heebner	3617', -1465	3620', -1474	(+9)	3613', -1462	(-3)
Lansing	3666', -1514	3665', -1519	(+5)	3660', -1509	(-5)
BKc	3983', -1831	3986', -1840	(+9)	3980', -1829	(-2)
Pawnee	4071', -1919	4066', -1920	(+1)	4067', -1916	(-3)
Fort Scott	4144', -1992	4145', -1999	(+7)	4144', -1993	(+1)
Cherokee	4164', -2012	4165', -2019	(+7)	4163', -2012	FL
Mississippian	4230', -2078	4240', -2094	(+16)	4220', -2069	(-9)
Osage	4249', -2097	4258', -2112	(+15)	NA	NA

Summary

The location for the WTCOB Unit #1 was found via 3-D seismic survey. The new well ran structurally as expected via the survey on all datums except for the Mississippian. No drill stem tests were conducted due to lack of shows throughout the well. After all gathered data had been examined the decision was made to plug and abandon the WTCOB Unit #1 well.

Respectfully Submitted,

Jason T Alm
Hard Rock Consulting, Inc.