



Confidentiality Requested:

Yes  No

KANSAS CORPORATION COMMISSION 1187081  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
August 2013

Form must be Typed  
Form must be Signed  
All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

- New Well       Re-Entry       Workover
- Oil       WSW       SWD       SIOW
- Gas       D&A       ENHR       SIGW
- OG       GSW       Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic       Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

- Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD
- Plug Back       Conv. to GSW       Conv. to Producer
- Commingled      Permit #: \_\_\_\_\_
- Dual Completion      Permit #: \_\_\_\_\_
- SWD      Permit #: \_\_\_\_\_
- ENHR      Permit #: \_\_\_\_\_
- GSW      Permit #: \_\_\_\_\_

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE       NW       SE       SW

GPS Location: Lat: \_\_\_\_\_, Long: \_\_\_\_\_  
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum:  NAD27       NAD83       WGS84

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite:

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested  
Date: \_\_\_\_\_
- Confidential Release Date: \_\_\_\_\_
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

1187081

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Electric Log Run	<input type="checkbox"/> Yes <input type="checkbox"/> No			
List All E. Logs Run:				

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:      Size: \_\_\_\_\_ Set At: \_\_\_\_\_ Packer At: \_\_\_\_\_ Liner Run:  Yes  No

Date of First, Resumed Production, SWD or ENHR. \_\_\_\_\_ Producing Method:  
 Flowing  Pumping  Gas Lift  Other *(Explain)* \_\_\_\_\_

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

<b>DISPOSITION OF GAS:</b> <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<b>METHOD OF COMPLETION:</b> <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	<b>PRODUCTION INTERVAL:</b> _____ _____
--	--	---

Form	ACO1 - Well Completion
Operator	PostRock Midcontinent Production LLC
Well Name	PAFF, JAROLD L 2-3
Doc ID	1187081

All Electric Logs Run

CDL
NDL
DIL
TEMP
CBL

Air Drilling Specialist  
Oil & Gas Wells

**THORNTON AIR ROTARY, LLC**  
Office Phone: 620-879-2073

PO Box 449  
Caney, KS 67333

Date Started	<b>7/23/2013</b>
Date Completed	<b>7/24/2013</b>


Operator	A.P.I #	County	State
<b>Post Rock Energy</b>	<b>15-133-27698-00-00</b>	<b>Neosho</b>	<b>Kansas</b>

Well No.	Lease	Sec.	Twp.	Rge.
<b>2-3</b>	<b>Paff, Jerald L</b>	<b>2</b>	<b>30</b>	<b>17</b>

Type	Driller	Cement Used	Casing Used	Depth	Size of Hole
<b>Oil</b>	<b>Brantley Thornton</b>	<b>4</b>	<b>22' 8 5/8</b>	<b>1057</b>	<b>7 7/8</b>

**Formation Record**

0-2	DIRT				
2-20	SAND				
20-22	LIME				
22-131	SANDY LIME				
131-175	LIME				
175-260	SANDY LIME				
260-265	SANDY SHALE				
265-275	LIME				
275-282	SANDY SHALE				
282-350	LIME				
350-460	SANDY LIME				
460-561	SHALE				
561-562	COAL				
562-566	SAND				
566-595	LIME (PAWNEE)				
595-650	SHALE				
650-675	LIME (OSWEGO)				
675-681	BLK SHALE (SUMMIT)				
681-706	LIME				
681	WENT TO WATER				
706-712	BLK SHALE (MULKY)				
712-714	SANDY LIME				
714-890	SANDY SHALE				
890-900	SAND/ ODOR & SHOW				
900-1057	SANDY SHALE				
1056	LOTS OF WATER				
1057	TD				



**PostRock**  
Energy Corporation

211 W. 14TH STREET,  
CHANUTE, KS 66720  
620-431-9500

TICKET NUMBER **8106**  
FIELD TICKET REF # \_\_\_\_\_  
FOREMAN Nathan Gahman  
AFE D13154  
SSI \_\_\_\_\_  
API 15-133-27698-00-00

**TREATMENT REPORT  
& FIELD TICKET CEMENT**

DATE	WELL NAME & NUMBER			SECTION	TOWNSHIP	RANGE	COUNTY
7-26-13	Paff, Jerald L. 2-3			2	305	17E	Neosho
FOREMAN/ OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Nathan Gahman	7:00	1:00		905575		6	<i>Nathan Gahman</i>
Mike Clines	7:00	12:00		902490	932900	5	<i>Mike Clines</i>

JOB TYPE Long String HOLE SIZE 7 7/8 HOLE DEPTH 1057 CASING SIZE & WEIGHT 5 1/2, 14#  
 CASING DEPTH 1051.10 DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER Gus Jones rig  
 SLURRY WEIGHT 13.5 SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT IN CASING 0  
 DISPLACEMENT 25.6 DISPLACEMENT PSI 500 MIX PSI \_\_\_\_\_ RATE 4.0

REMARKS: On location at 8:00. Ready to run casing at 8:30. Washed in final 15'. Ready to cement at 10:00. See COWS ticket for cement job details. Good circulation at all times. Good cement return to pit. Trace oil show. No top off needed.

ACCOUNT CODE	QUANTITY OR UNITS	DESCRIPTION OF SERVICE OR PRODUCT	TOTAL AMOUNT
905575	1	Foreman Pickup	
		Cement Pump Truck	
		Bulk Truck	
		Transport Truck	
		Transport Trailer	
		80 Vac	
902490	1	Casing Truck	
932900	1	Casing Trailer	
	1051.10'	Casing	
	6	Centralizers	
	1	Float Shoe	
	1	Wiper Plug	
	-	Frac Baffles	
		Portland Cement	
		CSA-122 Sodium Silicate	
		CGL-115 Cement Fluid Loss	
	6 sks	Premium Gel	
		Cal Chloride	
		City Water	
		Chemthix-P Thixotropic	
		KOL Seal	
	1 sk	Cotton Seed Hulls	





**CONSOLIDATED**  
Oil Well Services, LLC

AFE # D13154  
API # 15-133-27698

TICKET NUMBER 43325

LOCATION Eureka KS

FOREMAN Shannon Feek

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

### FIELD TICKET & TREATMENT REPORT CEMENT

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
7-24-13	6628	Patt, Jerald # 2-3				Neosho
CUSTOMER			TRUCK #      DRIVER      TRUCK #      DRIVER			
MAILING ADDRESS			445	Dave G		
CITY			667	Chris B		
Chanute	STATE	ZIP CODE	77	Rudy m	Micoy Trucking	
	KS					

JOB TYPE L/S 0 HOLE SIZE 7 7/8" HOLE DEPTH 1057' CASING SIZE & WEIGHT 5 1/2" @ 14#  
 CASING DEPTH 1051.10 DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT 13.5 # SLURRY VOL 46 Bbl WATER gal/sk 9.0 CEMENT LEFT in CASING 4  
 DISPLACEMENT 26.2 Bbl DISPLACEMENT PSI 500 MIX PSI 1000 Bump Plug RATE Displace @ 4 BPM

REMARKS: Rig up to 5 1/2" casing, wash down 15' w/ 65 Bbl H2O, mixed  
600 # gel flush w/ holls, 10 Bbl H2O spooler, mixed 135 SKS Thickset  
w/ 5 # kot-seal, 1 # phenoseal & 1/4 % cfl-115 @ 13.5 #/gal. Shut down  
wash out pump & lines, displace w/ 26.2 Bbl H2O. Final pumping  
pressure of 500 psi, bumped plug @ 1000 psi. Plug & Float held. Good  
Circulation @ all times, 10 Bbl slurry to pit. Job complete.


"Thanks Shannon & Crew"

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE	1085.00	1085.00
5406	70	MILEAGE	4.20	294.00
1126A	135 SKS	Thickset Cement	20.16	2721.60
1110A	675 #	kot-seal @ 5 #/SK	1.46	310.50
1107A	135 #	phenoseal @ 1 #/SK	1.35	182.25
1135A	32 #	cfl-115 @ 1/4%	11.08	354.56
5407A	7.4 Tons	Ton mileage bulk Truck	1.41	732.35
5502C	4 hrs	50 Bbl Van Truck # 77 Micoy Trucking	90.00	360.00
1123	3300	city H2O	17.30/1000	57.01
			SUB Total	6097.35
			7.15% SALES TAX	259.25
			ESTIMATED TOTAL	6356.60

Ravin 3737

AUTHORIZATION [Signature] TITLE \_\_\_\_\_ DATE \_\_\_\_\_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form



149 RD 25 – Elk City, KS 67344  
 (620) 332-7637 – Gus' Cell  
 (620) 642-6315 - Office

# Job Sheet

AFK D13154

Date: 7-26-13	Start Time:	Finish Time:	Total Time: 6 Hr min
---------------	-------------	--------------	----------------------

Company: Post Rock

Lease: Paff

Well #: 2-3

<input checked="" type="checkbox"/> New Well	<input checked="" type="checkbox"/> Kansas	County Name:	<input type="checkbox"/> Rig 1	<input checked="" type="checkbox"/> Rig 3
<input type="checkbox"/> Old Well	<input type="checkbox"/> Oklahoma	McGee	<input type="checkbox"/> Rig 2	<input type="checkbox"/> Gus

## Work Performed

<input checked="" type="checkbox"/> Ran casing 5 1/2	<input checked="" type="checkbox"/> Casing tong x 1	<input type="checkbox"/> Pump truck
<input type="checkbox"/> Pulled rods out	<input type="checkbox"/> Pump change	<input type="checkbox"/> Delivery truck
<input type="checkbox"/> Ran rods in	<input type="checkbox"/> Fishing job/Tool charge	<input type="checkbox"/> Mud Pump
<input type="checkbox"/> Pulled tubing out	<input type="checkbox"/> Replaced tubing joints	<input type="checkbox"/> Power swivel
<input type="checkbox"/> Ran tubing in	<input type="checkbox"/> Tong charge x	
<input type="checkbox"/> Stripping job	<input type="checkbox"/> Swabed	

Job Description: Drive to Lee Rig up Run in  
 5 1/2 casing Recip while cementing Land clamp  
 Rig down  
 Net Co

## Parts Used

Supplied by G.J.

<input type="checkbox"/> Swab cups	<input type="checkbox"/> Tubing subs	<input type="checkbox"/> Rod boxes
<input type="checkbox"/> Rod subs	<input type="checkbox"/> Tubing collars	<input type="checkbox"/> Drill bits
<input type="checkbox"/> Other		



# Paff, Jarold L. 2-3

Pipe #	Joint Length	Running Total - NO threads	Baffle Location	PostRock Energy- Casing Tally Sheet
1	44.55	44.3		Date: 7/26/13
2	44.55	88.6		Well Name & #: Paff 2-3
3	44.53	132.88		Township & Range: 30S-17E
4	44.59	177.22		County/State: Neosho/KS
5	44.6	221.57		AFE#: D13154
6	44.56	265.88		API# 15-133-27698-00-00
7	44.57	310.2		Comments: Projected TD- 1060'
8	44.52	354.47		
9	44.54	398.76		Joints are numbered in Yellow Avoid Collars 937-963 Subs are in orange  Added these subs for flexibility to adjust to actual TD  Trailer#  Actual TD - 1057 Log Bottom - 1054.90 Casing Tally - 1051.10 No Baffles Centralizers per SOP
10	44.5	443.01		
11	44.56	487.32		
12	44.16	531.23		
13	44.53	578.51		
14	44.55	619.81		
15	44.55	664.11		
16	44.56	708.42		
17	44.57	752.74		
18	44.57	797.06		
19	44.57	841.38		
20	44.54	885.67		
21	44.57	929.99		
22	44.56	974.3		
23	44.57	1018.62		
24	44.54	1062.91		
25	18.2	1036.32		
26	15.03	1051.1		
27	10.39	1061.24		
28	7.94	1068.93		
29	5.01	1073.69		
30				
31				
32				
33				
34				
35				
36				
37				
38				
39				
40				

PostRock Energy Corp.