

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1188818

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
W # D # 4 F	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes No
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ;# of HolesOther	Depth to bottom of resh water:
Other:	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
<u> </u>	Length of Conductor Pipe (if any):
Operator:	
Well Name:	Projected Total Depth: Formation at Total Depth:
Original Completion Date: Original Total Depth:	•
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
If Yes, true vertical depth:	Well Farm Pond Other:
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	II 163, proposed 2016
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
 Notify the appropriate district office prior to spudding of well; 	
 A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Thick office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Thick office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; afform below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the dist The appropriate district office will be notified before well is either plugg If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Thick office on plug length and placement is necessary prior to plugging ; and or production casing is cemented in; after the form below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> anderlying formation. First office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; after the form below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; after the following shall be set or production casing is cemented in; after the following shall be set or production casing is cemented in; after the following shall be set or production casing is cemented in; after the following shall be set or prior to any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation. Prict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation. Prict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	py circulating cement to the top; in all cases surface pipe <i>shall be set</i> anderlying formation. Prict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; after the following set of the following set o
3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15	py circulating cement to the top; in all cases surface pipe shall be set anderlying formation. Prict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; after below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

r:		Location of Well: County:	
		feet from N / S Line of S	
mber:		feet from E / W Line of S	
		SecTwpS. R E W	
of A oros attributable t	o well:		
	o well:	Is Section: Regular or Irregular	
R/QTR/QTR 01 acrea	ye		
		If Section is Irregular, locate well from nearest corner boundary	
		Section corner used: NE NW SE SW	
		N AT	
0 / / /		PLAT	
		lease or unit boundary line. Show the predicted locations of	
lease roads, tank		equired by the Kansas Surface Owner Notice Act (House Bill 2032).	
	You may attach a	separate plat if desired.	
		LEGEND	
•••••		O Well Location	
		·	
:		Tank Battery Location	
		Pipeline Location	
		Electric Line Location	
:		Lease Road Location	
		EXAMPLE	
i	30		
	30		
:			
•••••		198	
		:	
		⊙— 332 ft.	
		332 ft	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

376 ft.

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	SecTwp R
Settling Pit Drilling Pit If Existing, date con		nstructed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
material, thickness and installation procedure.		inter integrity, ii	ncluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of inform	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	ıl utilized in drilling/workover:
Number of producing wells on lease:		Number of worl	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No			be closed within 365 days of spud date.
Submitted Electronically			
	KCC	OFFICE USE O	NLY Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1188818

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	•1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	_ Well Location:
Name:	
Address 1:	
Address 2:	Lease Name: Well #:
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or
Contact Person:	the lease helow:
Phone: () Fax: ()	_
Email Address:	-
Surface Owner Information:	
Name:	_ When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property toy records of the county traceurer
City:	_
the KCC with a plat showing the predicted locations of lease roads, to	thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
 □ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax □ I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface 	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.
Submitted Electronically	
I	

LINN OPERATING INC. PYLE A-4 ATU-67 376' FSL 332' FEL SE/4 OF SE/4 OF SE/4 OF SECTION 30, T-28-S, R-38-W LATITUDE: 37°34'39.59683" N LONGITUDE: 101°30'32.63664" W **GROUND ELEVATION: 3131.0'**



Keller Surveying & Mapping

APPROVED BY: JDK

DATE:1/22/14

DRAWN BY: JDK




2225 W. OKLAHOWA AVE. ULYSSES KANSAS 67880 PH.: (620)356-6940 FAX: (620)356-6950

DRIVING DIRECTIONS:

BEGINNING AT INTERSECTION OF US HWY 160 & HWY 25

- 1) B MILES WEST ON HWY 160
- 2) WELL AT INTERSECTION OF ROAD B & HWY 160



JOHN DAVID KELLER, L.S. NO. 1518

US HWY 160 CIMARRON VALLEY RAILROAD

ROAD 11

T-28-S, R-38-W GRANT COUNTY, KANSAS

2) CONTRACTOR TO CONTACT ONE-CALL FOR FOREIGN UTILITY LOCATIONS PRIOR

NOTES:

GRANT COUNTY, KANSAS T-28-S, R-38-W

PLAT AND CERTIFICATION OF ACREAGE ATTRIBUTABLE TO A GAS WELL

Kansas Corporation Commission, Conservation Division Finney State Office Building, 130 South Market, Room 2078 Wichita, Kansas 67202

API NUMBER 15-	Grant		
LINN Operating Inc	LOCATION OF WELL: COUNTY Grant		
OPERATOR LINN Operating, Inc. LEASE Pyle	376 S feet from south/north line of section		
WELL NUMBER A-4 ATU-67	332 E feet from east / west line of section		
FIELD Hugoton-Panoma			
	SECTION 30 TWP 28 (S) RG 38W E/W IS SECTION X REGULAR OF IRREGULAR		
NUMBER OF ACRES ATTRIBUTABLE TO WELL 640	IS SECTION A REGULAR OF TRREGULAR IF SECTION IS IRREGULAR, LOCATE WELL FROM		
QTR/QTR/QTR OF ACREAGE SE - SE - SE	NEAREST CORNER BOUNDARY. (check line below)		
	Section corner used: NE NW SE SW		
(show the location of the well and shade att	ibutable acreage for prorated or spaced wells).		
(Show the footage to the nearest lease or uni	t boundary line; and show footage to the nearest		
common source supply well).			
	•		
	ha outling a		
	the attached		
	se attacree		
	•		
	• • • • • •		
	•		
	EXAMPLE		
	.		
	1980		
	·		
	• • • • • • • • • • • • • • • • • •		
	3390'		
• • • • • • • • • • • • • • • • • • • •			
	SEWARD CO.		
	and the continue and the continue (title) for		
The undersigned hereby certifies as	Regulatory Compliance Advisor (title) for		
LINN Operating, Inc.	(Co.), a duly authorized agent, that all		
information shown hereon is true and correct	to the best of my knowledge and belief, that all		
acresce claimed attributable to the well no	amed herein is held by production from that well		
and hereby make application for an allowab.	le to be assigned to the well upon the Illing of		
this form and the State test, whichever is	later.		
Sign	nature Maur Holliett		
	756 2014		
Subscribed and sworn to before me on this 7th day of February , 19 2014			
MINDY POTOR Tribly POTOR			
Notary Public, State of Texa	Notary Public		
My Commission experience Commission Expires 02-19-20	17 FORM CG-8 (12/94)		
WA COMMISSION explication	- 8		

