

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION 1189910

March 2010 This Form must be Typed Form must be Signed All blanks must be Filled

Form CP-1

Form

KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act,
MUST be submitted with this form.

OPERATOR: License #:		API No. 15	5		
Name:	If pre 1967	_ If pre 1967, supply original completion date:			
Address 1:		Spot Desc	ription:		
Address 2:			Sec Tw	rp S. R	East West
City: State:			Feet from		South Line of Section
Contact Person:			Eeet from Calculated from Neares		
Phone: ()		County:		SE SW	
Check One: Oil Well Gas Well O		hodic Water)ther: Permit #:	
Conductor Casing Size:	Set at:	(Cemented with:		Sacks
Surface Casing Size:	Set at:	(Cemented with:		Sacks
Production Casing Size:	Set at:	(Cemented with:		Sacks
Condition of Well: Good Poor Junk in He Proposed Method of Plugging <i>(attach a separate page if at</i> Is Well Log attached to this application? Yes I If ACO-1 not filed, explain why:	dditional space is needed):	(Interval) Yes 🗌 No	_	Stone Corral Formation,	
Plugging of this Well will be done in accordance with Company Representative authorized to supervise plugging					
Address:	C	City:	State:	Zip:	+
Phone: ()					
Plugging Contractor License #:	N	Name:			
Address 1:	A	ddress 2:			
City:			State:	Zip:	+
Phone: ()					
Proposed Date of Plugging (if known):					
Payment of the Plugging Fee (K.A.R. 82-3-118) will be	e guaranteed by Operator or A	gent			

Submitted Electronically

Mail to: KCC -	Conservation Divisi	on, 130 S.	Market - Roon	n 2078, Wichita	a, Kansas	67202

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:

- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

[

Commission 1189910

Form	CP1 - Well Plugging Application		
Operator	Enerjex Kansas, Inc.		
Well Name	CONGER 1-29		
Doc ID	1189910		

Perforations And Bridge Plug Sets

Perforation Top	Perforation Base	Formation	Bridge Plug Depth
4	1072		
4	908		
4	717		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #	API No. 15 - 001-29012-00-00
Name: Brower Oil & Gas Co., Inc.	County: Alien
Address: 6506 S. Lewis Ave., Ste. 115	_SW_NW_NW Sec. 29 Twp. 24 S. R. 18 Z East West
Address:	990 feet from S / (N) (circle one) Line of Section
Purchaser:	330 feet from E / (W) (circle one) Line of Section
Operator Contact Person: Pamela K. Atkins	Footages Calculated from Nearest Outside Section Corner:
Operator Contact Person:	(circle one) NE SE NW SW
Phone: (918) 743-8893 RECEIVED	Lease Name: Conger Well #: 1-29
Contractor: Name: Pense Brothers Driling	Field Name: Iola
License: 32980 NOV 2 4 2003	Producing Formation: See Attached-All Perf'd Formations Listed
Wellsite Geologist: John D. Muselmann	Producing Formation:
Designate Type of Completion: KCC WICHITA	Elevation: Ground:Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1200' Plug Back Total Depth:
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 49'
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Weil Name:	
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content Fresh Water ppm Fluid volume 0 bbls
Plug Back Plug Back Total Depth	Dewatering method used_Evaporation
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
08-04-03 08-05-03 09-11-03	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Wh Jappin Otowa	KCC Office Use ONLY
Title:	Letter of Confidentiality Attached If Denied, Yes Date: Wireline Log Received Geologist Report Received UIC Distribution
Date commission Spines Notary Public Oklahoma OFFICIAL SEAL PAMELA K. ATKINS Tulsa County No. 02019589 Exp. 1-8-07	

or Name: Brower Oil & Gas Co., Inc.	Lease Name: Conger	Nell #- 1-29
	County: Allen	

Side Two

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of a Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken	🗌 Yes	✓ No	₽ Log	Formation (Top), Depth and Datum	Sample
(Attach Additional Sheets) Samples Sent to Geological Survey	🗌 Yes	🗹 No	Name Swope	Тор 300'	Datum 306'
Cores Taken	Yes	🖌 No	Pawnee	632'	634'
Electric Log Run	🖌 Yes	No	Summit	717.5'	719.5'
(Submit Copy)			Mulkey	729'	730.5'
List All E. Logs Run:			Mineral	849'	852'
CDL, DIL			Scammo	n 866'	868'
			Tebo	908'	910'
			Riverton	1072.5'	1076.5

CASING RECORD New V Used Report all strings set-conductor, surface, intermediate, production, etc.									
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
Surface	11"	8-5/8"	23#/ft.	49'	Portland	10 sks			
Production	6-3/4"	5-1/2"	15.5#/ft.	1108'	Arkoma Lite	173 sks	See Attached		
······································									

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives				
Perforate								
Protect Casing								
Plug Back TD								
Plug Off Zone								

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)				Depth	
4 SPF	1072.5-76.5'					4 bbls 7-1/2% HCL,241 bbls H20,1167# 20/40 sand				1072.5	
4 SPF	908-10';,866-68',849-52'					4 bbls 7-1/2% HCL,441 bbls H20,1631# 20/40 sand				849'	
4 SPF	717.5-19.5'; 729-30.5'					3 bbis 7-1/2% HCL,449 bbis 2% KCL, H20 and 3000 #20/40 sand,				717.5'	
4 SPF	749-7	749-750.5';737.5-40';648.5-51'					250 Gais.7-1/2% HCL,169 bbls KCL H20,315# 20/40 sand				648'
2 SPF							2 bbis 7-1/2% HCL,299 bbis 2% KCL H20,5332# 20/40 sand 30(
TUBING RECORD Size Set A 2-3/8" 1090'				t Packer At			Liner Run				<u> </u>
Date of First, Resumerd Production, SWD or Enhr. Waiting on Pipeline				Producing Method			g 🖌 Pum	ping -	Gas Lift	Other (Explain	ı)
Estimated Production O Per 24 Hours		Oil	Bbis.	Gas	Mcf Wat 15		ər	Bbis. Gas-Oil Ratio		Patio	Gravity
Disposition of Gas METHOD OF COMPLET				TION Production Interval							
Vented Sold Used on Lease (If vented, Submit ACO-18.)				Open Hole Perf. Dually Comp. & Commingled							

Conger 1-29

Cement Additives:

RECEIVED NOV 2 4 2003 KCC WICHITA

ł

104 sks Diacel
61 # Lomar D
6 sks Premium Gel
18 sks Gilsonite
408# Salt
2 sks flo-seal
173 sks sodium metasilicate
1.5 gal silt suspender ss-630, ESA-90, ESA-41
1 Gal. KCL sub (ESA-55)

Producing Formations:

Swope Pawnee Summit Mulkey Mineral Scammon Tebo Riverton

*Surface pipe was set by Brower Oil & Gas Co., Inc. and there is no cement ticket. All questions should be referred to Joe Brower at 918/760-4443.

(KS Conger 1-29 Compltn Additl.doc)

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner Sam Brownback, Governor

February 21, 2014

Amy McFadden Enerjex Kansas, Inc. 2038 S. PRINCETON ST., STE B OTTAWA, KS 66067

Re: Plugging Application API 15-001-29012-00-00 CONGER 1-29 NW/4 Sec.29-24S-18E Allen County, Kansas

Dear Amy McFadden:

This letter is to notify you that the Conservation Division has received your plugging proposal, form CP-1, for the above well and has reviewed the proposal for completeness. The central office will now forward your CP-1 to the district office listed below for review of the proposed plugging method. Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113(b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit in accordance with K.A.R. 82-3-600.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well. This notice in no way constitutes authorization to plug the above well by persons not having legal rights of ownership or interest in the well.

This notice is void after August 20, 2014. The CP-1 filing does not bring the above well into compliance with K.A.R 82-3-111 with regard to the Commission's temporary abandonment requirements.

Sincerely, Production Department Supervisor

cc: District 3

(620) 432-2300