

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1190170

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:		
month day year	Sec Twp S. R		
DPERATOR: License#	(0/0/0/0) feet from N / S Line of Section		
Name:	feet from E / W Line of Section		
ddress 1:	Is SECTION: Regular Irregular?		
ddress 2:	(Note: Locate well on the Section Plat on reverse side)		
City: State: Zip: +	County:		
Contact Person:	Lease Name: Well #:		
hone:	Field Name:		
CONTRACTOR: License#	Is this a Prorated / Spaced Field?		
lame:	Target Formation(s):		
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):		
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS		
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:		
Disposal Wildcat Cable	Public water supply well within one mile:		
Seismic ; # of Holes Other	Depth to bottom of fresh water:		
Other:	Depth to bottom of usable water:		
If OWWO: old well information as follows:	Surface Pipe by Alternate: I II		
	Length of Surface Pipe Planned to be set:		
Operator:	Length of Conductor Pipe (if any):		
Well Name: Original Total Depth:	Formation at Total Depth:		
Original Completion Bate Original Total Beptil	Water Source for Drilling Operations:		
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:		
Yes, true vertical depth:	DWR Permit #:		
Bottom Hole Location:	(Note: Apply for Permit with DWR)		
(CC DKT #:	Will Cores be taken?		
	If Yes, proposed zone:		
AFF			
	IDAVIT		
he undersigned hereby affirms that the drilling, completion and eventual plu	IDAVIT		
The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:	IDAVIT		
he undersigned hereby affirms that the drilling, completion and eventual plu	IDAVIT gging of this well will comply with K.S.A. 55 et. seq.		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> the	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation.		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions are the surface of the s	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging;		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;		
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing		
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing		
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> underlying formation. ict office on plug length and placement is necessary <i>prior to plugging;</i> and or production casing is cemented in; I from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing		
the undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification		
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;		
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;		
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is a provided in the minimum of 20 feet into the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well shall be well as a provided in the well as a provided i	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be **Lubmitted Electronically** For KCC Use ONLY API # 15 - Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);		
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be **Jubmitted Electronically** For KCC Use ONLY API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;		

Side Two



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:_							_ Lo	cation of W	/ell: County:		
Lease:									feet from N / S Line of Section		
Well Number:								Sec Twp S. R E W Line of Section			
Number of QTR/QTR/							15	Section:	Regular or Irregular		
							If S	Section is	Irregular, locate well from nearest corner boundary.		
									er used: NE NW SE SW		
							DI AT				
	Sh	now locatio	n of the w	ell Show	footage to	the near	PLAT	r unit houn	dary line. Show the predicted locations of		
					_				aary line. Show the predicted locations of tasks Surface Owner Notice Act (House Bill 2032).		
	70400 704	ao, tarin 5	μ	pomroo arr				plat if desi	· · · · · · · · · · · · · · · · · · ·		
		:	:	:			:	:			
		: :	:	:			:	:	LEGEND		
		•	:	:			:	:	LEGEND		
		• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •	•••••			• • • • • • • • • • • • • • • • • • • •	O Well Location		
		:	:	:			:	:			
		:	:	:			:	:	Tank Battery Location		
				•	·			•	—— Pipeline Location		
									·		
		:	:	:			:	:	Electric Line Location		
		:	:	:			:	:	Lease Road Location		
		:	:	:	;	:	:	:	Loade Road Loadilon		
	•••••	• • • • • • •	• • • • • • • •		•••••		• • • • • • • • • • • • • • • • • • • •				
		:	:	:			:	:			
		:	:	:			:	:			
		:	:	:			:	:	EXAMPLE : :		
		•	•	<u>•</u>		•	•	•			
] :			: _	:		:	:			

NOTE: In all cases locate the spot of the proposed drilling locaton.

1320 ft.

675 ft.

SEWARD CO. 3390' FEL

1980' FSL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date collination Pit capacity:	Existing	SecTwp R East WestFeet from Bast / West Line of SectionFeet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE O			
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No		



1190170

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R East West				
Address 1:	County:				
Address 2:	Lease Name: Well #:				
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.				
Address 2:					
City:					
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1				
form and the associated Form C-1, Form CB-1, Form T-1, or Form CF Submitted Electronically	'- I wiii be returnea.				
T.					

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Lockard Petroleum Inc.	Location of Well: County: Greenwood
Lease: Beuchat	
Well Number: 26	
Field: Seeley-Wick	Sec. 5 Twp. 24 S. R. 12 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.