

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #	<u> </u>	
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1190889

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	Spot Description:
month day year	(Q/Q/Q/Q) Sec Twp S. R 🔲 E 🔲 V
DPERATOR: License#	foot from N / S Line of Section
Name:	feet from E / W Line of Sectio
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	——— County:
ontact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Negroot League or unit boundary line (in footage):
	Ground Surface Elevation: feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
	No Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Makes Apply for Domest with DIAID
	(Note: Apply for Fernix with DWK)
	(Note: Apply for Fernill William)
	(Note: Apply to Fernic with DWK
	Will Cores be taken? If Yes, proposed zone:
CCC DKT #:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT
CCC DKT #:	Will Cores be taken? Yes Neft Permit Will DWN
CCC DKT #: The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig;
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. id on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator ar	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. id on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set eet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> postes. 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fees. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is either the complete of the complete	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in;
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> postes. 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fees. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is eif. If an ALTERNATE II COMPLETION, production pipe shall be	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Ind the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and events agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> postes. 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator are. 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. In order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and event is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> posted. 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 feech. If the well is dry hole, an agreement between the operator are the appropriate district office will be notified before well is eifer. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Tentual plugging of this well will comply with K.S.A. 55 et. seq. If Yes, proposed zone: If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in the vertical plugging of this well will comply with K.S.A. 55 et. seq. If Yes in th
The undersigned hereby affirms that the drilling, completion and events agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> postes. 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator are. 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; in cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poster of the intent of the intent of the specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 ferous for the well is dry hole, an agreement between the operator are the appropriate district office will be notified before well is eight of the intention of the intention of the specific of the specific of the spuddate or the well is completed within 30 days of the spuddate or the well is completed within	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. Indicate the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; in cemented from below any usable water to surface within 120 DAYS of spud date. In gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poster of the intent of the intent of the specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 ferous for the well is dry hole, an agreement between the operator are the appropriate district office will be notified before well is eight of the intention of the specified before well is eight of the production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well is the spud date or th	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; remember of the plugged of production casing is cemented in; remember of the plugged of the kCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing.
the undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> poste; 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe; 4. If the well is dry hole, an agreement between the operator ar; 5. The appropriate district office will be notified before well is ei; 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the weather than the surface of the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the surface of the spud date or the weather than the surface of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. If the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. To gorder #133,891-C, which applies to the KCC District 3 area, alternate II cementing the shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste of the minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 feo. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well abmitted Electronically For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: and on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set be the into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged is producted and placement is a rea, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and events agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator are. 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be. Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the west. Ibmitted Electronically For KCC Use ONLY API # 15 -	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: and on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged is producted in the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The surface of the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fe. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the spud date or the western than the surface of the surface of the spud date or the western than the surface of the	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. If yes, proposed zone: and on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set bet into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged is producted in the KCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste: 3. The minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 fee. 4. If the well is dry hole, an agreement between the operator are in the appropriate district office will be notified before well is eited. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the weather than the specific confidence of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the spud date or the weather than the surface of the surface of the surface of the spud date or the weather than the surface of the surface of the spud date or the surface of th	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT rentual plugging of this well will comply with K.S.A. 55 et. seq. d on each drilling rig; all be set by circulating cement to the top; in all cases surface pipe shall be set et into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; there plugged or production casing is cemented in; a cemented from below any usable water to surface within 120 DAYS of spud date. The plugged of the kCC District 3 area, alternate II cementing all shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and even is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well: 2. A copy of the approved notice of intent to drill <i>shall be</i> poste of the minimum amount of surface pipe as specified below <i>sha</i> through all unconsolidated materials plus a minimum of 20 feo. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is ei. 6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casing must be completed within 30 days of the spud date or the well abmitted Electronically For KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Tentual plugging of this well will comply with K.S.A. 55 et. seq. AFFIDAVIT Tentual plugging of this well will comply with K.S.A. 55 et. seq. If yes set by circulating cement to the top; in all cases surface pipe shall be set set into the underlying formation. In the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; cemented from below any usable water to surface within 120 DAYS of spud date. If you complete to the KCC District 3 area, alternate II cementing sell shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and ever is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well: 2. A copy of the approved notice of intent to drill shall be posted. 3. The minimum amount of surface pipe as specified below shat through all unconsolidated materials plus a minimum of 20 feet. 4. If the well is dry hole, an agreement between the operator are 5. The appropriate district office will be notified before well is eight of the specified of the specified surface casing must be completed within 30 days of the spud date or the west submitted Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: AFFIDAVIT Tentual plugging of this well will comply with K.S.A. 55 et. seq. AFFIDAVIT Tentual plugging of this well will comply with K.S.A. 55 et. seq. If yes set by circulating cement to the top; in all cases surface pipe shall be set the tinto the underlying formation. If the district office on plug length and placement is necessary prior to plugging; ther plugged or production casing is cemented in; If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complete to surface within 120 DAYS of spud date. If yes are the complete to the complet

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
ease:	feet from N / S Line of Section
Vell Number:	feet from E / W Line of Section
ield:	SecTwpS. R L E L W
Number of Acres attributable to well:	is section. Negulai of Integulai
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
	PLAT
=	earest lease or unit boundary line. Show the predicted locations of
	as required by the Kansas Surface Owner Notice Act (House Bill 2032).
You may atta	nch a separate plat if desired. 200 ft.
	LEGEND
	Tank Battery Location
	: : : : : : : : : : : : : : : : : : :
	Lease Road Location
	•
	: :
	EVANDIE
<u> </u>	EXAMPLE :
34	
	`
	1980' FSL
	SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1 1190889

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit			 SecTwp R		
Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date constructed: ———————————————————————————————————		Feet from North / South Line of SectionFeet from East / West Line of Section		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No Artificial Liner? Yes No		No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	over and Haul-Off Pits ONLY: Il utilized in drilling/workover: king pits to be utilized: procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		

CORRECTION #1 1190889

Kansas Corporation Commission OIL & GAS CONSERVATION DIVISION

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East _ West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tar	odic Protection Borehole Intent), you must supply the surface owners and had batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface o	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
ι	_		

TOPOGRAPHIC LAND SURVEYORS 6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219 Certificate of Authorization No. LS-99, Exp. Dec. 31, 2015 HARPER _ County, Kansas 200'FNL-1105'FEL 34 Township 33S 6W_P.M. _ Section _ _ Range X= 2155704 Y= 172104 (1535') -11.05 X= 2161031 Y= 172194 330' HARDLINE 150' West to the SUZANNE 3306 3-(2440') HARDLINE 330, X= 2161047 Y= 169573 NAD-27 Kansas South US Feet 34 X= 2155737 Y= 169476 3.280833 Ft.=1 Meter Scale: 1"= 1000' HARDLINE 1000' (2310') Bottom Hole 330'FSL-660'FEL NAD-27 (US Feet) 37'07'29.1"N 97'56'59.6"W 37.124740533'N 660' (1980') 97.949887192'W X= 2160395 Y= 167267 330' HARDLINE 330' Township Line-A 1335-R6W X= 2155768 Y= 166848 T345-R6W Bottom Hole information provided by operator listed, NOT Surveyed.

Distances shown in (parenthesis) are calculated based upon the Quarter Section being 2640 feet, those shown in [brackets] are based on GLO (General Land Office) distances and have NOT been measured on the ground. A boundary survey of the said section(s) shown hereon was not performed per the request of the operator shown hereon. **ELEVATION:** Well No.: 4-34H 1278' Gr. at Stake Reference Stakes or Alternate Location Yes None Stakes Set _

Operator: SANDRIDGE EXPLORATION & PRODUCTION, LLC Lease Name: SUZANNE 3306 Topography & Vegetation <u>Loc. fell at level pad</u> Good Drill Site? _____ Best Accessibility to Location ____ From North off county road Distance & Direction From Anthony, KS, go ± 4.5 miles East on St. Hwy. 44, then ± 1 from Hwy Jct or Town mile South to the NE Cor. of Sec. 34-T33S-R6W

DATUM: NAD-27

BE LAT: 37'08'15.6"N

LONG: 97'57'05 0"W LONG: 97'57'05.0"W LAT: 37.137678819° N LONG: 97.951396913° W STATE PLANE COORDINATES: (US Feet) ZONE: KS SOUTH X: 2159927 171975

GRID

Note:

500'


Date of Drawing: Feb. 24, 2014

Invoice # 216856A Date Staked: Feb. 20, 2014

CERTIFICATE:

T. Wayne Fisch _a Kansas Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify to the information shown herein.





Summary of Changes

Lease Name and Number: Suzanne 3306 4-34H

API/Permit #: 15-077-22025-01-00

Doc ID: 1190889

Correction Number: 1

Approved By: Rick Hestermann 02/25/2014

Field Name	Previous Value	New Value
ElevationPDF	1281 Estimated	1283 Estimated
Ground Surface Elevation	1281	1283
KCC Only - Approved By	Rick Hestermann 02/12/2014	Rick Hestermann 02/25/2014
KCC Only - Approved Date	02/12/2014	02/25/2014
KCC Only - Date Received	02/11/2014	02/25/2014
LocationInfoLink	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=34&t	https://solar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=34&t
Number of Feet East or West From Section Line	1160	1105
Number of Feet East or West From Section Line	1160	1105
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 88362	//kcc/detail/operatorE ditDetail.cfm?docID=11 90889

Summary of Attachments

Lease Name and Number: Suzanne 3306 4-34H

API: 15-077-22025-01-00

Doc ID: 1190889

Correction Number: 1

Approved By: Rick Hestermann 02/25/2014

Attachment Name

Plat