

Confiden	tiality Requested:
Yes	No

## Kansas Corporation Commission Oil & Gas Conservation Division

1190969

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from North /	South Line of Section
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	W	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		
Operator:			If Alternate II completion, c	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
Plug Back	Conv. to G		(Data must be collected from to		
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
ENHR	Permit #:				
GSW	Permit #:		Operator Name:		
			Lease Name:		
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West
Recompletion Date		Recompletion Date	County:	Permit #:	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:			Lease Name: _			Well #:		
Sec Twp	S. R	East West	County:					
open and closed, flow and flow rates if gas t	ving and shut-in presson to surface test, along w	formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach	essure reached stati n extra sheet if more	c level, hydrosta space is neede	itic pressures, bott d.	tom hole tempe	erature, fluid r	recovery,
		otain Geophysical Data a or newer AND an image		egs must be ema	ailed to kcc-well-lo	gs@kcc.ks.gov	v. Digital elec	tronic log
Drill Stem Tests Taken (Attach Additional	•	Yes No		_	on (Top), Depth ar		Samp	
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
		CASING	RECORD Ne	ew Used				
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv	
		ADDITIONAL	OFMENTING / OOL					
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa		
Perforate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives				
Protect Casing Plug Back TD								
Plug Off Zone								
Did you perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)	
	=	raulic fracturing treatment ex	xceed 350,000 gallons		= ' '	p question 3)	,	
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per			cture, Shot, Cement			Depth
	Сроспу Г	octago of Laon morvari of	ioratou	(>1	mount and rand or ma	teriar Good)		<u> Борин</u>
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN							
Fotimeted Day 1 2	0" -	Flowing			Other (Explain)	) O" D "		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	Gas-Oil Ratio	Gr 	ravity
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:	
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled			
	bmit ACO-18.)	Other (Specify)	(Submit )	ACO-5) (Sub	omit ACO-4)		-	

# RIG 6 DRILLING CO. INC

P O BOX # 227 IOLA, KS 66749

R.K. (Bud) Sifers (620) 365-6294

John J. Barker (620) 365-7806

INVOICE #:

30605

**COMPANY: James Production** ADDRESS: 1334 Grouse Rd

Yates Center, KS 66783

DATE: 11/5/2013 LEASE: Vernon Fee COUN'Woodson WELL 6

API#: 15-207-28,727

ORDERED BY:

Jim

SERVICE	RATE	UNITS	405-1111-1111-1111-1111-1111-1111-1111-1
Location Pit Charge Set Surface Csg. Cement Surface/W.O.C. Drilling Charge Circulating Drill Stem Test Logging Core Samples Water Hauling	\$250.00 Per Hr \$250.00 Per Hr \$11.00 Per Ft \$250.00 Per Hr \$250.00 Per Hr \$250.00 Per Hr %500.00 Per Run \$40.00 Per Hr	1 12 8 1600' 4	N/A N/C N/C \$17,600.00 N/C N/C N/C N/A N/C
Bit Charge (Lime W/O) Drill Stem Lost Trucking Roustabout Running Casing Rigging Up Rigging Down Other Plugging Fuel Assess. Move Rig	Cost + 10% \$28.00 Per Ft \$40. per hr + \$1./ mi \$23.00 Per Man Hr \$250.00 Per Hr \$250.00 Per Hr \$250.00 Per Hr \$250.00 Per Hr	2 1 1 0	N/C N/C N/C \$250.00 N/C N/C \$0.00
Material Provided: Cement Sample Bags	\$8.00 Per Sx \$28.00 Per Box	20	\$160.00 \$0.00

TOTAL AMOUNT

\$18,010.00

REMIT TO:

RIG 6 DRILLING, INC

**PO BOX 227** IOLA, KS 66749

THANK YOU!!! WE APPRECIATE YOUR BUSINESS!!!

# RIG 6 DRILLING CO. INC

## P O BOX # 227 IOLA, KS 66749

R.K. (Bud) Sifers (620) 365-6294

John J. Barker (620) 365-7806

**COMPANY: James Production Co** ADDRESS: 1334 Grouse Rd.

Yates Center, KS 66783

Vernon Fee LEASE: COUNTY: Woodson

LOCATION 1030'FNL/2090'FEL

6/24/15e

COMMENCED: COMPLETED:

10/26/2013 11/2/2013

WELL#:

API#:

15-207-28,727

STATUS: TOTAL DEPTH: 1600'-6 3/4"

Oil Well

40'-8 5/8" cmt w/20

CASING:

sx portland

1595'-4 1/2" Consol.Cmt

### DRILLER'S LOG

3	Soil
58	Shale (SH) w/ red Sh
68	Limestone (LS)
367	Sh w/ Is strks
596	Ls w/ sh brks
590	Sh
660	LS w/ sh strks
679	Sh w/ red sh
818	Ls
944	Sh
950	LS
960	Sh mushy
990	SH
992	Ls
999	SH
1002	LS
1004	Sh blk
1028	Sh
1033	Ls w/ Is shells
1067	SH
1080	Ls
1148	SH
1149	LS
1150	Sa w/ sh good odor It show
1153	Sa sh no/ns
1201	Sh w/ Is strks

1523 Sh

LS Miss 1536 1538 Sa Is no

1540 Ls

Sa Is good odor 1548

1600 Ls T.D.

# CONSOLIDATED Oil Well Services, LLC

#### **REMIT TO**

Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

Invoice Date: 11/11/2013 Terms: 0/0/30,n/30 Page 1

JAMES PRODUCTION CO., INC. 1334 GROUSE ROAD YATES CENTER KS 66783 (620)625-3536 VERNON FEE #6 45044 6-24-15 11-02-2013 KS

Part Number Description Oty Unit Price Total 1131 60/40 POZ MIX 245.00 13.1800 3229.10 PREMIUM GEL / BENTONITE 450.00 .2200 99.00 1118B PHENOSEAL (M) 40# BAG) 1107A 245.00 1.3500 330.75 PREMIUM GEL / BENTONITE 1118B 400.00 .2200 88.00 .0173 CITY WATER 5500.00 95.15 1123 4404 4 1/2" RUBBER PLUG 1.00 47.2500 47.25 Description Hours Unit Price Total 1085.00 1.00 1085.00 445 CEMENT PUMP EOUIPMENT MILEAGE (ONE WAY) 40.00 4.20 168.00 445 T-103 WATER TRANSPORT (CEMENT) 4.00 120.00 480.00 515 TON MILEAGE DELIVERY 1.00 595.02 595.02

Parts: 3889.25 Freight: .00 Tax: 278.08 AR 6495.35

Labor: .00 Misc: .00 Total: 6495.35
Sublt: .00 Supplies: .00 Change: .00

\_\_\_\_\_\_

Signed\_\_\_\_\_\_\_Date\_\_\_\_\_



263744

LOCATION Eureta, KS
FOREMAN David Gardner

DATE

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

## FIELD TICKET & TREATMENT REPORT

620-431-9210	or 800-467-867	5	CEMEN	T API 1	5-207-21	8727	
DATE	CUSTOMER#	WELL NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
11-2-13	4297	Vernon Fee # 6	)	6	24	15	Woodson
CUSTOMER	0			1	The second second second		
7	ames Pro	duction Inc.	Rig 6	TRUCK#	DRIVER	TRUCK#	DRIVER
MAILING ADDRE	SS		DRLG	445	Allen B.		
133	14 Grous	e Rd	DALO	515	Colby		
CITY		STATE ZIP CODE		452/T103			
Vates	Center	KS 66783					
JOB TYPE 4/5	6	HOLE SIZE 63/4	HOLE DEPTH	1601	CASING SIZE & W	EIGHT 4 1/2	10,54
CASING DEPTH	1595.95	DRILL PIPE	TUBING	= 07		OTHER	
SLURRY WEIGH	T_14.2	SLURRY VOL 54 Bbl	WATER gal/s	k	CEMENT LEFT in	CASING Ø	
DISPLACEMENT	25,5 Bb	DISPLACEMENT PSI 700	MIX PSI Plug	1400	RATE 5 Bpm	n	
REMARKS: 5	afety Mee	ting. Rig up to	4/2 casi	19. Break	circulation	w/ 5 Bb	water,
Mix 40	o# Gel Flu	sh, 20 Bbl spacer	Mixed	245 SKS	60/40 Pe	ozmix cen	uent
w/ 2%	90/ 4/5	phenoseal/sk @	14.2 #/9	al. Shut	down was	h out ou	mp 4
lines. D	isplace	w/ 25.5 Bbl was	ter. Lost	circulation	n but got	it back.	Hole
_ was br	idging off	while displacing.	Final i	oumping DI	ressure of	700 PSI.	bumped
Dlug @	1400 PSI.	Plug & float held.	No cem	ent to	surface. ]	Tob comple	ke.
Rig down		J					

	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
1	PUMP CHARGE	1085.00	1085.00
40	MILEAGE	4.20	168.00 V
2455KS	60/40 Pozmix Cement	13.18	3229,10
450#	Ge/ @ 2%	.22	99,001
245#	Phenoseal @ 14/sk	1.35	330,75
400 H	Gel flush	.22	88.00
10.55 Tons	Ton Mileage bulk truck	1.41	595.02
4 HRS	Water Transport	120/HR	480.001
5500 Gals.	City Water	17.30/1000	95.15 V
/	41/2" Top Rubber Plug	47.25	H7.25
		complet	
	Beautosassa	8	
		Subtotal	6217.27
	I hank You 7.15%	SALES TAX	278.08
	2455KS 450# 245# 400# 10.55 Tons	2455KS 100/40 Pozmix Cement 450# Gel @ 270 245# Phenoseal @ 1#/sK 400# Gel flush  10.55 Tons Ton Mileage bulk truck  4 HBS Water Transport	YO   MILEAGE   Y.20

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.