

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

or KCC Use:				
Effective Date:				
District #				
SGA? Yes No				

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1191130

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Section   Feet from   Feet f	
SECTION:   Regular   Integral   Regular   Re	E \
tiddress 1:	e of Section
(Note: Locate well on the Section Plat on reverse side)	e of Section
County: Lease Name: Well F:: hone:    County: Lease Name: Well Characteristics   Lease Name: Well F::	
State   Zip:	
Lease Name:	
Field Name:    Stribs a Prorated / Spaced Field?   Spaced Fiel	
ONTEACTOR: License#_ ame:    Well Drilled For:   Well Class:   Type Equipment:   Target Formation(s):   Target For	
Nearest Lease or unit boundary line (in footage):   Season   Storage   Pool Ext.   Ali Rotary   Ali Rotary   Disposal   Wildcat   Wildcat   Wildcat   Saismic ; # of Holes   Other   Other   Depth to bottom of usable water:   Depth to Dottom of usable water:   Depth to bottom of usable water to bottom of usable water to water.   Depth to bottom of usable water to water.   Depth to power of understance of price of united to bottom push and understance of price understance of usable water to understance value within understance price understance price understance value and understance price understance pri	res N
Seismic   Fine Rec	
Ground Surface Elevation:   Ground Surface Pipe Planned to be set:   Ground Surface Pipe Planned to Beating Planned To Planne	
Gas   Storage   Pool Ext.   Arctary   Water well within one-quarter mile:   Depth to bottom of resh water:   Depth to bottom of re	
Gas   Disposal   Wildcat   Cable   Disposal   Wildcat   Cable   Depth to bottom of fresh water:   Depth to D	res N
Depth to bottom of fresh water:   Depth to bottom of fresh water:   Depth to bottom of wasble water   Depth to bottom of   Depth to bottom of wasble water   Depth to bottom of   Depth to bottom   Depth to bottom of   Depth to bottom   Depth to bottom   Dept	Yes N
Depth to bottom of usable water:    Depth to bottom of usable water:	
Surface Pipe by Alternate:	
Length of Surface Pipe Planned to be set:    Length of Surface Pipe (if any):	
Length of Conductor Pipe (if any):	
Well Name: Original Completion Date: Original Total Depth: Irectional, Deviated or Horizontal wellbore? Yes, true vertical depth: Into the Location:  CC DKT #:  Water Source for Drilling Operations:  Water Source for Drilling Operation Operation of Drilling Form ACO -1 within Drill;  File Completion Form ACO -1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	
Original Completion Date: Original Total Depth: Water Source for Drilling Operations: water Source Form In June 19 DWR Permit #: water Source for Drilling Operations: water Source for Drilling Operations: water Source Form In June 19 DWR Permit #: DWR   DWR Permit #: DW	
Water Source for Drilling Operations:    Water Source for Drilling Operations:   Water Source for Drilling Operation of Compliance with Mater Source for Drilling Operation of Compliance with Mater Source for Drilling Operation Operations:   Water Source for Drilling Operation Operations of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;   File Drill Prit Application (form CDP-1) with Intent to Drill;   File Drill Prit Application (form CDP-1) with Intent to Drill;   File Completion Form ACO-1 within 120 days of spud date;   File acreage attribution plat according to field proration orders;	
Well   Farm Pond   Other:	
Yes, true vertical depth:   tottom Hole Location:   (Note: Apply for Permit with DWR   )   CCC DKT #:   (Note: Apply for Permit with DWR   )   Will Cores be taken?     Yes, proposed zone:     Yes, p	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. at is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cemen must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Provided Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificate (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File coreage attribution plat according to field proration orders;	
If Yes, proposed zone:  AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging. 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Dibmitted Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notificant Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File Careage attribution plat according to field proration orders;	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  1. Notify the appropriate district office prior to spudding of well;  2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;  3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Semember to:  - File Certification of Compliance with the Kansas Surface Owner Notifica Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File completion Form ACO-1 within 120 days of spud date;  - File completion Form ACO-1 within 120 days of spud date;  - File careage attribution plat according to field proration orders;	Yes N
the undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i> ;  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;	
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.  It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;  3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> .  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  District office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to plugging</i> .  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.  **Remember to:  File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;	
<ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i>;</li> <li>The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B". Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> </ol>	
<ul> <li>2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig;</li> <li>3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.</li> <li>4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i>.</li> <li>5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> <li>Jbmitted Electronically</li> <li>For KCC Use ONLY</li> <li>API # 15</li></ul>	
3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Dibmitted Electronically  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;	
through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.  4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging.  5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Ibmitted Electronically  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notifical Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File completion plat according to field proration orders;	
<ul> <li>4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to pluggin</i>,</li> <li>5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;</li> <li>6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.</li> <li>Jubmitted Electronically</li> <li>Remember to: <ul> <li>File Certification of Compliance with the Kansas Surface Owner Notifical Act (KSONA-1) with Intent to Drill;</li> <li>File Drill Pit Application (form CDP-1) with Intent to Drill;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File Completion Form ACO-1 within 120 days of spud date;</li> <li>File acreage attribution plat according to field proration orders;</li> </ul> </li> </ul>	
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Image: Remember to:  For KCC Use ONLY  API # 15	g;
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cement must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Ibmitted Electronically  For KCC Use ONLY  API # 15	
must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.  Library district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notifice Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	
### Remember to:  For KCC Use ONLY  API # 15	
Remember to:  For KCC Use ONLY  API # 15	•
Remember to:  For KCC Use ONLY  API # 15	
Remember to:  For KCC Use ONLY  API # 15	
For KCC Use ONLY  API # 15	
- File Certification of Compliance with the Kansas Surface Owner Notific API # 15	
Conductor pipe requiredfeet	
Minimum surface pipe requiredfeet per ALTIIII = Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;	ation
Minimum surface pipe requiredfeet per ALTIII File acreage attribution plat according to field proration orders;	ation
The develope difficulties plat decertify to hold protection decertify.	cation
	cation
- Submit plugging report (CP-4) after plugging is completed (within 60 da	cation
This authorization expires: (This authorization void if drilling not started within 12 months of approval date.)  - Obtain written approval before disposing or injecting salt water.	
- If well will not be drilled or permit has expired (See: authorized expiration	
Spud date: Agent: please check the box below and return to the address below.	ays);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator	:						_ Lo	cation of W	Vell: County:
_ease: _									feet from N / S Line of Section
Nell Num	nber:								feet from E / W Line of Section
Field:							_ Se	c	Twp S. R
	of Acres att						– ls :	Section:	Regular or Irregular
								Section is ction corne	Irregular, locate well from nearest corner boundary.
							Se	Clion come	el useu NE NW SE SW
	S	how location	on of the w	vell Show:	footage to	the neare	PLAT	runit hound	dary line. Show the predicted locations of
					_				sas Surface Owner Notice Act (House Bill 2032).
								plat if desi	
		_		_		_	-200 II	•	7
		:	:	:		:	<u>Ö</u>	:	→ 1255 ft.
			:	:		:	:	:	LEGEND
	•••••		:		•••••		· · · · · · · · · · · · · · · · · · ·		O Well Location
		:	:	:		:		:	Tank Battery Location
		:	:	:		:	:	:	Pipeline Location
		:	:	:		:	:	:	Electric Line Location
		:		:		:		:	Lease Road Location
		:	:	:		:	:	:	Lease Road Location
		:	:	:		:	:	:	
			:			:	:		EXAMPLE : :
		:	:	<u>:</u>		:	:	:	- LAAWII LL : : :
			:	3	4	:			
		:	:	:		:	:	:	
					••••				
		:	:	:		:	:	:	
		:	:	:		:	:	:	
	•••••				•••••				1980' FSL
				:		:	:		
		:	:	:		:	:	:	
		:	:	:	•••••	:	:	:	
		:		:		:		:	:      : :
	1				1				SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #2 1191130

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date co  Pit capacity:	Existing	SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dea	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	nei		dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	be closed within 365 days of spud date.	
Submitted Electronically				
	KCC	OFFICE USE O		
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No	

## CORRECTION #2

Kansas Corporation Commission Oil & Gas Conservation Division 1191130

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #			
Name:	·		
Address 1:			
Address 2:  City: State: Zip:+			
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	and the second is the second actata assessment that the second of the second se		
City: State: Zip:+	-		
the KCC with a plat showing the predicted locations of lease roads, ta	hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handlir form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
1			

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

February 26, 2014

Chelsey Green
SandRidge Exploration and Production LLC
123 ROBERT S. KERR AVE
OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application API 15-077-22024-01-00 Suzanne 3306 3-34H NE/4 Sec.34-33S-06W Harper County, Kansas

Dear Chelsey Green:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

82-3-607.

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

**DISPOSAL OF DIKE AND PIT CONTENTS.** 

(a)	Each operator shall perform one of the following when disposing of dike or
pit	
(1)	contents:  Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
(2)	dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;
or	
(3)	dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:  (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);  (B) removal and placement of the contents in an on-site disposal area approved by the commission;  (C) removal and placement of the contents in an off-site disposal area
on	garage guned by the same landowner or to enother producing
lease	acreage owned by the same landowner or to another producing
<b>.</b>	or unit operated by the same operator, if prior written permission
from	the landowner has been obtained; or

	(D) removal of the contents to a permitted off-site disposal area	
approved		
	by the department.	
(b)	Each violation of this regulation shall be punishable by the following	:
(1)	A \$1,000 penalty for the first violation;	
(2)	a \$2,500 penalty for the second violation; and	
(3)	a \$5,000 penalty and an operator license review for the third violation	n.

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

Haul-off pit will be located in an on-site disposal area:YesNo
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: YesNo
Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.

### **Summary of Changes**

Lease Name and Number: Suzanne 3306 3-34H

API/Permit #: 15-077-22024-01-00

Doc ID: 1191130

Correction Number: 2

Approved By: Rick Hestermann 02/26/2014

Field Name	Previous Value	New Value
Abandonment Procedure	remove free fluid, let dry and backfill	
Artificial Liner?	No	
Depth Of Water Well	62	
Depth to Shallowest Fresh Water	22	
Feet to Nearest Water Well Within One-Mile of Pit	2145	
Fresh Water Information Source: KDWR	Yes	No
How Pit is Lined if Plastic Liner Not Used	bentonite	
Is Bottom Below Ground Level?	Yes	
Is Pit Proposed or Existing	Proposed	
KCC Only - Approved By	Rick Hestermann 02/25/2014	Rick Hestermann 02/26/2014

## Summary of changes for correction 2 continued

Field Name	Previous Value	New Value
KCC Only - Approved Date	02/25/2014	02/26/2014
KCC Only - CDP1 Steel Pit		Yes
KCC Only - Date Received	02/25/2014	02/26/2014
KCC Only - Lease Inspection	Yes	No
Number of Working Pits to be Used	1	
Pit Capacity BBLS	7123	
Pit Deepest Depth	4	
Pit Length	100	
Pit Type	Drilling	
Pit Width	100	
RFAS	Yes	No
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11	//kcc/detail/operatorE ditDetail.cfm?docID=11
Steel Pit	90888 No	91130 Yes

## Summary of changes for correction 2 continued

Field Name	Previous Value	New Value
Type of Material Used in Drilling / Workover	cuttings	

### **Summary of Attachments**

Lease Name and Number: Suzanne 3306 3-34H

API: 15-077-22024-01-00

Doc ID: 1191130

Correction Number: 2

Approved By: Rick Hestermann 02/26/2014

Attachment Name

No Earthen Pits

Haul Off Pit Application