

Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1186781

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15
Name:		Spot Description:
Address 1:		
Address 2:		Feet from North / South Line of Section
City: State: Zip:	+	Feet from East / West Line of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:
Phone: ()		
CONTRACTOR: License #		GPS Location: Lat:, Long:
Name:		(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84
Purchaser:		County:
Designate Type of Completion:		Lease Name: Well #:
New Well Re-Entry	Workover	Field Name:
		Producing Formation:
		Elevation: Ground: Kelly Bushing:
		Total Vertical Depth: Plug Back Total Depth:
OG GSW GSW CM (Coal Bed Methane)	Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):		Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet
Operator:		If Alternate II completion, cement circulated from:
Well Name:		feet depth to:w/sx cmt.
Original Comp. Date: Original Tota		
	HR Conv. to SWD	Drilling Fluid Management Plan
	N Conv. to Producer	(Data must be collected from the Reserve Pit)
_		Chloride content: ppm Fluid volume: bbls
		Dewatering method used:
		Location of fluid disposal if hauled offsite:
		Operator Name:
GSW Permit #:		License #:
		Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Recompletion Date	Completion Date or Recompletion Date	County: Permit #:
		Γ σταπτ τ στηπε π

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1186781		
Operator Name:	Lease Name:	Well #:		
Sec TwpS. R East _ West	County:			
INCTRINCTIONS. Charge important tang of formations parastrated	Antoil all agree Bapart all fir	and applied of drill stome tools giving interval tooled, time tool		

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth ar		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth	Trace of Ocean ant	III On also I land		Turne and D		

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For	I RECOF	RD - Bridge P Each Interval I	lugs Set/Typ Perforated	e			ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packer	r At:	Liner R	un:	No	
Date of First, Resumed	l Producti	ion, SWD or ENHF	? .	Producing N	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
									I	
DISPOSITI	ON OF G	AS:			METHOD	OF COMPLE	TION:		PRODUCTION INT	ERVAL:
Vented Solo	a 🗌 i	Jsed on Lease		Open Hole	Perf.	Dually		Commingled		
(If vented, Su	bmit ACO	9-18.)		Other <i>(Specify)</i>		(Submit A	,	(Submit ACO-4)		

Form	ACO1 - Well Completion
Operator	Kansas Energy Company, L.L.C.
Well Name	Hills 15-1
Doc ID	1186781

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	20	42	portland	8	none
Production	6.75	4.50	9.5	1182	oil well cement	125	phenoseal , kol seal



AUTHORIZATIO

DATE



CONSOLIDATED OI WH SHY INAL LLC CEMENT FIELD TICKET AND TREATMENT REPORT

ustomer		Chata C		0	
h T	JBD	State, County	Chautauqua, Kansas	Cement Type	CLASS A
b Type	4291 Long String	Section	15	Excess (%)	30
ustomer Acct # _		TWP	34	Density	14
ailing Address	Hills #15-1	RGE	12	Water Required	7.9
ity & State		Formation		Yeild Sacks of Cement	1.74
p Code	· · · · · · · · · · · · · · · · · · ·	Tubing Drill Pipe			125 38.7 bbl
ontact				Slurry Volume	
		Casing Size	4 1/2"	Displacement	19.1
mail		Hole Size	6 3/4"	Displacement PSI	600
ell		Casing Depth	1182'	MIX PSI	200
spatch Location	BARTLESVILLE	Hole Depth	1212'	Rate	4 bpm
ode	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,085.00	\$ 1,085.00
5402	FOOTAGE	1182	PER FOOT	\$0.23	\$ 271.86
5406	EQUIPMENT MILEAGE (ONE-WAY)	35	PER MILE	\$4.20	\$ 147.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$368.00	\$ 368.00
5621	4 1/2 INCH PLUG CONTAINER	1	PER UNIT	\$215.00	\$ 215.00
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0	M		0	\$0.00	\$ -
				EQUIPMENT TOTAL	\$ 2,086.86
	Cement, Chemicals and Water				
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL CLORIDE 2% GE	125	0	\$19.75	\$ 2,468.75
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.22	\$ 44.00
1107A	PHENOSEAL	80	0	\$1.35	\$ 108.00
1110A	KOL SEAL (50 # SK)	750	0	\$0.46	\$ 345.00
1111	GRANULATED SALT (50#) SELL BY #	800	0	\$0.39	\$ 312.00
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
				Chemical Total	\$ 3,277.75
	Cement Water Transports				
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
				Transports Total	Contraction of the local division of the loc
			T		
	Cement Floating Equipment (TAXABLE)				
	Cement Floating Equipment (TAXABLE) Cement Basket		1		I
			0	\$0.00	\$-
0			0	\$0.00	\$
0	Cement Basket		0	\$0.00 \$0.00	\$ \$
0	Cement Basket				
0 0 0	Cement Basket		0	\$0.00	\$ -
0 0 0	Cement Basket Centralizer		0	\$0.00	\$ -
0 0 0	Cement Basket Centralizer		0	\$0.00 \$0.00 \$0.00	\$
0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars		00	\$0.00 \$0.00	\$ <u>-</u> \$-
0 0 0 0	Cement Basket Centralizer Float Shoe		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$
0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes		0	\$0.00 \$0.00 \$0.00	\$
0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars		0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ <u>-</u> \$ <u>-</u> \$ <u>-</u> \$ <u>-</u>
0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$
0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes		0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$
0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes		0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ <u>-</u> \$ <u>-</u> \$ <u>-</u> \$ <u>-</u>
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates		0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools		0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes		0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - - \$ - - - - - - - - - - - - -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - - - - - - - - - - - - -
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - - \$ - - - - - - - - - - - - -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG	1		\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - - - - - - - - - - - - -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00	\$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL	\$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2'' RUBBER PLUG Downhole Tools DRIVER NAME	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0	\$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00	\$ - \$ -
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2'' RUBBER PLUG Downhole Tools DRIVER NAME	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0	\$
0 0 0 0 0 0 0 0 0 0 0 0 0 0	Cement Basket Centralizer Centralizer Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders Bryan Scullawl	1	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0	\$ - \$ - > \$ \$

TITLE FOREMAN Lik Sanden

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM. 1/26/2014

CONSOLIDATED Of Wed Services, LLC CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	JBD	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Іор Туре	Long String	Section	15	Excess (%)	30
Customer Acct # 3	0	TWP	34	Density	14
Vell No.	Hills #15-1	RGE	12	Water Required	7.9
Mailing Address	0	Formation	0	Yeild	1.74
City & State	0	Tubing	0	Sacks of Cement	125
Zip Code	0	Drill Pipe	0	Slurry Volume	38.7 bbl
Contact	0	Casing Size	4 1/2"	Displacement	19.1
Email	0	Hole Size	6 3/4"	Displacement PSI	600
Cell	0	Casing Depth	1182'	MIX PSI	200
Dispatch Location	BARTLESVILLE	Hole Depth	1212'	Rate	4 bpm
Time:	Description	Rate (bpm)	Volume (bbl)	Pressure	Notes
	Amount of Cement Left in Casing				
		Remarks:			
Ran	gel / LCM to establish circ., ran 125sx of OWC cement w/ 6				ug and
	displaced 19.1 bbl to land. Landed plug @ 1100	0#, plug held. Circulated	d cement to surface, shut dow	in and washed up.	den de la companya d
			• • • • • • • • • • • • • • • • • • •		