



Pioneer Energy Services

Dual Compensated Porosity Log

15-163-24,174-00-00

API No.

Company **Carmen Schmitt, Inc.**
 Well **Arpin "A" #1-6**
 Field
 County **Rooks** State **Kansas**

Location **SE NE NE SW
 2,293' FSL & 2,555' FWL**
 Sec: **6** Twp: **9S** Rge: **20W**

Other Services
 DIL
 MEL/BHCS

Elevation
 K.B. 2132
 D.F.
 G.L. 2127

Date	2/17/2014	
Run Number	One	
Type Log	CNL / CDL	
Depth Driller	3830	
Depth Logger	3830	
Bottom Logged Interval	3809	
Top Logged Interval	3000	
Type Fluid In Hole	Chemical	
Salinity, PPM CL	1300	
Density	9.3	
Level	Full	
Max. Rec. Temp. F	114	
Operating Rig Time	4 Hours	
Equipment -- Location	108 Hays	
Recorded By	J. Long	
Witnessed By	Dave Goldak	

Borehole Record			Casing Record				
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	208	8.625	24#	00	208
2	7.875	208	3830				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services
www.pioneerenergy.com
 785 625 3858

Damar, 1 South on 18 Highway to S Road, 1 1/2 West, 1/2 South, East Into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			











