

С	onfiden	tiality Reque	ested:
	Yes	No	

Kansas Corporation Commission Oil & Gas Conservation Division

1192543

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🗌 East 🗌 West
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows:	Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name: Original Total Depth: Original Total Depth:	feet depth to: w/ sx cmt. Drilling Fluid Management Plan
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #: Dual Completion Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used:
☐ SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. TwpS. R East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received							
Geologist Report Received							
UIC Distribution							
ALT I II III Approved by: Date:							

Page Two



Operator Name:				Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whet vith final c	ther shut-in pre hart(s). Attach	essure reac extra shee	hed stati t if more	c level, hydrosta space is neede	tic pressures, bod.	ottom hole temp	erature, fluid re	ecovery,
Final Radioactivity Lo files must be submitte						gs must be ema	liled to kcc-well-	ogs@kcc.ks.go	v. Digital electi	ronic log
Drill Stem Tests Taker (Attach Additional		Ye	es No			J	on (Top), Depth		Samp	
Samples Sent to Geo	logical Survey	Ye	es No		Nam	e		Тор	Datum	1
Cores Taken Electric Log Run		☐ Ye								
List All E. Logs Run:										
				RECORD	Ne					
	0: 11.1					ermediate, product		" 0 1	T 15	
Purpose of String	Size Hole Drilled		e Casing (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Pe Additive	
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement # Sacks Used			Type and Percent Additives				
Perforate Protect Casing	Top Detterm									
Plug Back TD Plug Off Zone										
1 lug 0 li 20 lio										
Did you perform a hydrau	ulic fracturing treatment of	on this well?	•			Yes	No (If No, s	kip questions 2 a	nd 3)	
Does the volume of the t			_		-		= ` `	kip question 3)		
Was the hydraulic fractur	ing treatment information	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, f	ill out Page Three	of the ACO-1)	
Shots Per Foot			D - Bridge Plug Each Interval Perf				cture, Shot, Ceme			Depth
						(_	
TUBING RECORD:	Size:	Set At:		Packer A		Liner Run:				
		0017111		. dono. 7		[Yes N	0		
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gra	avity
DIODOCITI	01.05.040			4ETUOD 05	001451	TION		DDODUCT	ONLINITED (A)	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF ☐ Perf.			nmingled	PRODUCTION	ON INTERVAL:	
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)			

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

964.D TO:

, CASH CUSTOMER

Payless Concrete Products, Inc.

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediany's direction, under truck's own power. Due to delivery at owners or intermediary's direction-seller assumes no responsibility for damages in any manner to sidewalks, roadways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for extend the table when water is ended at quistomer's required. strength test when water is added at customer's request. NOTICE TO OWNER

refuller of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

WR/PLAINS >* DAVE WRESTLER/DMJ OIL 1776 BEORGIA RD HUMBOLDT DELTO:OLD 169 S OVER TRACKS TO BEHIND PLAINS PND DRIVEWAY

JET 1 FIDGE#1

					DENCED FEBLION	SHOW THE STATE OF	PLANT/TRANSACTION #
7007	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		
TIME TIME	TOHWOLA			% CAL	CS	% HIK	
		and and and	4 05 12506	0.00	35	0.00	ALLCO
82:48:54p	ELL.	10.50 yd	10.50 yd			SLUMP	TICKET NUMBER
		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUIVIE	HORE ROWLE
. DATE			10.50 vd				
	o Date	*		24770	G/yd 0,0	4.00 in	34748
00.01-13	Taday	Farmer	10.50 yd	C.47 (40		I D. I. L. L. Donov	nia Darformanca

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this out west to neu you in every way max we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curvis, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that havailf and this reh a wildle forast Euribra es artificinal considera. that he will not litter the public street. Further, as additional considerathat he will not litter the public street. Pulling, as adultion to order to not be undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY: Tula #1

Excess Delay Time Charged @ \$50/HR.					EXTENDED PRICE	
QUANTITY	CODE	DESCRIPTION			17/1 22 124	
10.50 10.50 1.00	WELL MIX&HAUL TRUCKING	WELL (10 SACKS PER UNIT) MIXING & HAULING TRUCKING CHARGE *	10.50 10.50 1.00	55.00 -25.00 55.00	5(77,50 262,50 55,00	

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	NDER TEST TAKEN	TIME ALLOWED	ibTotal \$	
3:49	3141	3135	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	TIME DUE	ax % 7.40_	\$ (e6.23)
LEFT PLANT	ARRIVED JOB	START UNLOADING	5. ADDED WATER		THINE DOL (I)	rder 1	1
3:08	3:17	3/20				ADDITIONAL CHARGE 1	
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	4 01/193
					4	GRAND TOTAL	# 961.22

				DRILLER	RS LOG		/ PFA TALIS ISLONGININALII MINIKO OSALTOI
San				Walter Color			
Company:	Mueller oil				Contractor:	David Wrestle	r
License#	30652				License #	7160	
Farm:	Fudge		and the state of t		County:	allen	
Well No:	1				Sec:9	TWP:25	Range: 18
API:				hande of 2000 security and extract state	Location:	2600 north	мет и полька было желаница,
Surface Pipe:		21 ft cement	with 6 sacks		Location:	1040 east	BOSTORY STATE OF THE STATE AND ADDRESS.
and a control of the					Spot:	sw. sw. se. no	2.
Started		Finished					Constitution of the Consti
Thickn	ess	Format	ion	D	epth	Ministration of the executive contraction of	Remarks
6ft	1	top soil		6ft	- F - T	1	ZWORMEN AND
8ft		clay		14ft			
2ft	and the state of t	river gravel		16ft			
19ft		lime		35ft			
27ft		shale		62ft			
5ft	AND THE RESIDENCE OF THE PARTY	lime		67ft			
39ft		shale		106ft			
152ft	and the state of t	lime ,		258ft			
157ft		shale		445ft			
20ft		lime		465ft			
28ft		sand		493ft		odor	
2ft		lime		495ft			
28ft		sandy shale		523ft			
38ft		lime		561ft		1	
30ft		shale		591ft	de la companya de la		
19ft		lime 20 ft		610ft			
9ft		shale		619ft			
3ft		lime 5ft		622ft			
150ft	***************************************	shale		772ft			
7ft		sand		779ft		odor	
104ft		Shale		883ft			
14ft		Oil sand		897ft		very good ble	eed !!!!!
T.D. 897							
T.D. Pipe 884						I	