

Confidentiality Requested:

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1192622

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from  North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back   Conv. to GSW   Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:      Dual Completion Permit #:	Dewatering method used:
SWD     Permit #:	Location of fluid disposal if hauled offsite:
ENHR     Permit #:	Location of huld disposal if hadied offsite.
GSW     Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East _ West
Recompletion Date Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II III Approved by: Date:					

	Page Two	1192622
Operator Name:	Lease Name:	Well #:
Sec TwpS. R □ East □ West	County:	
INCTOLICTIONS: Chave important tang of formations panetrated	Datail all aaroo Bapart all	final copies of drill stome tests giving interval tested, time test

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sho	eets)	Yes No		-	on (Top), Depth ar		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	6		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		ion, etc.		
Purpose of String Size Hole Size Casing Weight Setting Type of # Sacks Type a					Type and Percent Additives		
		ADDITIONAL	CEMENTING / SQU	IEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	acks Used Type and Percent Additives			

Perforate	Top Bottom	<b>3</b> 1	 31
Protect Casing Plug Back TD Plug Off Zone			

No

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

No (If No, skip questions 2 and 3) No (If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					e	А		ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packer	r At:	Liner Ru	in:	No	
Date of First, Resumed	Date of First, Resumed Production, SWD or ENHR.       Producing Method:         □ Flowing       □ Pumping       □ Gas Lift       Other (Explain)									
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:			METHOD OF COMPLETION:		_	PRODUCTION INT	ERVAL:			
Vented Sold Used on Lease Opt			Open Hole	Perf.	Dually		Commingled (Submit ACO-4)			
(If vented, Su	Submit ACO-18.)     (Submit ACO-18.)				,	( <i>Subinii</i> ACO-4)				

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

### WoCo Drilling LLC Yates Center, Kansas 66783 620-330-6328 620-228-2320

Operator License# 5983	API# 15-207-28596-00-00		
Operator: Victor J Leis	Lease Name: H. Stockebrand		
Address: PO Box 223 Yates Center, Ks 66783	Well # 11		
Phone# 785-313-2567	Spud date: 7-1-2013 Completed:		
Contractor License# 33900	Location: Sec: 28 Twp: 24 Rg:16		
T.D. 1025 T.D. of Pipe	2090 Ft From N Line		
Surface Pipe Size: 85/8 Depth:40ft	990 Ft From E Line		
Kind of Well: Oil			

Drillers Log
--------------

Strata	From	То
Soil	0	5
Clay	5	8
Shale	8	99
Lime	99	128
Shale	128	135
Lime	135	158
Shale	158	181
Lime	181	378
Shale	378	445
Lime	445	447
Shale	447	450
Lime	450	478
Shale	478	481
Lime	481	578
Shale	578	768
Lime	768	784
Shale	784	791
Lime	791	795
Shale	795	856
Lime	856	867
Shale	867	891
Lime	891	893
Shale	893	900
Lime	900	917

Strata	From	То
Shale	917	925
Lime Cap	925	926
Shale	926	929
Lime	929	933
Sandy Shale	933	935
Broken Sand	935	938
Squirrel Sand	938	942
Broken Oil Sand	942	945
Broken Sand	945	946
Shale	946	978
Lime Cap	978	982
Broken Oil Sand	982	984
Sand	984	987
Shale	987	1025

			<b>REMIT TO</b> Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346		MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 Fax 620/431-0012	
INVOI	CE 				Invoice #	261123
Invoi	ce Date: 07/31	/2013	Terms: 0/0/30,n/	30	Ра Ра	age 1
]	D-ROC OIL COMPAN P.O. BOX 223 YATES CENTER KS (785)313-2567			H. STOCKEBRANI 42259 28-24-16 07-30-2013 KS	D #11	
Part 1 1124 1118B 1126 4402	Number	PREMIUM OIL WEL	tion OZ CEMENT MIX GEL / BENTONITE L CEMENT RUBBER PLUG	94.00	Unit Price 11.5000 .2200 19.7500 29.5000	Total 1081.00 126.28 790.00 29.50
368 368 368 479 548 675	Description CEMENT PUMP EQUIPMENT MILE CASING FOOTAGE TON MILEAGE DE MIN. BULK DELI 80 BBL VACUUM	LIVERY VERY		Hours 1.00 65.00 1018.00 1.00 1.00 3.50	.00 383.37	Total 1085.00 273.00 .00 383.37 368.00 315.00

 Parts:
 2026.78 Freight:
 .00 Tax:
 144.92 AR
 4596.07

 Labor:
 .00 Misc:
 .00 Total:
 4596.07

 Sublt:
 .00 Supplies:
 .00 Change:
 .00

Signed	Signed				Date			
BARTLESVILLE, OK	EL DORADO, KS	EUREKA, KS	PONCA CITY, OK	OAKLEY, KS	OTTAWA, KS	THAYER, KS	GILLETTE, WY	CUSHING, OK
918/338-0808	316/322-7022	620/583-7664	580/762-2303	785/672-8822	785/242-4044	620/839-5269	307/686-4914	918/225-2650



261123

LOCATION OHenn KS
FOREMAN Casey Kennedy

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

# FIELD TICKET & TREATMENT REPORT

CEMENT

020-401 0210		-			1.4.1			
DATE	CUSTOMER #	WEL	L NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
7/30/13	2463	H. Stoc	kebrand t	<u> </u>	NE 28	24	16	40
CUSTOMER								
	Roc				TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRI	ESS				481	Caskon	~ Safely	Hatin
PO '	Box 223				368	ArMcD	V V	
CITY	<u>^</u>	STATE	ZIP CODE		548	Mik Haa	V 675	KeiDetv
Yates	Center	KS	66783		479	ColNob	VEDER	120028
JOB TYPE / O	notring	HOLE SIZE	5718"	HOLE DEP	тн <u>/025'</u>	CASING SIZE &		18"EUE
CASING DEPTH	1018'	DRILL PIPE		_TUBING			OTHER	
SLURRY WEIGH	HT	SLURRY VOL		WATER ga	l/sk	CEMENT LEFT I	n CASING	
DISPLACEMENT 5. 8964 DISPLACEMENT PSI				MIX PSI	NIX PSI RATE 3 6pm			
REMARKS: Lold sately machine, astablished circulation, nixed + armed 100 # Premium								
Got followed by 10 bbls tirsh water, mixed + pumped 10 bbls dye marker, mixed +								
aunded 94 the 5% To Pozni & concert w/ 6% delper sk, dye marker to sufface,								
nixedta	ruped 4	to sles ou	NC cen	ent co	ment to	runtace th	and am	dean
puniped i	2/2 subber	plug to	casing T	5 m/ 9	5.89 6615 A	est water,	pressured	to 800
puniped 2/2 rubber plug to rasing TD w/ 5-89 bbls flesh water, pressured to 800 PSI, released pressure, shut in casing,								
	V			ノ·				

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE		1085.00
5406	65 mi	MILEAGE		273.00
5402	1018'	casing tootage		
5407A	271.895	ton mileage		383.37
5407	minidum	ton mileage		368.00
5502C	3.5hrs	80 Vac		315.00
1124	94 stes	5950 Poquix cement		1081,00
1118B	574 #	Prevaium Gol		126.28
1126	40 sts	Owe concert		790.00
4402		Owe concert 2% where plug		29.50
		7.15	🤣 SALES TAX	144.92
Ravin 3737			ESTIMATED TOTAL	4596.07
AUTHORIZTION	Vu - M Je	کر TITLE	DATE	

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

#### TERMS

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials. Customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by faw, whichever is higher. In the event COWS retains an attorney to pursue collection of any account. Customer agrees to pay all collection costs and attorney's fees incurred by COWS.

Any applicable federal, state or local sales, use occupation, consumer's or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

#### SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

(a) COWS shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a 'claim') for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.

(b) Unless a claim is the result of the sole willful misconduct or gross negligence of COWS, Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

(c) COWS makes no guarantee of the effectiveness of any COWS products, supplies or materials, or the results of any COWS' treatment or services.

(d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others. COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS' personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negligence or willful misconduct in the preparation or furnishing of it.

(c) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

### WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and that the same are free from defects in workmanship and materials. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE. WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise.) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.