

Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1192638

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Location of huld disposal if hadied offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Iwo	1192638
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS: Chain important tang of formations paratrated Da	tail all aaraa Danart all final	appiag of drill stamp tasta giving interval tastad time tast

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Name	9		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth	T (0)				-	

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Back TD				
Plug Off Zone				

No

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

No	(If No, skip questions 2 and 3)
No	(If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For	RECOF	RD - Bridge F Each Interval	Plugs Set/Typ Perforated	e	A		ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packe	r At:	Liner Ru	un:	No	
Date of First, Resumed	Product	ion, SWD or ENHF	} .	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bbl	S.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF C	GAS:			METHOD		TION:	_	PRODUCTION IN	TERVAL:
Vented Sold	l [] l	Used on Lease		Open Hole	Perf.	Dually (Submit)	Comp.	Commingled	·	
(If vented, Sul	bmit ACC	D-18.)		Other (Specify)	(Submit)	,	(Submit ACO-4)		



262422

42503 TICKET NUMBER

LOCATION Oftowa KS

FOREMAN Fred Madur

PO Box	884, (Chai	nute,	KS	6672
620-431					

Word Drilling.

	hanute, KS 667/ or 800-467-8676	20	D TICKE	CEMEN	TMENT REP	ORT		
DATE	CUSTOMER#	WELL	NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
9/17/13	2463	H. Stocl	cebrand.	#SWD-1	NE 27	24	16	ധട
CUSTOMER								
D · ī	Zac DIL	٢۵			TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRI	ESŚ				217	Fremad		
P.o.	Box 22	3			495	Har Bec		
CITY		STATE	ZIP CODE		675	Kei Det		
Yates (Box 22 Center	KS	66783		558	Max Coc		
JOB TYPE L	ongstring	HOLE SIZE	578	HOLE DEPT	H_609_	CASING SIZE & W	EIGHT_ <u>27</u> *	EUE
CASING DEPTH	6000			_TUBING	<u> </u>		OTHER	
SI URRY WEIGH	-17	SLURRY VOL				CEMENT LEFT in	CASING	
	T 3,4888		r psi	MIX PSI		RATE <u>SBPN</u>		
REMARKS: H	lat area	safety	neeting	Estak	ish circu	lation. Mis	KK PUTTED	100\$
Gal	fluch. M	lix+ Pum	0 86	SKS CL	153 "A" Ce	mant 2700	ul. Com	ent
* <	. faca	Fluch A	ima +1.	hes cla	on. Displ	ace 2/2	Rubbor	Dlug
	as in T	Press	ure to	ROOM	PSI. Rel	ease pre	ssure to	o cat
	Variation of the second					- /		

Float Value. Shut in Cosing.

Mode

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PROD		UNIT PRICE	TOTAL
5401	,	PUMP CHARGE	495		108500
5406	65 mi	MILEAGE	495		273 00
5402	600'	Casing footage			MIC
5407A	268.32	Ton Miles	558		378-33
55020	Zékr	80 BBL Vac Truck	675		225 -0
					20
11045	86 sks 262 4	Class A Coment			135020
11183	762*	Promium Col			5765
4402	1	22 Rubber Plug			2520
	· · · · · · · · · · · · · · · · · · ·				
			· · · · · · · · · · · · · · · · · · ·		
			7.158		1027
Ravin 3737	$P \rightarrow P$			ESTIMATED TOTAL	10277 350144

AUTHORIZTION Kyan Leis by Thome.

TITLE_

DATE

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

TERMS

1.1

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by COWS.

Any applicable federal, state or local sales, use occupation, consumer's or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

(a) COWS shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a 'claim') for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.

(b) Unless a claim is the result of the sole willful misconduct or gross negligence of COWS, Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

(c) COWS makes no guarantee of the effectiveness of any COWS' products, supplies or materials, or the results of any COWS' treatment or services.

(d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS' personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negligence or willful misconduct in the preparation or furnishing of it.

(e) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers; and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and that the same are free from defects in workmanship and materials. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE. WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.

WoCo Drilling LLC Yates Center, Kansas 66783 620-330-6328 620-228-2320

Operator License# 5983	API# 15-207-28697-00-00				
Operator: Victor J Leis	Lease Name: H. Stockebrand				
Address: PO Box 223 Yates Center, Ks	Well #SWD-1				
Phone# 913-285-0127	Spud date: 9-16-13 Completed:				
Contractor License# 33900	Location: 28 Twp: 24 Rg:16				
T.D.609 Bit Size: 5 7/8	1755 ft. from North line				
Surface Pipe Size: 8 5/8 Depth:40ft	160 ft. from East line				
Kind of Well: Disposal					

Drillers Log

Strata	From	То
Soil	0	6
Clay	6	13
Shale	13	97
Lime	97	148
Shale	148	172
Lime	172	290
Shale	290	294
Lime	294	370
Shale	370	438
Lime	438	440
Shale	440	443
Hrd Lime	443	451
Lime Brk	451	455
Hrd Lime	455	457
Lime Brk	457	473
Hrd Lime	473	477
Lime Brk	477	486
Hrd Lime	486	493
Lime Brk	493	495
Hrd lime	495	507
Lime Brk	507	514

Strata	From	То
Hrd Lime	514	515
Shale	515	517
Lime Brk	517	525
Hrd Lime	525	541
Lime BrK	541	543
Hrd Lime	543	549
Lime Brk	549	551
Hrd Lime	551	554
Lime Brk	554	557
Hrd Lime	557	560
Lime Brk	560	566
Hrd Lime	566	569
Shale	569	609