

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KC0	C Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

month day year	Spot Description:
,	SecTwpS. R EV
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	
ddress 2:	
ty: State: Zip: +	County:
ontact Person:hone:	Lease Name: Well #:
none.	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field? Yes No
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OW/WO: ald wall information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
f Yes, true vertical depth:	
Bottom Hole Location:	DWK Permit #.
KCC DKT #:	(Note: Apply for a strike with EVIX)
	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and eventua	I plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	
2. A copy of the approved notice of intent to drill shall be posted on e	each drilling rig;
2. Woopy of the approved house of intent to anii shan be posted on a	
3. The minimum amount of surface pipe as specified below shall be	
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 	the underlying formation.
3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into4. If the well is dry hole, an agreement between the operator and the	o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i>
 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; lugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be ceme 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the the surface district office will be notified before well is either performed. If an ALTERNATE II COMPLETION, production pipe shall be composed or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. 	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface	to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing Il be plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface	the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the the street of the well is district office will be notified before well is either point of the street of the street of the street of the street of the well shall be completed within 30 days of the spud date or the well shall be completed by the street of the stree	the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the the street of the well is district office will be notified before well is either point of the street of the well shall be completed within 30 days of the spud date or the well shall be the street of the stre	to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. or #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed Electronically For KCC Use ONLY API # 15	content of the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the the street of the well is district office will be notified before well is either point of the specific of the well shall be completed within 30 days of the spud date or the well shall be completed before well is either point of the specific	content of the underlying formation. Idistrict office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description** **Des	content of the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface plus and the surface plus and the surface properties of the surface will be notified before well is either public to the surface plus shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cement of the surface plus of the surfa	content to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be	content to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; sented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing III be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

_ Agent: .

Side Two



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:					_ Loc	Location of Well: County:				
Lease:						_		feet from N / S Line of Section		
Well Number:					_		feet from E / W Line of Section			
Field:					_ Se	SecTwpS. R E W				
Number of Acres attributable to well:					_	Is Section: Regular or Irregular				
								on is Irregular, locate well from nearest corner boundary. corner used: NE NW SE SW		
				d electrica	the neare I lines, as		y the Ka	boundary line. Show the predicted locations of Kansas Surface Owner Notice Act (House Bill 2032). f desired.		
		: : :	: : : : : :		: : :	: :	φ	330 ft. LEGEND		
		:			•			O Well Location Tank Battery Location Pipeline Location Electric Line Location		
		· · · · · · · · · · · · · · · · · · ·						Lease Road Location		
	:	: :	8	· 	: :	: :		EXAMPLE		
	·		: 	•••••	· 		·			
	·	:		••••				1980' FSL		


NOTE: In all cases locate the spot of the proposed drilling locaton.

4950 ft.

SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit: Emergency Pit Burn Pit	Pit is:	Existing	 SecTwp R				
Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	If Existing, date co	nstructed:(bbls)	Feet from North / South Line of SectionFeet from East / West Line of Section				
Is the pit located in a Sensitive Ground Water A	rea? Yes	No (DDIS)	County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.				
Distance to nearest water well within one-mile	of pit:	Depth to shallowest fresh water feet. Source of information:					
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	over and Haul-Off Pits ONLY: Il utilized in drilling/workover: king pits to be utilized: procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.					
Submitted Electronically							
	KCC	OFFICE USE OI	NLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No				



Kansas Corporation Commission 1194455
Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	
Name:	· — —
Address 1:	•
Address 2:	Lease Name: Well #:
City: State: +	the large heless.
Phone: () Fax: ()	
Email Address:	-
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	
City: State: Zip:+	_
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Continental Operating Co.	Location of Well: County: Rooks					
Losso: Dougles A	feet from N / S Line of Section					
Lease.	feet from E / W Line of Section					
g von Hannari	SecTwpS. R EW					
Field:						
Number of Acres attributable to well:	Is Section: Regular or Irregular					
QTR/QTR/QTR of acreage:						
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW					
	PLAT					
Show location of the well. Show footage to the neares	st lease or unit boundary line. Show the predicted locations of					
losse roads tank hatteries pipelines and electrical lines, as	required by the Kansas Surface Owner Notice Act (House Bill 2032).					
You may attach a	separate plat if desired.					
	LEGEND					
	O Well Location					
	Tank Battery Location					
	Pipeline Location					
	: Electric Line Location					
	Lease Road Location					
	EXAMPLE :					
	1980' FŚL					
· ·						

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO. 3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

STATE OF KANSAS STATE CORPORATION COMMISSION	WELL PLUG K.A.R.	GING -82-3	RECORD	API NUI	API NUMBER			
200 Colorado Derby Building Wichita, Kansas 67202					LEASE NAME Riffe Unit (Dryden #1)			
			NT	WELL N	WELL NUMBER #3-1			
	NOTICE: FIII and return	to C	ons. Div.	<u>!</u>		Section Line		
	office within 30 days.				NE NE NE Ktxxtromxkx\$nettonxking			
LEASE OFERATOR Graham-N	Michaelis Corpo	ratio	n		TWP. 75 RGE			
ADDRESS Box 247				Rooks				
PHONE (316) 264-8394 OPERA	TORS LICENSE N	0	5134		ell Completed			
Character of Well oil	•				ng Commenced	,		
(Oll, Gas, D&A, SWD, Input, Wa	iter Supply Wel	1)			g Completed			
The plugging proposal was appr	oved on N	ovemb	er 29, 19		_			
by								
Is ACO-! filed? Yes If								
Producing Formation Toronto-La								
Show depth and thickness of al					and the special control of the special	are the same and t		
OIL, GAS OR WATER RECORDS	1	J		ASING RECO	RD.			
Formation Content	I E . o .	I T						
Content	From	То			Pulled out			
			8 5/8"	3231	none			
	Tine		5 1/2"	3452 1282.71	none			
Describe in detail the manner	in which the we	swile	s pluage	d. Indicat	ing where the	mud fluid wa		
placed and the method or method were used, state the charace Plugged 4 1/2" casing with	t er of same a r 25 sacks cemer	nd de nt at	oth plac	ed. from	feet to	eet each cot		
Hulls and 100 sacks cement	 Shut in at ^Q 	900#_						
Plugged 8 5/8 " with 1 sact at 30.#						e. Shut in		
(If additional desc								
Name of Plugging Contractor				on	License No	5134		
Address			-					
STATE OF Kansas	COUNTY OF _	Sedgw	rick	THE STATE OF THE S	_,ss.			
Norman Rodie		-5 % 45 % 1 Grand Bar consister				(Operator) o		
statements, and the someone the same from th	contained and	the I	oath, says	s: That I I above-de:	have knowledg scribed well	e of the facts, as filed that		
TOTE CORPORATION 2 Se	so help me God	i. (S	ignature)	The		20 :		
~ 10X4		, ,	ddress)	Box 232,	Russell, KS	67665		
SUBSCRIBED AND SUBSCRIBED AND CONSERVATION DIVISION AND CONSERVATION AND C	D SWORN TO befo	re me	this 1	5th day	of December	10 99		
CONSERVATION DIVISION Wichita, Kanese				9/-/)72 4/	,19 <u>00</u>		
Wichita. Ross	-	epi-steamen			Public			

My Commission Expires: June 19, 1991

.icla M. THOWE

NOTARY PUBLIC

ETATE OF KANSAS

MY APPT. EXPIRES 6-19-91

Form CP-4 Revised 07-87