

Kansas Corporation Commission Oil & Gas Conservation Division

1194887

Form CP-1
March 2010
This Form must be Typed
Form must be Signed
All blanks must be Filled

WELL PLUGGING APPLICATION

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

OPERATOR: License #:		API No. 1	5					
Name:			If pre 1967, supply original completion date:					
Address 1:	Spot Desc	Spot Description:						
Address 2:			Sec Twp	o S. R	East West			
City: State:		_	Feet from	North / South	Line of Section			
Contact Person:		_	Feet from East / West Line of Section					
Phone: ()		Footages	Calculated from Neares		er:			
Filone. ()		0		SE SW				
			me:					
		Lease Na		vveπ π				
Check One: Oil Well Gas Well OG	D&A Cat	hodic Water	Supply Well Ot	her:				
SWD Permit #:	ENHR Permit #:		Gas Storage	Permit #:				
Conductor Casing Size:	_ Set at:	(Cemented with:		Sacks			
Surface Casing Size:	_ Set at:		Cemented with:		Sacks			
Production Casing Size:	_ Set at:		Cemented with:		Sacks			
Elevation: (G.L. / K.B.) T.D.: Condition of Well: Good Poor Junk in Hole Proposed Method of Plugging (attach a separate page if adding Is Well Log attached to this application? Yes No. 1f ACO-1 not filed, explain why:	Casing Leak at:tional space is needed):			tone Corral Formation)				
Plugging of this Well will be done in accordance with K. Company Representative authorized to supervise plugging								
Address:	(Dity:	State:	Zip:	-+			
Phone: ()								
Plugging Contractor License #:	1	Name:						
Address 1:	A	ddress 2:						
City:			State:	Zip:	_+			
Phone: ()								
Proposed Date of Plugging (if known):								

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent

Submitted Electronically



Kansas Corporation Commission Oil & Gas Conservation Division

1194887

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	_ Well Location:			
Name:				
Address 1:				
Address 2:	Lease Name: Well #:			
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or			
Contact Person:	the lease helow:			
Phone: () Fax: ()	_			
Email Address:	_			
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property toy records of the county traceurer			
City:	_			
	thodic Protection Borehole Intent), you must supply the surface owners and			
	ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
Select one of the following:				
owner(s) of the land upon which the subject well is or will b	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address.			
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.			
Submitted Electronically				
I				



KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

	004 20040 00 00
Operator: License # 33261	API No. 15 - 001-29010-00-00
Name: Brower Oil & Gas Co., Inc.	County: Allen
Address: 6506 S. Lewis Ave., Ste. 115	S/2_SE_SW Sec. 19 Twp. 24 S. R. 18 East West
City/State/Zip: Tulsa, OK 74136	342 feet from \$ / N (circle one) Line of Section
Purchaser:	2079 feet from E (W) (circle one) Line of Section
Operator Contact Person: Pamela K. Atkins	Footages Calculated from Nearest Outside Section Corner:
Phone: (918) 743-8893 RECEIVED	(circle one) NE SE NW (SW)
Contractor: Name: Pense Brothers Driling	Lease Name: Dorothy Well #: 1-19
License: 32980 NOV 2 4 2003	Field Name: Iola
Wellsite Geologist: John D. Muselmann KCC WICHITA	Producing Formation: See Attached-All Perf'd Formations Listed
Designate Type of Completion:	Elevation: Ground: 978' Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1200' Plug Back Total Depth:
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 43' Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐Yes ☑No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from
Operator:	feet depth tow/sx cmt.
Well Name:	D.W. Firid Management Dies
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content Fresh Water ppm Fluid volume 0 bbls
Plug Back Plug Back Total Depth	Dewatering method used Evaporation
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	·
Other (SWD or Enhr.?) Docket No	Operator Name:
	Lease Name: License No.:
08-10-03 08-11-03 09-24-03 Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date	QuarterSecTwpS. RBeast West County:Docket No.:
107 for confidentiality in excess of 12 months). One copy of all wireline logs of the Tickets Must be attached. Submit CP-4 form with all plugged wells. All requirements of the statutes, rules and regulations promulgated to regulate	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
herein are complete and correct to the best of my knewledge. Signature: Signature:	KCC Office Use ONLY
Title:	Letter of Confidentiality Attached
Subscribed and sworn to before me this May of Moven lie	If Denied, Yes Date:
_	Wireline Log Received
2003. 0	Geologist Report Received
Notary Public: Yamala / (Atkins	UIC Distribution
Date Commission Partic Oklahems	
OFFICIAL SEAL	

PAMELA K. ATKINS Tulsa County No. 02019589 Exp. 1-8-07

Name: Bro	wer Oil & Gas Co	o., Inc.				Well #: 1-19					
9 Twp. 2	24 S. R. 18	✓ East [West	County	: Alien					·	
sted, time tool ope mperature, fluid red	how important tops a n and closed, flowing covery, and flow rate s surveyed. Attach t	g and shut-in s if gas to su	pressures, rface test, a	whether sl long with 1	out-in pre	essure reached	static level, hydro:	static pressur	es, bottoi	n hole	
rill Stem Tests Take		☐ Yes	✓ No		₽L	og Format	ion (Top), Depth a	nd Datum		Sample	
Attach Additional) amples Sent to Ge		☐ Yes 🔽 No			Nam Swo			Тор 320 '		Datum 326'	
ores Taken	010 g ,041 041 107	Yes	No		Paw	•		648.5'		651'	
ectric Log Run	✓ Yes No			Sum	· · · ·		0.10.0		'40'		
(Submit Copy)					Muli			749'	7	′50.:5¹	
st All E. Logs Run:					Bev			823.5'	-	25'	
					1			870'	_	72'	
CDL, DIL	CDL, DIL Mineral					886.5' 889'					
		Scammon					930'				
	· · · · · · · · · · · · · · · · · · ·				Teb			330			
		Report a		RECORD conductor, si	_	ew 🗹 Used ermediate, produc	tion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used		and Perce dditives	
Surface	11"	8-5/8"		23#/ft.		43'	Portland	10 sks			
Production	6-3/4"	5-1/2"		15.5#/ft.		1187.7'	Arkoma Lite	185 sks	See A	ttached	
		Α	DDITIONAL	CEMENTI	NG / SQI	JEEZE RECORI	D	1			
Purpose:	Depth Top Bottom	Type of	pe of Cement #Sacks Used		Type and Percent Additives						
Protect Casing											
Plug Off Zone			· · · · · · · · · · · · · · · · · · ·								
		L									
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth						
SPF	1086.7-1089.2					4 bbls 7-1/2% HCL,211 bbls H20,1137# 20/40 sand 1086.7					
SPF	930-32'				4 bbls 7-1/2% HCL,293 bbls H20,2150 20/40 sand 930'						
SPF 886.5-89'; 870-72'; 823.5-825'					338 bbls 2%	KCL, H20 and	1365 #20/40	sand,	823.5'		
4 SPF 749-750.5';737.5-40';648.5-51'				250 Gals.7-1/2	% HCL,169 bbls KC	L H20,315# 20,	/40 sand	648'			
SPF	320-26'				4 bbls 7-1/2% i	ICL,250 bbls 2% KC	L H20,2670 20	/40 sand	320'		
TUBING RECORD 2-	Size 3/8"	Set At 1140'		Packer A	st .	Liner Run	Yes No				
ate of First, Resumen	d Production, SWD or E eline	nhr. P	roducing Met	hod [Flowin	g Pump	ing. Gas Lift	. Doth	er (Explain,)	
stimated Production Per 24 Hours		Bbis.	Gas	Mcf 19	Wat		320	as-Oil Ratio		Gravity	
isposition of Gas	METHOD OF C	OMPLETION		13		Production Inte					

COPY

Dorothy 1-19

RECEIVED

NOV 2 4 2003

KCC WICHITA

Cement Additives:

111 sks Diacel

65 # Lomar D

6 sks Premium Gel

18 sks Gilsonite

435# Salt

2 sks flo-seal

185 sks sodium metasilicate

1.5 gal silt suspender ss-630, ESA-90, ESA-41

1 Gal. KCL sub (ESA-55)

Producing Formations:

Swope

Pawnee

Summit

Mulkey

Bevier

Mineral

Scammon

Tebo

Wier

Riverton

Additional Formations Penetrated:

Formation	Tops	Datum		
Wier	95 8 .5'	960'		
Riverton	1086.7°	1089.2'		

^{*}Surface pipe was set by Brower Oil & Gas Co., Inc. and there is no cement ticket. All questions should be referred to Joe Brower at 918/760-4443.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

March 19, 2014

Amy McFadden Enerjex Kansas, Inc. 2038 S. PRINCETON ST., STE B OTTAWA, KS 66067

Re: Plugging Application API 15-001-29010-00-00 DOROTHY 1-19 SW/4 Sec.19-24S-18E Allen County, Kansas

Dear Amy McFadden:

This letter is to notify you that the Conservation Division has received your plugging proposal, form CP-1, for the above well and has reviewed the proposal for completeness. The central office will now forward your CP-1 to the district office listed below for review of the proposed plugging method. Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113(b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit in accordance with K.A.R. 82-3-600.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well. This notice in no way constitutes authorization to plug the above well by persons not having legal rights of ownership or interest in the well.

This notice is void after September 15, 2014. The CP-1 filing does not bring the above well into compliance with K.A.R 82-3-111 with regard to the Commission's temporary abandonment requirements.

Sincerely, Production Department Supervisor

cc: District 3

(620) 432-2300