

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	<u> </u>
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1195249

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

			Spot Description:
	month day	year	SecTwpS. R 🔲 E 🔲 V
OPERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Section
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
CONTRACTOR: License#			Is this a Prorated / Spaced Field?
lame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	Equipment:	Ground Surface Elevation:feet MS
Oil Enh R	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	ge Pool Ext.	Air Rotary	
Dispo		Cable	,
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original Total	Depth:	
Directional Devicted or He	rizontal wallhara?	Yes No	Water Source for Drilling Operations:
Directional, Deviated or Hol	nzontai welibore?		Well Farm Pond Other:
•			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken?
			If Yes, proposed zone:
		AF	FIDAVIT
The undersigned hereby a	affirms that the drilling, comple		FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
	affirms that the drilling, comple	etion and eventual pl	
It is agreed that the follow	ring minimum requirements wil	etion and eventual pl	
t is agreed that the follow 1. Notify the appropria	ring minimum requirements will attend to the district office <i>prior</i> to spude	etion and eventual pl Il be met: ding of well;	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro	ring minimum requirements wil ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i>	etion and eventual pl Il be met: ding of well; all be posted on eac	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minim	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be se num of 20 feet into th	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hole	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the	etion and eventual pl Il be met: ding of well; all be posted on each d below shall be se num of 20 feet into the operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befo	etion and eventual plus be met: ding of well; all be posted on each discount be seen and the discount be discoun	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I	ring minimum requirements will ate district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production p	etion and eventual plus be met: ding of well; all be posted on each discovery before the posted on each discovery before the posted on each discovery before the posted on the discovery before the plus bef	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. the underlying formation. the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ring minimum requirements will ate district office <i>prior</i> to spude oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	h drilling rig; thy circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; ted from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	th drilling rig; the prior to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY	ring minimum requirements will atte district office <i>prior</i> to spudoved notice of intent to drill <i>she</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each delow shall be senum of 20 feet into the operator and the distretion well is either plugipe shall be cementurface casing order #	th drilling rig; the vicinculating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 -	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud danically	etion and eventual plus be met: ding of well; all be posted on each discovery before the posted of the plug ipe shall be cemented the plug ipe shall be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 -	ring minimum requirements will atte district office <i>prior</i> to spudoved notice of intent to drill <i>she</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud da	etion and eventual plus be met: ding of well; all be posted on each discovery before the posted of the plug ipe shall be cemented the plug ipe shall be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ted from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ring minimum requirements will atte district office <i>prior</i> to spudo oved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud danically	etion and eventual plants be met: ding of well; all be posted on each discovery be p	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe required -	ring minimum requirements will atte district office <i>prior</i> to spuddoved notice of intent to drill <i>sha</i> unt of surface pipe as specified blidated materials plus a minimale, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas sur within 30 days of the spud data inically	etion and eventual plus be met: ding of well; all be posted on each discovery between the posted on each discovery between the period of the plus between the period between the perio	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 - Conductor pipe required - Minimum surface pipe required Approved by:	ring minimum requirements will atte district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified plidated materials plus a minim le, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud data inically ——————————————————————————————————	etion and eventual plus be met: ding of well; all be posted on each discovery between the posted on each discovery between the period of the plus between the period between the perio	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appmust be completed ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required Minimum surface pipe required Approved by: This authorization expires	ring minimum requirements will atte district office <i>prior</i> to spudd oved notice of intent to drill <i>sha</i> unt of surface pipe as specified plidated materials plus a minim le, an agreement between the strict office will be notified befor I COMPLETION, production prendix "B" - Eastern Kansas su within 30 days of the spud data inically ——————————————————————————————————	etion and eventual plus be met: ding of well; all be posted on each discovery be per ALT. I I II	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set le underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _							_ Lo	cation of We	II: County:		
Lease:									feet from N / S Line of Section		
Well Numb	er:								feet from E / W Line of Section		
Field:			_ Se	SecTwpS. R E W							
Number of QTR/QTR/							- Is:	Section:	Regular or Irregular		
									regular, locate well from nearest corner boundary. used: NE NW SE SW		
					d electrica	the neares	required b		ary line. Show the predicted locations of s Surface Owner Notice Act (House Bill 2032). ed.		
		: :	: :	:		: :	: :	:			
		:	: :	:		:	:		LEGEND		
			:		•••••		:		O Well Location		
		:	:	:		:	:		Tank Battery Location		
4070 H		:	:	:		:	:	<u>:</u>	—— Pipeline Location		
4670 ft								⊙ ·····-	·		
		:	:	:		:	:	Electric Line Location			
		:	:	:		:	:	:	Lease Road Location		
		· · · · · · · · · · · · · · · · · · · ·	•		•••••		• • • • • • • • • • • • • • • • • • • •				
		:	:			:	: : :		EXAMPLE : :		
		:	:	<u>:</u>		:	:	:	EXAMPLE		
		•	• •	1	5		•				
			:		•••••	•	:				
		:					•				
		:		: 		:		:	: <u></u> : : :		
		•	•						1980' FSL		
		: :	: :	: :	•••••	:	: : :	:			
		:	:	:		:	:	:	·		

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1 Kansas Corporation Commission Oil & Gas Conservation Division

1195249

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity:		SecTwp R East WestFeet from Bast / West Line of SectionFeet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		edures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	al utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE O			
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No		

CORRECTION #1 Kansas Corporation Commission

1195249 Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed


All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R East West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description o			
Contact Person:	the lease below:			
Phone: () Fax: ()	-			
Email Address:	-			
Surface Owner Information:				
Name:	3 - 7			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			
Address 2:				
City:	-			
the KCC with a plat showing the predicted locations of lease roads, ta	hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
☐ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, ☐ I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ass of the surface owner by filling out the top section of this form and			
If choosing the second option, submit payment of the \$30.00 handlir form and the associated Form C-1, Form CB-1, Form T-1, or Form CB-1	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.			
Submitted Electronically				
1				



South Austin Lease Map

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

March 24, 2014

Elizabeth Brinkmeyer Enerjex Kansas, Inc. 2038 S. PRINCETON ST., STE B OTTAWA, KS 66067

Re: Drilling Pit Application API 15-059-26612-00-00 South Austin BSP-SA6 NE/4 Sec.15-18S-21E Franklin County, Kansas

Dear Elizabeth Brinkmeyer:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

Summary of Changes

Lease Name and Number: South Austin BSP-SA6

API/Permit #: 15-059-26612-00-00

Doc ID: 1195249

Correction Number: 1

Approved By: Rick Hestermann 03/24/2014

Field Name	Previous Value	New Value		
Depth Of Water Well	100			
Depth to Shallowest Fresh Water	110	18		
ElevationPDF	1010 Estimated	987 Estimated		
Feet to Nearest Water Well Within One-Mile of	1492	N/A		
Pit Ground Surface Elevation	1010	987		
KCC Only - Approved By	Rick Hestermann 03/19/2014	Rick Hestermann 03/24/2014		
KCC Only - Approved Date	03/19/2014	03/24/2014		
KCC Only - Date Received	03/18/2014	03/21/2014		
KCC Only - Regular Section Quarter Calls	W2 E2 E2 NW	SW SE NE NE		
LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=15&t	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=15&t		

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	2168	4670
Number of Feet East or West From Section Line	2168	4670
Number of Feet North or South From Section	1320	1269
Line Number of Feet North or South From Section	1320	1269
Line Quarter Call 1 - Largest	NW	NE
Quarter Call 1 - Largest	NW	NE
Quarter Call 2	E2	NE
Quarter Call 2	E2	NE
Quarter Call 3	E2	SE
Quarter Call 3	E2	SE
Quarter Call 4 - Smallest	W2	SW
Quarter Call 4 - Smallest	W2	SW
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 94732	//kcc/detail/operatorE ditDetail.cfm?docID=11 95249

Summary of changes for correction 1 continued

Field Name Previous Value New Value

Well Class PoolExtension Infield

Summary of Attachments

Lease Name and Number: South Austin BSP-SA6

API: 15-059-26612-00-00

Doc ID: 1195249

Correction Number: 1

Approved By: Rick Hestermann 03/24/2014

Attachment Name

Мар

Fluid