

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KC0    | Use:   |  |
|------------|--------|--|
| Effective  | Date:  |  |
| District # | ±      |  |
| SGA?       | Yes No |  |

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# **NOTICE OF INTENT TO DRILL**

| •   | month  | day  | vear   | Spot Description:  |                            |
|---|--|--|--|--|----------------------------|
|   | monur  | uay  | year   | Sec Twp S. R   | E \                        |
| PERATOR: License#   |  |  |  | foot from   N /   S line   | of Section                 |
| ame:  |  |  |  |  | of Section                 |
| ddress 1:   |  |  |  | Is SECTION: Regular Irregular?   |                            |
| ddress 2:   |  |  |  |  |                            |
| City:   |  | •  |  | County:  |                            |
| Contact Person:   |  |  |  | Lease Name: Well #:  |                            |
| hone:   |  |  |  | Field Name:  |                            |
| CONTRACTOR: License#  |  |  |  | Is this a Prorated / Spaced Field?   | es No                      |
| lame:   |  |  |  | Target Formation(s):   |                            |
| Well Drilled For:   | Well Class   | . Type F   | quipment:  | Nearest Lease or unit boundary line (in footage):  |                            |
|   |  |  |  | Ground Surface Elevation:  | _feet MS                   |
| Oil Enh F   |  | =  | lud Rotary<br>ir Rotary  |  | es N                       |
| Dispo   | ~ <del> </del>   |  | able   |  | es 🔲 N                     |
| Seismic ;# o  |  |  |  | Depth to bottom of fresh water:  |                            |
| Other:  |  |  |  | Depth to bottom of usable water:   |                            |
|   |  |  |  | Surface Pipe by Alternate: I II  |                            |
| If OWWO: old well   | information as follo   | ows:   |  | Length of Surface Pipe Planned to be set:  |                            |
| Operator:   |  |  |  | Length of Conductor Pipe (if any):   |                            |
| Well Name:  |  |  |  | Projected Total Depth:   |                            |
| Original Completion Da  | ate:   | Original Total De  | epth:  | _ Formation at Total Depth:  |                            |
|   |  |  |  | Water Source for Drilling Operations:  |                            |
| Directional, Deviated or Ho   |  |  | Yes No   | Well Farm Pond Other:  |                            |
| f Yes, true vertical depth: _   |  |  |  | DWR Permit #:  |                            |
| Bottom Hole Location:   |  |  |  | ( <b>Note:</b> Apply for Permit with DWR)  |                            |
| (CC DKT #:  |  |  |  | Will Golds be taken:   | es N                       |
|   |  |  |  | If Yes, proposed zone:   |                            |
|   |  |  |  |  |                            |
|   |  |  | AF   | FIDAVIT  |                            |
| The undersigned hereby  | affirms that the di  | rilling, completion  |  | *FIDAVIT<br>lugging of this well will comply with K.S.A. 55 et. seq.   |                            |
|   |  |  | on and eventual p  |  |                            |
| t is agreed that the follow   | ving minimum req   | uirements will b   | on and eventual poe met:   |  |                            |
|   | ving minimum req   | uirements will b   | on and eventual poe met:   | lugging of this well will comply with K.S.A. 55 et. seq.   |                            |
| t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo  | ving minimum requate district office poved notice of integrate of surface pip  | uirements will be prior to spuddirent to drill shall be as specified by  | on and eventual poe met:  ng of well;  I be posted on each below shall be se   | lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set   |                            |
| t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all unconso  | ving minimum requate district office poved notice of integrate of surface pipolidated materials  | uirements will b<br>prior to spuddir<br>ent to drill shall<br>e as specified b<br>s plus a minimu  | on and eventual poe met:  ng of well;  I be posted on each below shall be seem of 20 feet into the   | lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set he underlying formation.  |                            |
| t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all unconso  4. If the well is dry ho  | ving minimum req<br>ate district office poved notice of inte<br>unt of surface pip<br>blidated materials<br>le, an agreement   | uirements will be prior to spudding to drill shall be as specified be plus a minimulative of the option of the opt | on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the dispersion and dispersio | lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging.   | g;                         |
| t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo through all unconse  4. If the well is dry ho  5. The appropriate dis  | ving minimum requate district office poved notice of integrated pipelidated materials le, an agreement strict office will be   | uirements will be prior to spudding to drill shall be as specified be splus a minimulative the open the open outfied before  | on and eventual poe met:  Ing of well; Ing of well ing of well ing of well is either plug   | lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in;   |                            |
| <ol> <li>t is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amonthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I</li> </ol>  | ving minimum requate district office poved notice of integrated into the surface pipolidated materials le, an agreement strict office will be I COMPLETION,  | prior to spudding to display to spudding to drill shall be as specified to splus a minimulative the operation of the production pipe productin pipe production pipe production pipe production pipe production | on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement  | lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging.   | e.                         |
| <ol> <li>t is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amonthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In Or pursuant to Appropriate of the App</li></ol>                  | ving minimum requate district office poved notice of integrated into the surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easter   | uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa  | on and eventual poe met:  Ing of well; Ing of well be set into the set well is either pluge e shall be cement ace casing order #  | lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.   | e.<br>iing                 |
| <ol> <li>t is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amonthrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In our pursuant to Appropriate of the Ap</li></ol>                  | ving minimum requate district office poved notice of integrated into the surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easter   | uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa  | on and eventual poe met:  Ing of well; Ing of well be set into the set well is either pluge e shall be cement ace casing order #  | lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement   | e.<br>iing                 |
| <ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum among through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In Or pursuant to Appropriate of the Appr</li></ol>                  | ving minimum requate district office poved notice of integrated into the surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easter   | uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa  | on and eventual poe met:  Ing of well; Ing of well be set into the set well is either pluge e shall be cement ace casing order #  | lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement   | e.<br>iing                 |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  Or pursuant to Appropriate dispute  | ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of  | uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa  | on and eventual poe met:  Ing of well; Ing of well be set into the set well is either pluge e shall be cement ace casing order #  | lugging of this well will comply with K.S.A. 55 et. seq.  ch drilling rig;  th by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement   | e.<br>iing                 |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  Or pursuant to Appropriate dispute  | ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of  | uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa  | on and eventual poe met:  Ing of well; Ing of well be set into the set well is either pluge e shall be cement ace casing order #  | ch drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> aged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date \$133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.   | e.<br>iing                 |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  Or pursuant to Appropriate dispute  | ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of  | uirements will be prior to spudding to drill shall be as specified be plus a minimulative the open to differ the production pipern Kansas surfa  | on and eventual poe met:  Ing of well; Ing of well be set into the set well is either pluge e shall be cement ace casing order #  | ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  | e.<br>ing                  |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed   | ving minimum requate district office poved notice of integrate unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, endix "B" - Easte I within 30 days of  | uirements will be prior to spudding to drill shall be as specified be splus a minimule between the open notified before production pipern Kansas surfaft the spud date   | on and eventual poe met:  Ing of well; Ing of well be set into the set well is either pluge e shall be cement ace casing order #  | ch drilling rig; It by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.  Strict office on plug length and placement is necessary <b>prior to plugging</b> aged or production casing is cemented in; ed from below any usable water to surface within <b>120 DAYS</b> of spud date \$133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.   | e.<br>ing                  |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Ubmitted Electroi  For KCC Use ONLY  API # 15 -  | ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be II COMPLETION, sendix "B" - Easte II within 30 days on iically  | uirements will be prior to spudding to drill shall be as specified be splus a minimule between the open totified before production pipern Kansas surfaft the spud date   | on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement ace casing order # or the well shall be  | ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement be plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notific   | e.<br>ing                  |
| 1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 6. If completed  Ibmitted Electroi  For KCC Use ONLY  API # 15  Conductor pipe required   | ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be I COMPLETION, rendix "B" - Easter within 30 days of the completion of the compl | uirements will be prior to spuddirent to drill shall e as specified be splus a minimulative between the open officed before production pipern Kansas surfat the spud date  | on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement ace casing order # or the well shall be  | ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;   | e.<br>ing                  |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 9. Or pursuant to Appropriate dis 1. Or pursuant to Appropriate dispension of the completed dispension of the completed dispension of the complete dispension | ving minimum requate district office poved notice of integrated unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the complete of the complet | uirements will be prior to spuddirent to drill shall e as specified be splus a minimule between the open of the production pipern Kansas surfate the spud date   | on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the district well is either pluge shall be cement acce casing order # or the well shall be contained to the well shall be certained to t | ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  | e.<br>ing                  |
| 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Ubmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required   | ving minimum requate district office poved notice of integrated unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the complete of the complet | uirements will be prior to spuddirent to drill shall e as specified be splus a minimule between the open of the production pipern Kansas surfate the spud date   | on and eventual poe met:  Ing of well;  I be posted on each pelow shall be seem of 20 feet into the perator and the district well is either pluge shall be cement acce casing order # or the well shall be contained to the well shall be certained to t | ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in;  ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;   | e.<br>ing<br>ation         |
| 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis Computed Electron  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe recompleted by:  This authorization expires  | ving minimum requate district office poved notice of integrated provided in the control of surface pipolidated materials le, an agreement strict office will be II COMPLETION, rendix "B" - Easte II within 30 days of the control of t | uirements will be prior to spuddirent to drill shall be as specified be splus a minimule tween the open totified before production pipern Kansas surfate the spud date   | on and eventual poe met:  Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement acce casing order # or the well shall be certain the well shall be ce | ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging to production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days) | e.<br>ing<br>ation         |
| 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Approved by conductor pipe required.  Minimum surface pipe reconductor by:  | ving minimum requate district office poved notice of integrated provided in the control of surface pipolidated materials le, an agreement strict office will be II COMPLETION, rendix "B" - Easte II within 30 days of the control of t | uirements will be prior to spuddirent to drill shall be as specified be splus a minimule tween the open totified before production pipern Kansas surfate the spud date   | on and eventual poe met:  Ing of well; I be posted on each pelow shall be seem of 20 feet into the perator and the dise well is either pluge shall be cement acce casing order # or the well shall be certain the well shall be ce | ch drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging goed or production casing is cemented in;  ed from below any usable water to surface within 120 DAYS of spud date 133,891-C, which applies to the KCC District 3 area, alternate II cement to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notific Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;   | e.<br>e.<br>eiing<br>ation |

Side Two



| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 4095 ft.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

483 Form CDP-1

May 2010

Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |                        |   | License Number:  |  |
|--|------------------------|---|--|--|
| Operator Address:  |                        |   |  |  |
| Contact Person:  |                        |   | Phone Number:  |  |
| Lease Name & Well No.:   |                        |   | Pit Location (QQQQ):   |  |
| Type of Pit:   | Pit is:                |   |  |  |
| Settling Pit Drilling Pit If Existing, date construct  |                        | Existing  | SecTwp R   |  |
|  |                        | nstructed:  | Feet from North / South Line of Section  |  |
| Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)                                   | Pit capacity:          |   | Feet from East / West Line of Section County                                   |  |
|  | (bbls)                 |   |  |  |
| Is the pit located in a Sensitive Ground Water A   | rea? Yes               | No  | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)      |  |
| Is the bottom below ground level?  | Artificial Liner?      |   | How is the pit lined if a plastic liner is not used?                           |  |
| Yes No   | Yes N                  | No  |  |  |
| Pit dimensions (all but working pits):   | Length (fe             | et)   | Width (feet) N/A: Steel Pits   |  |
|  | om ground level to dee |   |  |  |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | ner                    |   | dures for periodic maintenance and determining cluding any special monitoring. |  |
|  |                        |   |  |  |
|  |                        |   |  |  |
|  |                        |   |  |  |
| Distance to nearest water well within one-mile of pit:   |                        | Depth to shallo<br>Source of infor                      | west fresh water feet.   |  |
| feet Depth of water wellfeet   |                        | measured  | well owner electric log KDWR   |  |
| Emergency, Settling and Burn Pits ONLY:  |                        | Drilling, Work  | ver and Haul-Off Pits ONLY:  |  |
| Producing Formation:   |                        | Type of material utilized in drilling/workover:         |  |  |
| Number of producing wells on lease:  |                        | Number of working pits to be utilized:                  |  |  |
| Barrels of fluid produced daily:   |                        | Abandonment   | procedure:   |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No             |                        | Drill pits must be closed within 365 days of spud date. |  |  |
|  |                        |   |  |  |
| Submitted Electronically   |                        |   |  |  |
| Cushinted Electromedily  |                        |   |  |  |
|  |                        |   |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS   |                        |   |  |  |
| Date Received: Permit Num  | her:                   | Darmi   | t Date: Lease Inspection: Yes No   |  |



1195483

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-   | •1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)   |  |  |
|---|---|--|--|
| OPERATOR: License #   | _ Well Location:  |  |  |
| Name:   |   |  |  |
| Address 1:  |   |  |  |
| Address 2:  | Lease Name: Well #:   |  |  |
| City: State: Zip:+  | _ If filing a Form T-1 for multiple wells on a lease, enter the legal description or  |  |  |
| Contact Person:   | the lease helow:  |  |  |
| Phone: ( ) Fax: ( )   | _   |  |  |
| Email Address:  | -   |  |  |
| Surface Owner Information:  |   |  |  |
| Name:   | _ When filing a Form T-1 involving multiple surface owners, attach an additional  |  |  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |  |  |
| Address 2:  |   |  |  |
| City:   | _   |  |  |
| the KCC with a plat showing the predicted locations of lease roads, to  | thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |  |  |
| <ul> <li>□ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax</li> <li>□ I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface</li> </ul> | I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and                     |  |  |
| If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C  | ing fee with this form. If the fee is not received with this form, the KSONA-1<br>CP-1 will be returned.  |  |  |
| Submitted Electronically  |   |  |  |
| I   |   |  |  |

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: blue Top Energy LLC                                    | Location of vieil: County: villott   |  |  |
|--|--|--|--|
| Lease: Sargeant  | 4,095 feet from N / N S Line of Section  |  |  |
| Well Number: Sar 17  | 2,133 feet from E / W Line of Section  |  |  |
| Field: Buffalo-Vilas   | Sec. <u>36 Twp. 27</u> S. R. <u>16</u> 🔀 E 🗌 W   |  |  |
| Number of Acres attributable to well:                            | Is Section: Regular or Irregular   |  |  |
|  | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |  |  |
|  |  |  |  |
| PI   | _AT  |  |  |
| Show location of the well. Show footage to the nearest l         | ease or unit boundary line. Show the predicted locations of  |  |  |
| lease roads tank hatteries ninelines and electrical lines as rec | uired by the Kansas Surface Owner Notice Act (House Bill 2032)                                       |  |  |

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

March 31, 2014

Anders Almgren Blue Top Energy LLC 110 E. FOREST PO BOX 31 GIRARD, KS 66743

Re: Drilling Pit Application Sargeant Sar 17 NE/4 Sec.36-27S-16E Wilson County, Kansas

## Dear Anders Almgren:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.