

Confidentiality Requested:

Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1196157

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15			
Name:	Spot Description:			
Address 1:	SecTwpS. R 🗌 East 🗌 West			
Address 2:	Feet from North / South Line of Section			
City: State: Zip:+	Feet from _ East / _ West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□NE □NW □SE □SW			
CONTRACTOR: License #	GPS Location: Lat:, Long:			
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)			
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84			
Purchaser:	County:			
Designate Type of Completion:	Lease Name: Well #:			
New Well Re-Entry Workover	Field Name:			
☐ Oil ☐ WSW ☐ SWD ☐ SIOW	Producing Formation:			
☐ Gas ☐ D&A ☐ ENHR ☐ SIGW	Elevation: Ground: Kelly Bushing:			
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:			
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet			
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?			
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet			
Operator:	If Alternate II completion, cement circulated from:			
Well Name:	feet depth to:w/sx cmt.			
Original Comp. Date: Original Total Depth:				
☐ Deepening ☐ Re-perf. ☐ Conv. to ENHR ☐ Conv. to SWD	Drilling Fluid Management Plan			
☐ Plug Back ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)			
Commingled Paymit #:	Chloride content: ppm Fluid volume: bbls			
☐ Commingled     Permit #:       ☐ Dual Completion     Permit #:	Dewatering method used:			
SWD Permit #:	Location of fluid disposal if hauled offsite:			
ENHR Permit #:	·			
GSW Permit #:	Operator Name:			
	Lease Name: License #:			
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R			
Recompletion Date Recompletion Date	County: Permit #:			

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

Page Two



Operator Name:			L	ease Name: _			Well #:		
Sec Twp	S. R	East We	est C	County:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres	sures, whether sh	ut-in pressur	e reached stati	c level, hydrosta	tic pressures, bott		rval tested, time tool erature, fluid recovery,	
Final Radioactivity Lo files must be submitted					ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log	
Drill Stem Tests Taker (Attach Additional		Yes [	No	L	_	on (Top), Depth an		Sample	
Samples Sent to Geo	logical Survey	Yes	No	Nam	e		Тор	Datum	
Cores Taken Electric Log Run		Yes Yes	No No						
List All E. Logs Run:									
		(	CASING REC	ORD Ne	ew Used				
		· ·		ıctor, surface, inte	ermediate, producti	1		I	
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
		ADD	ITIONAL CEN	MENTING / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cem	ent #	Sacks Used	Type and Percent Additives				
Perforate Protect Casing	100 20111111								
Plug Back TD Plug Off Zone									
1 lag on zono									
Did you perform a hydrau	ulic fracturing treatment	on this well?			Yes	No (If No, ski	o questions 2 ar	nd 3)	
Does the volume of the to		•				_ ` ` '	p question 3)		
Was the hydraulic fractur	ing treatment information	on submitted to the c	hemical disclo	sure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot  PERFORATION RECORD - Bridge Plu Specify Footage of Each Interval Po					Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth				
Specify I solage of East mervan renoral					,		,	·	
TUBING RECORD:	Size:	Set At:	Pa	acker At:	Liner Run:				
						Yes No			
Date of First, Resumed	Production, SWD or Ef		cing Method: owing	Pumping	Gas Lift C	other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls. G	as Mcf	Wate	er Bi	ols. G	as-Oil Ratio	Gravity	
DIODOCITI	ON OF CAS:		N 4 - T - 1		TION:		PPODUOTIO	ON INTERVAL.	
Vented Solo	ON OF GAS:  Used on Lease	Open Ho		IOD OF COMPLE $\Box$		nmingled	PRODUCTION	ON INTERVAL:	
	bmit ACO-18.)	Other (St	necify)	(Submit		mit ACO-4)			

BIRK PETROLEUM 874 12 <sup>TH</sup> RD SW WELL CEM BURLINGTON, KS 66839 620-364-1311 - OFFICE, 620-364-6646 - CELL		WELL CEME	NTING	SERVICE TICKE	T
CHARGE TO	2. 1. 1. 1	- CELL CUM	COUNTY CA	DATE: 10//7/ CITY	<u> </u>
ADDRESS LEASE & WELL KIND OF JOB ( DIR. TO LOC.	NO. Hazen A I	CITY	TRACTOR	STZIP	
DIR. TO LOC	J	<u> </u>		OLD (NEW)	
QUANTITY		MATERIAL	USED		SERV. CHG
120 SX	Mortlan	d Gemen	+		
	BULK CHARGE	The state of the s	,		
	BULK TRK, MILES	Name of the last o			
	PUMP TRK. MILES				
	PLUGS				
	TOTAL				
T.D. <u>986</u>	1/	CSG. SET AT	970'	VOLUME	
SIZE HOLE 6	14"	TBG SET AT		VOLUME_	
MAX. PRESS			1/8"	V OLOWE	
PLUG DEPTH		PKER DEPTH_		PLUG USED	The second secon
TIME FINISHED:_					
REMARKS: () TO SUTTO	inect to pic	ne Pumo nplete:	Cament	into well. God	y Circ.
NAME					
CEMENTER OR	ΓREATER		OWNER'S REP.	Bul	

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

## Payless Concrete Products, Inc.

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNET.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

3 & B COOPERATIVE VENTURES 900 S. FOURTH ST.

> BURLINGTON KS 56839

BIZHAZEN E B & B COOP, VENTURES/BIRK OIL 58 W TO WAYSIDE RD N 1 1/2 MI

WELL# HAZEN A #78 LE ROY, KS 66857

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	11 - TON	DRIVER/TRUCK	87 75 7 19	PLANT/TRANSACTION #
jø∷i (Mi	14.1	ir, we se	le diti yal	—————————————————————————————————————	.34	5. 80	COFCO *
DATE	to Date	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10 17 10	Tuday	1	12.00 yd	dela i d	6/yd M.W	4.00 in	35291

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Porlland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if it places the material in this load where you desire it. It is
our wish to help you injievery way that we can, but in order to do this
the driver is requesting that you sign his RELEASE releiving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buddings, sidewesk,
driveways, curbs, etc. by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indomity and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.
SIGNED

**Excessive Water is Detrimental to Concrete Performance** H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

LOAD RECEIVED BY

QUANTITY DESCRIPTION CODE UNIT PRICE EXTENDED PRICE 1 10/4 WILL (IM SMOKS AFR WHILE) MISING & HALLING MA MIXELIALI 1. TRIBLE CHE CHARGE

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	
1251	1220	1213	JOB NOT READY     SLOW POUR OR PUMP     TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION		
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN     ADDED WATER	9. OTHER	TIME DUE	F F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1033	1.105	1115				ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2
1-29	14					GRAND TOTAL