

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #	<u> </u>	
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1196168

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	month day	vear	Spot Description:
	monur day	year	Sec Twp S. R E
PERATOR: License#			feet from N / S Line of Sec
			feet from E / W Line of Sec
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Typ	pe Equipment:	Ground Surface Elevation:feet M
Oil Enh R	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Storag	ge Pool Ext.	Air Rotary	
Dispos		Cable	
Seismic ;# o			Depth to bottom of tresh water:
Other:			Depth to bottom of usable water:
If OWWO: old well	information as follows:		Surface Pipe by Alternate: II III
			Length of Surface Pipe Planned to be set:
-			Length of Conductor Pipe (if any):
			Projected Total Depth:
Original Completion Da	ate: Original Tota	al Depth:	Formation at Total Depth:
inactional Devictor or He	rimontalallhara?	□ Vaa □ Na	Water Source for Drilling Operations:
Directional, Deviated or Hou	nzontai welibore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR)
			Will Cores be taken? Yes
			If Yes, proposed zone:
		ΛE	FIDAVIT
		AF	
he undersigned hereby a	affirms that the drilling, comp		ugging of this well will comply with K.S.A. 55 et. seq.
-	affirms that the drilling, comp	eletion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow	ving minimum requirements w	eletion and eventual plu vill be met:	ugging of this well will comply with K.S.A. 55 et. seq.
is agreed that the follow 1. Notify the appropria		oletion and eventual plo vill be met: dding of well;	
t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amou	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill <i>sl</i> unt of surface pipe as specific	oletion and eventual plus vill be met: dding of well; hall be posted on each ed below shall be set	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
 agreed that the follow Notify the appropria A copy of the appro The minimum amounthrough all unconso 	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill <i>sl</i> unt of surface pipe as specifical polidated materials plus a mini	oletion and eventual plu vill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into th	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol 	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill <i>sl</i> unt of surface pipe as specific blidated materials plus a minitle, an agreement between the	oletion and eventual play vill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging;
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis 	ving minimum requirements wate district office <i>prior</i> to spud oved notice of intent to drill <i>sl</i> unt of surface pipe as specificablidated materials plus a minide, an agreement between the strict office will be notified bef	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either plugg	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I 	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specificablidated materials plus a minitle, an agreement between the strict office will be notified beful COMPLETION, production	oletion and eventual plus vill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the operator and the distore well is either pluggipipe shall be cemented.	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specificablidated materials plus a minicle, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas s	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into th e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
 s agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specificablidated materials plus a minicle, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas s	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into th e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. Trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 is agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I Or pursuant to App 	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specificablidated materials plus a minicle, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas s	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into th e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. Trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I Or pursuant to Appmust be completed 	ving minimum requirements wate district office <i>prior</i> to spud powed notice of intent to drill <i>sl</i> unt of surface pipe as specific polidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production the endix "B" - Eastern Kansas so within 30 days of the spud designed.	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into th e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation. Trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
 agreed that the follow Notify the appropria A copy of the appro The minimum amouthrough all unconso If the well is dry hol The appropriate dis If an ALTERNATE I Or pursuant to Appmust be completed 	ving minimum requirements wate district office <i>prior</i> to spud powed notice of intent to drill <i>sl</i> unt of surface pipe as specific polidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production the endix "B" - Eastern Kansas so within 30 days of the spud designed.	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into th e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirements wate district office <i>prior</i> to spud powed notice of intent to drill <i>sl</i> unt of surface pipe as specific polidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production the endix "B" - Eastern Kansas so within 30 days of the spud designed.	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into th e operator and the dis fore well is either plugg pipe shall be cemente surface casing order #	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ubmitted Electror For KCC Use ONLY	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <i>sl</i> unt of surface pipe as specific plidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas so within 30 days of the spud disciplination.	oletion and eventual place of the place of t	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 -	ving minimum requirements wate district office <i>prior</i> to spud poed notice of intent to drill <i>sl</i> unt of surface pipe as specific plidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas so within 30 days of the spud displacements.	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into th e operator and the dis fore well is either plug, pipe shall be cemente surface casing order # late or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface is a surface within 120 DAYS of spud date. It is a surface prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specific blidated materials plus a minite, an agreement between the strict office will be notified beful COMPLETION, production rendix "B" - Eastern Kansas standard within 30 days of the spud denically	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either pluge pipe shall be cemente surface casing order # late or the well shall be	n drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirements wate district office <i>prior</i> to spud poed notice of intent to drill <i>sl</i> unt of surface pipe as specific plidated materials plus a miniple, an agreement between the strict office will be notified beful COMPLETION, production pendix "B" - Eastern Kansas so within 30 days of the spud displacements.	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either pluge pipe shall be cemente surface casing order # late or the well shall be	In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. It is a surface within 120 DAYS of spud date. It is a surface is a surface within 120 DAYS of spud date. It is a surface prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ubmitted Electror For KCC Use ONLY API # 15 Conductor pipe required	ving minimum requirements water district office <i>prior</i> to spure oved notice of intent to drill <i>sl</i> unt of surface pipe as specific blidated materials plus a minite, an agreement between the strict office will be notified beful COMPLETION, production rendix "B" - Eastern Kansas standard within 30 days of the spud denically	oletion and eventual place of the per ALT. I	re drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed Ibmitted Electror For KCC Use ONLY API # 15 Conductor pipe required _ Minimum surface pipe req Approved by:	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <i>sl</i> unt of surface pipe as specific plidated materials plus a minible, an agreement between the strict office will be notified before Technique to the surface of the sendix "B" - Eastern Kansas so within 30 days of the spud described by the surface of the spud described by the surface of the surface	oletion and eventual place of the per ALT. I	representation of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging formation.
1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE IOr pursuant to Appropriate be completed IDMITTED Electror For KCC Use ONLY API # 15 Conductor pipe required _ Minimum surface pipe req Approved by: This authorization expires	ving minimum requirements wate district office <i>prior</i> to spud poved notice of intent to drill <i>sl</i> unt of surface pipe as specific plidated materials plus a minible, an agreement between the strict office will be notified before Technique to the surface of the sendix "B" - Eastern Kansas so within 30 days of the spud described by the surface of the spud described by the surface of the surface	oletion and eventual playill be met: dding of well; hall be posted on each ed below shall be set imum of 20 feet into the e operator and the dis fore well is either pluge, pipe shall be cemente surface casing order # late or the well shall be feet et per ALT. I II	reply district office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;

Spud date: _



For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Nell Number:	Operator:							_ Loc	cation of W	Vell: County:	
Sec	_ease:									feet from N / S Line of Section	1
Number of Acres attributable to well: Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	Well Numbe	er:								feet from E / W Line of Section	1
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	Field:										
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 170 ft. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE								15 1	Section:	Regular or Irregular	
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 170 ft. 1725 ft. LEGEND Well Location — Pipeline Location —— Electric Line Location —— Lease Road Location EXAMPLE 8											
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 170 ft. 1725 ft. LEGEND Well Location — Pipeline Location —— Electric Line Location —— Lease Road Location EXAMPLE 180' FSL								PLAT			
LEGEND Well Location Tank Battery Location Pipeline Location Lease Road Location EXAMPLE	ı					d electrica	al lines, as ay attach a	required b a separate	y the Kans	sas Surface Owner Notice Act (House Bill 2032).	
LEGEND Well Location Tank Battery Location Pipeline Location Lease Road Location EXAMPLE	Γ		:	:	:		-	:	:	1725 ft	
Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location			· · ·				. •				
Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location		••••	•••••			••••				Well Location	
Pipeline Location Electric Line Location Lease Road Location EXAMPLE 1980' FSL			:		:		:		:		
EXAMPLE 8 Sample Part Part			:	:	:		:	:	:		
EXAMPLE 8 1980' FSL		•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		•••••		•••••		-	
EXAMPLE 1980' FSL			:	:	:		:	:	:		
8 EXAMPLE 1980' FSL			: :	:	:		:		:	Lease Road Location	
1980' FSL		••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		••••					
1980' FSL			:	:	:		:	:	:		
1980' FSL			:	:	:		:	:	:	EXAMPLE : :	
1980' FSL	-		•	•	•		•	•	•	-	
1980' FSL				:	8		:	:	:	: : :	
1980' FSL			•	:			:	:	:		
1980' FSL		• • • • • • • • • • • • • • • • • • • •				•••••					
1980' FSL			:	:	:		:	:	:		
1980' FSL			:	:	:		:	:	:	••••••	
			······· :	•	:	••••	:	:	:	Q -1 1980' FSL	
				:				:			
CEWARD CO. COOK I FEL			: :	: :	: :		: :	:	: , :		
					:		:	:		:	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

1196168 Form CDP-1
May 2010
Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bb		SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee			
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:	
Submitted Electronically Drill pits must be closed within 365 days of spud date.				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



1196168

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #					
Name:	· — —				
Address 1:	•				
Address 2:	Lease Name: Well #:				
City: State: +	If filing a Form T-1 for multiple wells on a lease, enter the legal description the lease below:				
Phone: () Fax: ()					
Email Address:	-				
Surface Owner Information:					
Name:					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	and the second in the week acted a second with the second and the second with the second seco				
City: State: Zip:+	_				
are preliminary non-binding estimates. The locations may be entered	ank batteries, pipelines, and electrical lines. The locations shown on the plat If on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
Select one of the following:					
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.				
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.				
Submitted Electronically					
I					

For KCC Use ONLY	
API # 15	_

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: OWENS PETROLEUM, LLC	Location of Well: County: Woodson				
Lease: LAWRENCE	feet from X N / S Line of Section				
Well Number: 3					
Field: Vernon	Sec. 8 Twp. 24 S. R. 16 X E W				
Number of Acres attributable to well: QTR/QTR/QTR of acreage: NE NW NE	Is Section: Regular or Irregular				
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW				

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

March 26, 2014

Scott Owens Owens Petroleum LLC 1274 202ND RD YATES CENTER, KS 66783-5411

Re: Drilling Pit Application Lawrence 3 NE/4 Sec.08-24S-16E Woodson County, Kansas

Dear Scott Owens:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.