

| C | onfiden | tiality | Requested: |
|---|---------|---------|------------|
| | Yes | N | lo |

Kansas Corporation Commission Oil & Gas Conservation Division

1193646

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | | | API No. 15 | | | | |
|----------------------------------|--------------------|--------------------|--|-------------------------|-----------------------|--|--|
| Name: | | | Spot Description: | | | | |
| Address 1: | | | Sec. | TwpS. R | East _ West | | |
| Address 2: | | | F6 | eet from North / | South Line of Section | | |
| City: | State: Z | ip:+ | Fe | eet from East / | West Line of Section | | |
| Contact Person: | | | Footages Calculated from Nearest Outside Section Corner: | | | | |
| Phone: () | | | □NE □NW □SE □SW | | | | |
| CONTRACTOR: License # | | | GPS Location: Lat:, Long: | | | | |
| Name: | | | | (e.g. xx.xxxxx) | (e.gxxx.xxxxx) | | |
| Wellsite Geologist: | | | Datum: NAD27 | NAD83 WGS84 | | | |
| Purchaser: | | | County: | | | | |
| Designate Type of Completion: | | | Lease Name: | W | ell #: | | |
| | e-Entry | Workover | Field Name: | | | | |
| | _ | | Producing Formation: | | | | |
| ☐ Oil ☐ WSW ☐ D&A | ☐ SWD | ∐ SIOW ∏ SIGW | Elevation: Ground: | Kelly Bushing: | | | |
| | GSW | Temp. Abd. | Total Vertical Depth: | Plug Back Total D | epth: | | |
| CM (Coal Bed Methane) | dow | Temp. Abd. | Amount of Surface Pipe Se | et and Cemented at: | Feet | | |
| ☐ Cathodic ☐ Other (Co | ore. Expl., etc.): | | Multiple Stage Cementing | Collar Used? Yes | No | | |
| If Workover/Re-entry: Old Well I | | | If yes, show depth set: | | | | |
| Operator: | | | If Alternate II completion, c | cement circulated from: | | | |
| Well Name: | | | feet depth to: | w/ | sx cmt. | | |
| Original Comp. Date: | | | | | | | |
| Deepening Re-perf | J | ENHR Conv. to SWD | Drilling Fluid Managemer | nt Plan | | | |
| Plug Back | Conv. to G | | (Data must be collected from to | | | | |
| Commingled | Permit # | | Chloride content: | ppm Fluid volume | : bbls | | |
| Dual Completion | | | Dewatering method used:_ | | | | |
| SWD | | | Location of fluid disposal if | hauled offsite: | | | |
| ENHR | Permit #: | | | | | | |
| GSW | Permit #: | | Operator Name: | | | | |
| | | | Lease Name: | | | | |
| Spud Date or Date R | eached TD | Completion Date or | Quarter Sec | TwpS. R | East West | | |
| Recompletion Date | | Recompletion Date | County: | Permit #: | | | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | |
|---------------------------------|--|--|--|--|--|
| Confidentiality Requested | | | | | |
| Date: | | | | | |
| Confidential Release Date: | | | | | |
| Wireline Log Received | | | | | |
| Geologist Report Received | | | | | |
| UIC Distribution | | | | | |
| ALT I II III Approved by: Date: | | | | | |

Page Two



| Operator Name: | | | Lease Name: | | | Well #: | |
|---|--|---|------------------------------------|---|----------------------|-----------------------------------|-------------------------------|
| Sec Twp | S. R | East West | County: | | | | |
| open and closed, flow | ring and shut-in pressu | ormations penetrated. D res, whether shut-in pre ith final chart(s). Attach | ssure reached stati | c level, hydrosta | tic pressures, bott | | |
| | | tain Geophysical Data a r newer AND an image f | | gs must be ema | iled to kcc-well-lo | gs@kcc.ks.gov | v. Digital electronic log |
| Drill Stem Tests Taker (Attach Additional | | Yes No | | | on (Top), Depth an | | Sample |
| Samples Sent to Geo | logical Survey | ☐ Yes ☐ No | Nam | 9 | | Тор | Datum |
| Cores Taken Electric Log Run | | Yes No | | | | | |
| List All E. Logs Run: | | | | | | | |
| | | | | | | | |
| | | CASING Report all strings set-c | RECORD Ne conductor, surface, inte | | ion, etc. | | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D.) | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | 5 | ADDITIONAL | CEMENTING / SQU | EEZE RECORD | | | |
| Purpose: Perforate | Depth Top Bottom | Type of Cement | # Sacks Used | # Sacks Used Type and Percent Additives | | | |
| Protect Casing Plug Back TD | | | | | | | |
| Plug Off Zone | | | | | | | |
| | | | | | ¬ | | |
| | ulic fracturing treatment or otal base fluid of the hydra | n this well? aulic fracturing treatment ex | ceed 350,000 gallons | Yes ? Yes | | p questions 2 an p question 3) | d 3) |
| | | submitted to the chemical of | _ | Yes | | out Page Three | of the ACO-1) |
| Shots Per Foot | | N RECORD - Bridge Plug | | Acid, Fra | cture, Shot, Cement | Squeeze Record | i |
| Onots Fer Foot | Specify Fo | ootage of Each Interval Perf | orated | (Aı | mount and Kind of Ma | terial Used) | Depth |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Packer At: | Liner Run: | Yes No | | |
| Date of First, Resumed | Production, SWD or ENH | R. Producing Meth | nod: | | | | |
| | | Flowing | | Gas Lift C | Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil BI | bls. Gas | Mcf Wate | er B | bls. G | as-Oil Ratio | Gravity |
| DISPOSITION | ON OF GAS: | N. | METHOD OF COMPLE | TION: | | PRODUCTIO | N INTERVAL: |
| Vented Solo | | Open Hole | Perf. Dually | Comp. Cor | nmingled | | |
| (If vented, Sui | bmit ACO-18.) | Other (Specify) | (Submit A | (Sub | mit ACO-4) | | |

| Form | ACO1 - Well Completion |
|-----------|------------------------|
| Operator | R. D. Energy, Inc. |
| Well Name | Thomas 4 |
| Doc ID | 1193646 |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|--------------------|-----|----------------------------------|
| Surface | 11.25 | 8.625 | 20 | 43 | portland | 8 | none |
| Production | 6.75 | 4.50 | 9.5 | 1054 | oil well cement | 110 | phenoseal , kol seal |
| | | | | | | | |
| | | | | | | | |



REMIT TOConsolidated Oil Well Services, LLC Dept. 970

P.O. Box 4346 Houston, TX 77210-4346 MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

J. B. D. % P. J. BUCK P.O. BOX 68 SEDAN KS 67361 (620)725-3636 THOMAS #4 5220000806 02/25/14 19-34S-12E KS

| Part Number | Description | Qty | Unit Price | Total | | | |
|--|--|--------------------------|------------------------------|-----------------------------|--|--|--|
| 1126 | OIL WELL CEMENT | 110.00 | 19.7500 | 2172.50 | | | |
| 1118B | PREMIUM GEL / BENTONITE | 150.00 | .2200 | 33.00 | | | |
| 1107A | PHENOSEAL (M) 40# BAG) | 40.00 | 1.3500 | 54.00 | | | |
| 1110A | KOL SEAL (50# BAG) | 650.00 | .4600 | 299.00 | | | |
| 1111 | SODIUM CHLORIDE (GRANULA | 700.00 | .3900 | 273.00 | | | |
| 4404 | 4 1/2" RUBBER PLUG | 1.00 | 47.2500 | 47.25 | | | |
| Sublet Performed 9995-240 9996-240 | Description CEMENT EQUIPMENT DISCOUNT CEMENT MATERIAL DISCOUNT | | | Total -103.51 -143.94 | | | |
| Description 492 CEMENT PUMP 492 CASING FOOTAGE | | Hours 1.00 1055.00 | Unit Price 1085.00 .23 | Total 1085.00 242.65 | | | |
| 492 EQUIPMENT MILE | AGE (ONE WAY) | 38.00 | 4.20 | 159.60 | | | |
| PLUG 4 1/2" PLUG CO | NTAINER | 1.00 | 215.00 | 215.00 | | | |
| 538 MIN. BULK DELI | VERY | 1.00 | 368.00 | 368.00 | | | |

Amount Due 5183.62 if paid after 03/08/2014

| Parts: | 2878.75 | Freight: | .00 | Tax: | 222.89 | AR | 4924.44 |
|--------|---------|-----------|----------|---------|---------|------|---------|
| Labor: | .00 | Misc: | .00 | Total: | 4924.44 | | |
| Sublt: | -247.45 | Supplies: | .00 | Change: | .00 | | |
| ====== | ======= | | ======== | ======= | | ==== | |

Signed______Date____

CEMENT FIELD TICKET AND TREATMENT REPORT

| | JBD | State, County | Chautauqua , Kansas | Cement Type | | CLASS A |
|---|---|---------------|--|--|---|---|
| b Type | 19 | Section | 19 | Excess (%) | | 30% |
| stomer Acct # | 4291 | TWP | 348 | Density | 1 | 14 |
| ell No. | Thomas #4 | RGE | 12E | Water Required | | 7.9 |
| ailing Address | | Formation | | Yeild | | 1.74 |
| ty & State | | Tubing | | Sacks of Cement | | 110 |
| Code | | Drill Pipe | | Slurry Volume | | 34 |
| ontact | | Casing Size | 4.5 10.5# | Displacement | | 16.7 |
| nail | | Hole Size | 6 3/4 | Displacement PSI | | 400/600 |
| ell | | Casing Depth | 1055 | MIX PSI | | 200 |
| spatch Location | BARTLESVILLE | Hole Depth | 1087 | Rate | | 4 |
| ode | Cement Pump Charges and Mileage | Quantity | Unit | Price per Unit | T | |
| 5401 | CEMENT PUMP (2 HOUR MAX) | 1 | 2 HRS MAX | \$1,085.00 | \$ | 1,085.00 |
| 5402 | FOOTAGE | 1055 | PER FOOT | \$0.23 | \$ | 242.65 |
| 5406 | EQUIPMENT MILEAGE (ONE-WAY) | 38 | PER MILE | \$4.20 | \$ | 159.60 |
| 5407 | MIN. BULK DELIVERY (WITHIN 50 MILES) | 1 | PERLOAD | \$368.00 | \$ | 368.00 |
| 5621 | 4 1/2 INCH PLUG CONTAINER | 1 | PER UNIT | \$215.00 | \$ | 215.00 |
| 0 | | | 0 | \$0.00 | \$ | - |
| 0 | | | 0 | \$0.00 | \$ | - |
| 0 | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | |
| | | | | QUIPMENT TOTAL | \$ | 2,070.25 |
| | Cement, Chemicals and Water | | | | | |
| 1126 | WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL.CLORIDE 2% GE | | 0 | \$19.75 | \$ | 2,172.50 |
| 1118B | PREMIUM GEL/BENTONITE (50#) | 150 | 0 | \$0.22 | \$ | 33.00 |
| 1107A | PHENOSEAL | 40 | 0 | \$1.35 | \$ | 54.00 |
| 1110A | KOL SEAL (50 # SK) | 650 | 0 | \$0.46 | \$ | 299.00 |
| 1111 | GRANULATED SALT (50#) SELL BY # | 700 | 0 | \$0.39 | \$ | 273.00 |
| 0 | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | - |
| 0 | | | 0 | \$0.00 | \$ | - |
| 0 | | | 0 | \$0.00 | \$ | - |
| 0 | | | 0 | \$0.00 | \$ | - |
| | | | | CHEMICAL TOTAL | \$ | 2,831.50 |
| | Water Transport | | | | _ | |
| 0 | | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | - |
| 0 | | | 0 | \$0.00 | \$ | |
| | | | | RANSPORT TOTAL | \$ | |
| | Cement Floating Equipment (TAXABLE) | | L | | | |
| | Cement Basket | | | 40.00 | | |
| 0 | 0 | | 0 | \$0.00 | \$ | - |
| 0 | Centralizer | | 0 | \$0.00 | \$ | |
| 0 | | | 0 | \$0.00 | \$ | |
| | Float Shoe | | 0 | \$0.00 | T D | |
| 0 | i roat Office | | 0 | \$0.00 | \$ | |
| | Float Collars | | | Ψ0.00 | _ | |
| 0 | | | 0 | \$0.00 | \$ | - |
| | Guide Shoes | | | | | |
| 0 | | | 0 | \$0.00 | \$ | - |
| | Baffle and Flapper Plates | | | | 10000 | |
| | | | 0 | \$0.00 | \$ | - |
| 0 | | | | | | |
| 0 | Packer Shoes | | | | | |
| 0 | | | 0 | \$0.00 | \$ | |
| 0 | Packer Shoes DV Tools | | 0 | | | |
| 0 0 | DV Tools | | | \$0.00 \$0.00 | \$ | |
| 0 0 | | | 0 | \$0.00 | \$ | |
| 0 0 | DV Tools | | 0 0 | \$0.00 \$0.00 | \$ | |
| 0 0 | DV Tools | | 0 0 0 0 | \$0.00 \$0.00 \$0.00 | \$ \$ | - |
| 0 | DV Tools Ball Valves,Swedges,Clamps, Misc. | | 0 0 | \$0.00 \$0.00 | \$ | |
| 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | DV Tools Ball Valves,Swedges,Clamps, Misc. Plugs and Ball Sealers | | 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 | \$ \$ \$ | |
| 0 0 0 0 0 0 0 | DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG | 1 | 0 0 0 0 | \$0.00 \$0.00 \$0.00 | \$ \$ | - |
| 0 0 0 0 0 0 0 | DV Tools Ball Valves,Swedges,Clamps, Misc. Plugs and Ball Sealers | 1 | 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 | \$ \$ \$ | 47.25 |
| 0 0 0 0 0 0 0 | DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG | 1 | 0 0 0 0 0 0 PER UNIT | \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 | \$ \$ \$ \$ | 47.25 |
| 0 0 0 0 0 0 0 | DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools | 1 | 0 0 0 0 0 0 | \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL | \$ \$ \$ \$ | 47.25 |
| 0 0 0 0 0 0 0 0 4404 | DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME | 1 | 0 0 0 0 0 0 PER UNIT | \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX | \$ \$ \$ \$ | 47.25 47.25 47.25 |
| 0 0 0 0 0 0 0 4404 0 | DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME John Wade Cole, Jake | 1 | 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING EC | \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 47.25 47.25 4,949.00 271.9 5,183.62 |
| 0 0 0 0 0 0 0 4404 0 | DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME John Wade Cole, Jake David E | 1 | 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING EC 8.15% 5% | \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT) | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 47.25 47.25 4,949.00 273.4 5,183.62 259.18 |
| 0 0 0 0 0 0 0 0 4404 0 | DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME John Wade Cole, Jake | 1 | 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING EC 8.15% 5% | \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL | \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 47.25 47.25 4,949.00 271.9 5,183.62 |
| 0 0 0 0 0 0 0 4404 0 | DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME John Wade Cole, Jake David E | 1 | 0 0 0 0 0 0 PER UNIT 0 CEMENT FLOATING EC 8.15% 5% | \$0.00 \$0.00 \$0.00 \$0.00 \$47.25 \$0.00 QUIPMENT TOTAL SUB TOTAL SALES TAX TOTAL (-DISCOUNT) | \$ \$\$\$\$ \$ \$ | 47.25 47.25 4,949.00 273.9 5,183.62 259.18 |

AUTHORIZATION



CEMENT FIELD TICKET AND TREATMENT REPORT

| Time: | Description | Rate (bpm) | Volume (bbl) | Pressure | Notes |
|---------|-------------|------------|--------------|----------|-------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | 5 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| REMARKS | | | | | |
| | | | | | |

Hooked up to cassing and pumped a 150# gel sweep and established circulation. Ran 110 sacks of chapmix cement at 14ppg. Shut down and washed pump and lines. Dropped plug and displaced 16.7 bbl to land plug at 1200psi. Released press and plug held. Topped off well and washed pump truck. Cement to surface. Nunnley hauled and supplied the water. Thank You

| More Notes: | ore Notes: | | | | | | | |
|-------------|------------|--|--|--|--|--|--|--|