

Confiden	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1193657

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R 🗌 East 🗌 West
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows: Operator:	Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from:
Well Name:	feet depth to: w/ sx cmt.
Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer Commingled Permit #: Dual Completion Permit #: SWD Permit #: ENHR Permit #: GSW Permit #:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: Operator Name: License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec. TwpS. R East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

Page Two



Operator Name:			L	ease Name: _			Well #:	
Sec Twp	S. R	East We	est C	County:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres	sures, whether sh	ut-in pressur	e reached stati	c level, hydrosta	tic pressures, bott		
Final Radioactivity Lo files must be submitted					gs must be ema	iled to kcc-well-log	gs@kcc.ks.go	. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes	No	L		n (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	Yes	No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes Yes	No No					
List All E. Logs Run:								
		(CASING REC	ORD Ne	w Used			
		· ·		ıctor, surface, inte	ermediate, producti		T	
Purpose of String	Size Hole Drilled	Size Casin Set (In O.D		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADD	ITIONAL CEN	MENTING / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cem	ent #	Sacks Used		Type and Pe	ercent Additives	
Perforate Protect Casing	100 20111111							
Plug Back TD Plug Off Zone								
1 lag on zono								
Did you perform a hydrau	ulic fracturing treatment	on this well?			Yes	No (If No, ski)	o questions 2 ar	nd 3)
Does the volume of the to		•				_	o question 3)	(" 100 ")
Was the hydraulic fractur	ing treatment information	on submitted to the c	hemical disclo	sure registry?	Yes	No (If No, fill o	out Page Three	of the ACO-1)
Shots Per Foot		ION RECORD - Bri Footage of Each Int				cture, Shot, Cement		d Depth
	, ,				,		,	
TUBING RECORD:	Size:	Set At:	Pa	acker At:	Liner Run:			
						Yes No		
Date of First, Resumed	Production, SWD or Ef		cing Method: owing	Pumping	Gas Lift C	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls. G	as Mcf	Wate	er Bl	ols. G	ias-Oil Ratio	Gravity
DIODOCITI	ON OF CAS:		RACT!!		TIONI		DRODUCTIO	AN INTEDVAL.
Vented Solo	ON OF GAS: Used on Lease	Open Ho		IOD OF COMPLE \Box		nmingled	PHODUCIIC	ON INTERVAL:
	bmit ACO-18.)	Other (S	necify)	(Submit		mit ACO-4)		

Form	ACO1 - Well Completion
Operator	R. D. Energy, Inc.
Well Name	Thomas 5
Doc ID	1193657

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	20	42	portland	8	none
Production	6.75	4.50	9.5	1055	oil well cement	110	phenoseal , kol seal



REMUT TO Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346

MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 Fax 620/431-0012

INVOICE Invoice # 266208 ______ Invoice Date: 02/28/2014 Terms: 5/5/10,n/30 Page

J. B. D. % P. J. BUCK P.O. BOX 68 SEDAN KS 67361 (620) 725 - 3636

THOMAS #5 3390000787 02/27/14 19-34-12 KS

				=======================================
Part Number	Description	Qty	Unit Price	Total
1126	OIL WELL CEMENT	110.00	19.7500	2172.50
1118B	PREMIUM GEL / BENTONITE	150.00	.2200	33.00
1107A	PHENOSEAL (M) 40# BAG)	40.00	1.3500	54.00
1110A	KOL SEAL (50# BAG)	650.00	.4600	299.00
1111	SODIUM CHLORIDE (GRANULA	700.00	.3900	273.00
4404	4 1/2" RUBBER PLUG	1.00	47.2500	47.25
Sublet Performed	Description			Total
9995-240	CEMENT EQUIPMENT DISCOUNT			-92.31
9996-240	CEMENT MATERIAL DISCOUNT			-143.94
Description		Hours	Unit Price	Total
551 MIN. BULK DELI	VERY	1.00	368.00	368.00
T-133 CEMENT PUMP		1.00	1085.00	1085.00
T-133 CASING FOOTAGE		1070.00	.23	246.10
T-133 EQUIPMENT MILE	AGE (ONE WAY)	35.00	4.20	147.00

Amount Due 4959.47 if paid after 03/10/2014

Parts:	2878.75	Freight:	.00	Tax:	222.89	AR	4711.49
Labor:	.00	Misc:	.00	Total:	4711.49		
Sublt:	-236.25	Supplies:	.00	Change:	.00		
=======	=======				=========	====	

Signed		.America				Date		7
BARTLESVILLE, OK	EL DORADO, KS	EUREKA, KS	PONCA CITY, OK	OAKLEY, KS	OTTAWA, KS	THAYER, KS	GILLETTE, WY	CUSHING, OK
918/338-0808	316/322-7022	620/583-7664	580/762-2303	785/672-8822	785/242-4044	620/839-5269	307/686-4914	918/225-2650

* YUNG

CONSOLIDATE

CEMENT FIELD TICKET AND TREATMENT REPORT

_				1	· · · · · · · · · · · · · · · · · · ·			
		JBD		State, County	CHATAQUA, KANSAS			CLASS A
_	1101	LS		Section	19	Excess (%)		30
. 7	7271			TWP	34	Density		13.8
		THOMAS #		RGE	12	Water Required		7.8
				Formation		Yeild	+	1.74
				Tubing		Sacks of Cement	+	95
_				Drill Pipe		Slurry Volume	-	29
					+		+	
				Casing Size	4 1/2INCH,	Displacement		19.5
				Hole Size	6.75	Displacement PSI		600
				Casing Depth	1070	MIX PSI	+	250
	R/	BARTLESVIL	F	Hole Depth	1070	Rate	+-	· 4.5
(Pump Charg						_	4.5
<u> </u>	Tunip Citary	Has with with	anda	Quantity	Unit	Price per Unit		
CE	CEMENT	T PUMP (2 HO	JR MAX)	1	2 HRS MAX	\$1,085.00	\$	1,085.00
		FOOTAGE	KONTO CONTO CO	1070	PER FOOT	\$0.23	\$	246.10
QU	EQUIPMEN	NT MILEAGE (NE-WAY)	35	PER MILE	\$4.20	\$	147.00
BU	MIN. BULK DE	ELIVERY (WIT	IN 50 MILES)	1	PER LOAD	\$368.00	\$	368.00
					0	\$0.00	\$	-
					0	\$0.00	\$	<u> </u>
_	7				0			
						\$0.00	\$	
					0	\$0.00	\$	<u> </u>
					0	\$0.00	\$	-
						EQUIPMENT TOTAL	L \$	1,846.10
mi	Chemicals a	and Water						
			6 CAL CLORIDE 2% GE	110	0	\$19.75	\$	2,172.50
		M GEL/BENTO		150	0	\$0.22	\$	33.00
INE		PHENOSEAL	11 L (50W)	40	0			
			10			\$1.35	\$	54.00
		DL SEAL (50 #		650	0	\$0.46	\$	299.00
AN	GRANULATE	TED SALT (50#	SELL BY #	700	0	\$0.39	\$	273.00
					0	\$0.00	\$	-
_					0	\$0.00	\$	
					0	\$0.00	\$	
					0	\$0.00	\$	_
					0	\$0.00	\$	-
_					0	\$0.00	\$	-
_					0	\$0.00	\$	-
					0	\$0.00	\$	
				l	0	\$0.00	\$	
					-	Chemical Tota	\$	2,831.50
r T	Water Transp	ports	2					
					0	\$0.00	\$	
_					0	\$0.00	\$	-
					0	\$0.00	\$	-
					0			
					p	Transports Tota	1 3	
	Floating Equ	ulpment (TA	ABLE)					
et	Basket	25 6					-	
500.000					0	\$0.00	\$	•
	er							
					0	\$0.00	\$	-
_					0	\$0.00	\$	-
	oe .					1 40.00	1 -	
_	ж				0	\$0.00	\$	-
						\$0.00] \$	-
	llars							
					0	\$0.00	\$	-
	noes						_	
					0	\$0.00	\$	
ppe	d Flapper Plat	ites						
_					0	\$0.00	\$	
_	ihoes							
_					0	\$0.00	\$	-
						+0.00	. · ·	
					0	\$0.00	\$	
_		01			1 0	φυ.υυ	ΙΨ	
red	es,Swedges,C	ciamps, Misi				00.00	1.	11 /2/4 MILE
					0	\$0.00	\$	
					0	\$0.00	\$	
					0	\$0.00	\$	
Se	d Ball Sealers	8						
	4' 1/2'	2" RUBBER PL	JG	11	PER UNIT	\$47.25	\$	47.25
ds	e Tools					41 141		
					0	\$0.00	\$	
					CEMENT FLOATING	EQUIPMENT TOTAL	\$	47.25
_	DE	RIVER NAM				0 SUB TOTAL	\$	4,724.85
		DONNIE			8.30	% SALES TAX	\$	212.59
_		CASEY M				TOTAL	. \$	4.959 4
_		AARON			5		\$	236.2
\neg					פות	COUNTED TOTAL	\$	4,71149
1					DIS	COUNTED TOTAL		-9-11
	15		<					
\mathcal{L}	(1)			_				
کر	Vers.	1		<i>→</i>				
) [CASEY M		TITLE	DIS	TC	JNT)	JNT) \$

LACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE,



CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	i JBD	State, County	CHATAQUA, KANSAS	Cement Type	CLASS A
Job Type	LS	Section	19	Excess (%)	30
Customer Acct #	0	TWP	34	Density	13.8
Well No.	THOMAS #5	RGE	12	Water Required	7.8
Mailing Address	0	Formation	0	Yeild	1.74
City & State	0	Tubing	0	Sacks of Cement	95
Zip Code	0	Drill Pipe	0	Slurry Volume	29
Contact	0	Casing Size	4 1/2INCH,	Displacement	19.5
Email	0	Hole Size	6.75	Displacement PSI	600
Cell	0	Casing Depth	1070	MIX PSI	250
Dispatch Location	BARTLESVILLE	Hole Depth	1070	Rate	4.5
Time:	Description	Rate (bpm)	Volume (bbl)	Pressure	Notes
	SAFTY MTG AND RIG UP				
	EST CIRC WITH GEL AND H20				
	RUN 110SX CLASS A CHAP MIX	4.5	38	250	
-	WASH PUMP AND LINES, RELEASE PLUG				
	DISPL	4.5	17	600	
	CMT TO SURF				LANDED @1100
				15 200 100	
	Amount of Cement Left in Casing	O ft	, , , , , , , , , , , , , , , , , , , ,		
		Remarks:			
		THANK YOU			