

Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1194298

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:, (e.gxxx.xxxxx)
Name:	Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
☐ OG ☐ GSW ☐ Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Lesstion of fluid diagonal if hould offaite.
ENHR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Reached TD Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Iwo	1194298
Operator Name:	_ Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INCTRUCTIONS. Chain important tang of formations panetrated	tail all carea. Depart all final	apping of drill stome tools giving interval toolad, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		-	on (Top), Depth ar		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-o	RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth	Turne of Operation	III On also I land		Turne and D		

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

No	(If No, skip questions 2 and 3)
No	(If No, skip question 3)

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For		RD - Bridge F Each Interval		0e	,		ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packe	r At:	Liner R	un:	No	
Date of First, Resumed	l Producti	ion, SWD or ENHF	} .	Producing N		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI					METHOD				PRODUCTION INT	
DISPOSITION OF GAS:		METHOD OF COMPLE Dpen Hole		Comp. Commingled		FRODUCTION INT	LINVAL.			
(If vented, Su				Other <i>(Specify,</i>)	(Submit A	,	(Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	SCZ Resources, LLC
Well Name	KENDALL DICE D-26
Doc ID	1194298

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	10	7	10	20	portland	5	
Production	6.25	2.875	8	855	portland	122	50/50 poz

			26635	j .	TICKET NUME		659
	Qii Wali Service	s, <u>LL</u> C			FOREMAN	<u> </u>	7
O Box 884. C	hanute, KS 6672	o FIE	LD TICKET & TRE			alan M	later_
	or 800-467-8676		CEMI			1	•••
DATE	CUSTOMER #	WELI	NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
3.6-14	7752	Dice	D-26	Su 23	21-	18	AI
SCZ /	lalaure					<u> </u>	
AILING ADDRI	<u>Kesource</u> Ess	2		TRUCK #	DRIVER	TRUCK#	DRIVER
8614	Cedary	nur Dr		730	Ala Mad	Ogter,	MEQ
ITY		STATE	ZIP CODE	675	Ker Dat		
Housto	n	tx	77050	548	Mik Han	·	
	1		O TOR HOLE DE	0.0	CASING SIZE & W	FIGHT 7	1/8-
ASING DEPTH	<u> 855 </u>		TUBING	· · · · · · · · · · · · · · · · · · ·		OTHER	
LURRY WEIGH		LURRY VOL	WATER g	al/sk	CEMENT LEFT in		95
SPLACEMEN	r5, 600 0 r	DISPLACEMEN	r psi <u>800</u> mix psi_	^	RATE 460	m	~
EMARKS: H.	eld nee	Zing. j	Established	2 rate a	loun ca	SMC	
Nixed	+ pumped	<u>100⁴</u>	gel to fly	sy hole	Rollow	d h.	122 0
<u> 10/57</u>	<u>comient</u>	- plus	270 gel, (Circh late	d cem	ent,	
Hushe	& pin	o: py	mped plu	s to cia	in this till	We.	7/
held !	SOD PST	Set	flogi, Cra	sed vale	e		
	- 17					A	
JTC J	Drilling				Man	(u)	
JTC ,	Drilling			A Q A	Mae	lu	
JTC J		· · · · · · · · · · · · · · · · · · ·		_ Juli		lu	
JTC J	QUANITY OF	UNITS	DESCRIPTION	of SERVICES or PRO		UNIT PRICE	TOTAL
			DESCRIPTION PUMP CHARGE	_ Juli			TOTAL
				_ Juli			TOTAL 1095-2 273-2
	QUANITY OF	.,	PUMP CHARGE	_ Juli			TOTAL 1095-2 273-2
соре 5401 5406 5402 5407А	QUANITY or [, 65 855 340	., 2, 99	PUMP CHARGE MILEAGE Casing fu	_ Juli			1085
соре 5401 5406 5406 5402 5407А	QUANITY OF	., 2, 99	PUMP CHARGE MILEAGE Casing fu	_ Juli			1085-2
соре 5401 5406 5406 5402 5407А	QUANITY or [, 65 855 340	., 2, 99	PUMP CHARGE MILEAGE CGS , YS Fu	_ Juli	DUCT 368 368 368 368 368 368		1085-2
CODE 5401 5406 5407 5407 502 C	QUANITY or 1, 65 855 340 14	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu Tgn mile OD way	of SERVICES or PRO	DUCT 368 368 368 368 368 368		TOTAL 1095-2 273-2 4180,80 150-2
CODE 5401 406 407 502 C	QUANITY or 1, 65 855 340 14	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu Tgn mile OD way	of SERVICES or PRO	DUCT 368 368 368 368 368 368		1085 273 480,80 150
CODE 5401 5406 5407 5026 124 128	QUANITY or [, 65 855 340	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu Ton mile 80 vac 50150 ce	of SERVICES or PRO	DUCT 368 368 368 368 368 368		1085 273 480,80 150 1403
CODE 5401 5401 5401 5401 502 6 124 124 118B	QUANITY or 1, 65 855 340 14	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu Ton mile 80 vac 50150 ce	of SERVICES or PRO	DUCT 368 368 368 368 368 368		1085 273 4180,80 150 150 1403 67.10
CODE 5401 5401 5407 502 C 124 118B	QUANITY or 1, 65 855 340 14	-, >, 99 2	PUMP CHARGE MILEAGE CGS JYS Fu Ton mile 80 vac 50150 CE 50150 CE 50150 CE 50150 CE 50150 CE 50150 CE	JUCEN of SERVICES or PRO	DUCT 368 368 368 368 368 369 369		1085 273 480,80 150 1403
CODE 5401 5401 5401 5401 502 6 124 124 118B	QUANITY or 1, 65 855 340 14	-, >, 99 2	PUMP CHARGE MILEAGE CGS JYS Fu Ton mile 80 vac 50150 CE 50150 CE 50150 CE 50150 CE 50150 CE 50150 CE	JUCEN of SERVICES or PRO	DUCT 368 368 368 368 368 369 369		1085 273 4180,80 150 150 1403 67,10 29,50
CODE 5401 5401 5401 5401 502 6 124 124 118B	QUANITY or 1, 65 855 340 14	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu tign mile D vac 50150 CE SE 212 plug hater -cas	2 Jeto of SERVICES or PRO	DUCT 368 368 368 368 368 369 369 48 369 40 5415		1085 273 480,80 150 150 1403 47,10 29,50 3488,46
CODE 5401 5401 5401 5401 502 6 124 124 118B	QUANITY or 1, 65 855 340 14	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu tign mile D vac 50150 CE SE 212 plug hater -cas	JUCEN of SERVICES or PRO	DUCT 368 368 368 368 368 369 369 48 369 40 5415		1085 273 4180,80 150 150 1403 67,10 29,50
CODE 5401 5401 5401 5401 502 6 124 124 118B	QUANITY or 1, 65 855 340 14	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu tign mile D vac 50150 CE SE 212 plug hater -cas	2 Jeto of SERVICES or PRO	DUCT 368 368 368 368 368 369 369 48 369 40 5415		1085 273 480,80 150 150 1403 47,10 29,50 3488,46
CODE 5401 5402 5407A 502C 124 118B 1402	QUANITY 01 1, 65 855 340 140 122 305	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu tign mile D vac 50150 CE SE 212 plug hater -cas	2 Jeto of SERVICES or PRO	DUCT 368 368 368 368 368 369 369 48 369 40 5415		1085 273 480,80 150 150 1403 47,10 29,50 3488,46
CODE 5401 5402 5407A 502C 124 118B 1402	QUANITY or 1, 65 855 340 14	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu tign mile D vac 50150 CE SE 212 plug hater -cas	2 Jeto of SERVICES or PRO	DUCT 368 368 368 368 368 369 369 48 369 40 5415		1085 273 480,80 150 150 47,10 29,50 3488,41 ;441.0
CODE 5401 5402 5407A 502C 124 118B 1402	QUANITY 01 1, 65 855 340 140 122 305	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu tign mile D vac 50150 CE SE 212 plug hater -cas	2 Jeto of SERVICES or PRO	DUCT 368 368 368 368 368 369 369 48 369 40 5415		1085 273 480,80 150 150 1403 47,10 29,50 3488,46
CODE 5401 5401 5407A 502C 124 118B 1402	QUANITY 01 1, 65 855 340 140 122 305	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu tign mile D vac 50150 CE SE 212 plug hater -cas	2 Jeto of SERVICES or PRO	DUCT 368 368 368 368 369 369 48 (40-9(5) 	UNIT PRICE	1085 273 480,80 150 150 1403 67,10 29.50 3488.41 3488.41 3488.41 3441.03
CODE 5401 5402 5407A 502C 124 118B 1402	QUANITY 01 1, 65 855 340 140 122 305	-, >, 99 2	PUMP CHARGE MILEAGE Casing fu tign mile D vac 50150 CE SE 212 plug hater -cas	2 Jeto of SERVICES or PRO	DUCT 368 368 368 368 369 369 48 (40-9(5) 		1085 273 480,80 150 150 47,10 29,50 3488,41 ;441.0

÷

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this for

49559

TERMS _____

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials, *Customer agrees* to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by COWS.

Any applicable federal, state or local sales, use occupation, consumer's or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receivethe services, equipment, products and materials to be suppliedby COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

(a) COWS shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a 'claim') for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but -not limited to sub-surface damage and surface damage arising from sub-surface damage.

- (b) Unless a claim is the result of the sole willful misconduct or gross negligence of COWS, Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including, - but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (li) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

(c) COWS makes no guarantee of the effectiveness of any COWS' products, supplies or materials, or the results of any COWS' treatment or services.

(d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, - research analysis, job recommendation or other data furnished by COWS. COWS' personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negligence or willful misconduct in the preparation of furnishing of it.

(e) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any plaim_with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and hat the same are free from defects in workmanship and naterials. THERE ARE NO OTHER WARRANTIES, XPRESS OR IMPLIED, NOR ANY WARRANTY OF IERCHANTABILITY OR FITNESS FOR PURPOSE. VHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS of at COWS' option, an allowance to Customer of credit for the crist of such items.

Ustomer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.

	Operator License # Operator Address City Contractor Contractor License #	34897 SCZ Resources 8614 Cedarspur Drive Houston, TX 77055 JTC Oil, Inc. 32834	:	API # Lease Name Well # Spud Date Cement Da		15-001-3080 Kendall Dice D-26 3/4/14	4-00-00	
	T.D.	880		Location		Sec 22	Т 26	R 18
	T.D. of pipe	850				feet from	S	line
	Surface pipe size	7"			1485	feet from	W	line
	Surface pipe depth Well Type	20' Production		County		Allen		
	Driller'							
Thickness	Strata	From	То					
5	dirt	0	5					
28	lime	5	33					
22	shale	33	55					
14	lime	55	69					
49	shale	69	118					
70	lime	118	188					
6	black shale	188	194					
24	lime	194	218					
4	shale	218	222					
28	lime	222	250					
4	shale	250	254					
21	lime	254	275					
140	shale	275	415					
2	lime	415	417					
3	shale	417	420					
8	lime	420	428					
7	mix	428	435					
10 9	lime shale	435 445	445 454					
9 1	top sand	445	454 455					
3	good	455	455					
2	ok	458	460					
10	sandy shale	460	470					
70	shale	470	540					
20	lime	540	560					
39	shale	560	599					
16	lime oil	599	615					
8	shale	615	623					
4	lime	623	627					
75	shale	627	702					
4	coal mix	702	706					
69	shale	706	775					
1	oil sand	775	776	ok				
2	ok	776	778					
2	ok	778	780					
1	end	780	781					
19	shale mix	781	800	ali				
2 2	top sand end sand	800 802	802 804	ok ok				
24	shale	802	804 828	UK				
24	top sand	828	830	ok				
1	end	830	831	ok				
5	mix	831	836	•				
4	coal mix	836	840					
40	shale mix	840	880					
-	-	-	-					