Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1194304

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from Dorth / South Line of Section					
City: State: Zip:+	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()						
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows: Operator:	Producing Formation:					
Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)					
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used:					
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	Quarter Sec TwpS. R East West County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Iwo	1194304		
Operator Name:	Lease Name:	Well #:		
Sec TwpS. R	County:			
INCTRUCTIONS: Chain important tang of formations paratrated De	tail all aaraa Bapart all final	apping of drill stome tosts giving interval tested, time tool		

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		-	Formation (Top), Depth and I		Sample
Samples Sent to Geolo	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
		CASING Report all strings set-o	RECORD Ne		ion, etc.		
Purpose of String	tring Size Hole Size Casing Weig Drilled Set (In O.D.) Lbs.			Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	. CEMENTING / SQL	EEZE RECORD			
Purpose:	Depth	# Sacks Used		Type and F	Percent Additives		

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	

ies		
Yes		
Yes		

No (If No, skip questions 2 and 3)

 No
 (If No, skip question 3)

 No
 (If No, fill out Page Three

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated						Acid, Fracture, Shot, Ce (Amount and Kino	ement Squeeze Record I of Material Used)	Depth	
TUBING RECORD: Size: Set At:			t: Packer At:		Liner R	Run:	No			
Date of First, Resumed	l Producti	ion, SWD or ENHF	ł.	Producing M	ethod:	oing	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	S.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:			METHOD (OF COMPLE	TION:		PRODUCTION INTERVAL:			
Vented Solo	d 🗌 l	Used on Lease	(Open Hole	Perf.	Dually		Commingled		
(If vented, Su	ıbmit ACO	D-18.)		Other (Specify)		(Submit /	,	(Submit ACO-4)		

Form	ACO1 - Well Completion
Operator	SCZ Resources, LLC
Well Name	CANNON C-2
Doc ID	1194304

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	10	7	10	22.3	portland	6	
Production	6.125	2.875	8	933	portland	143	50/50 poz



42668 TICKET NUMBER

LOCATION Oftawa FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET &	TREATMENT	REPORT
---------------------------	-----------	--------

CEMENT

DATE	CUSTOMER #	WELL N	AME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY					
3-11-14	7252	Cannon	₩ C	.2	22+27	26	18	AL					
CUSTOMER													
		urces LLC	-	[TRUCK #	DRIVER	TRUCK #	DRIVER					
MAILING ADDRE	ESS				495	Horber							
661	4 Cedar	Spur Dr] [フロ	Fremad							
CITY		STATE ZI	P CODE] [370	Kei Car							
Housto	л		77055		548	Mik Hoa							
JOB TYPE ho		HOLE SIZE	18 "	_ HOLE DEPTH	943	CASING SIZE & W	EIGHT 2%	EUE					
CASING DEPTH	933	DRILL PIPE					OTHER						
SLURRY WEIGH	IT	SLURRY VOL		WATER gal/sk	[CEMENT LEFT in	CASING_24"	Plug					
DISPLACEMENT	5.42	DISPLACEMENT P	si	MIX PSI		RATE 5BPA	<u>n</u>	0					
REMARKS: He	old area	safety	neitire	Establ	lish pum	1 rate Mi	XX PINNA	100+					
<u> </u>	Gel Flush. Mix+ Pump 142/5Ks 50/50 Por Mix Coment 2% Cil												
Cemer	Cement to Surface. Flush pump + thes clean Displace 2k Rubber Ploy												
to co	to casing TD. Pressure to 800 # HSI. Release pressure to set												
<u>floor</u>	float Value. Shut in Casivia												

Ette Evans Energy Dev. Inc. Travis Mach

ACCOUNT CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	<u> </u>	PUMP CHARGE 495		108599
5406		MILEAGE		NE
5402	933	Cosing footoge		NC
54074	432.22	Tun Milos 548	>	609 43
55020	Zhrs	80 BBL Vac Truck 370		200 2
/124	143 5145	50/50 Por Mix Coment	164450	
IIIEB	<u> </u>	Premium Gel	75-2	
4402	/	21/2" Rubber Plug		2950
		Total Makerial	17 19 52	
		Less 30% Total	515 5	12036
	<u></u>	7.4%	SALES TAX	9/25
Ravin 3737	1 Acres 1		ESTIMATED TOTAL	3038-84
AUTHORIZTION	/ May /		DATE	

AUTHORIZTION_

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

TERMS

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by COWS.

Any applicable federal, state or local sales, use occupation, consumer's or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

(a) COWS shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a 'claim') for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.

(b) Unless a claim is the result of the sole willful misconduct or gross negligence of COWS, Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

(c) COWS makes no guarantee of the effectiveness of any COWS' products, supplies or materials, or the results of any COWS' treatment or services.

(d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS' personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negligence or willful misconduct in the preparation or furnishing of it.

(c) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and that the same are free from defects in workmanship and materials. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE. WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG SCZ Resources, LLC Cannon #C-2 API #15-001-30898 March 7 - March 10, 2014

Paola, KS 66071

Thickness of Strata	Formation	Total
6	soil & clay	6
37	lime	43
22	shale	65
18	lime	83
43	shale	126
3	lime	129
22	shale	151
45	lime	196
4	shale	200
24	lime	224
. 5	shale	229
26	lime	255
5	shale	260
18	lime	278
137	shale	415
11	lime	426
14	shale`	440
8	lime	448
10	shale	458
4	broken sand	462 brown & green, good bleeding
32	shale	494
5	lime	499
41	shale	540
2	lime	542
6	shale	548
8	lime	556 brown
4	shale	560
5	lime	565
36	shale	601
5	lime	606
2	shale	608
11	lime	619
6	shale	625
3	lime	628
87	shale	715
4	lime	719
48	shale	767
2	broken sand	769 brown & green, light oil show

Cannon #C-2

Page 2

7	shale	776
5	broken sand	781 brown & green, ok bleeding
16	shale	797
8	broken sand	805 brown & white, ok bleeding
37	shale	842
2	coal	844
26	shale	870
3	broken sand	873 brown & green, good bleeding
2.5	silty shale	875.5
12.5	sand	888 grey, no oil
55	water sand	943 brown, no oil
		943 TD

Drilled a 9 7/8" hole to 22.3' Drilled a 6 1/8" hole to 943'

Set 22.3' of 7" surface casing, cemented with 6 sacks cement.

Set 933' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, and 1 clamp.

Cannon #C-2

Page 3