

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1194364

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | API No. 15 |
|---|--|
| Name: | Spot Description: |
| Address 1: | SecTwpS. R 🗌 East 🗌 West |
| Address 2: | Feet from |
| City: State: Zip:+ | Feet from _ East / _ West Line of Section |
| Contact Person: | Footages Calculated from Nearest Outside Section Corner: |
| Phone: () | □NE □NW □SE □SW |
| CONTRACTOR: License # | GPS Location: Lat:, Long: |
| Name: | (e.g. xx.xxxxx) (e.gxxx.xxxxx) |
| Wellsite Geologist: | Datum: NAD27 NAD83 WGS84 |
| Purchaser: | County: |
| Designate Type of Completion: | Lease Name: Well #: |
| ☐ New Well ☐ Re-Entry ☐ Workover | Field Name: |
| Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.): If Workover/Re-entry: Old Well Info as follows: | Producing Formation: Elevation: Ground: Kelly Bushing: Feet Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet |
| Operator: | If Alternate II completion, cement circulated from: |
| Well Name: | feet depth to:w/sx cmt. |
| Original Comp. Date: Original Total Depth: Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer Commingled Permit #: Dual Completion Permit #: SWD Permit #: | Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite: |
| ☐ ENHR Permit #: ☐ GSW Permit #: | Operator Name: |
| Connection Connection | Lease Name: License #: |
| Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date | Quarter Sec. Twp. S. R. East West County: Permit #: |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY |
|-----------------------------|
| Confidentiality Requested |
| Date: |
| Confidential Release Date: |
| Wireline Log Received |
| Geologist Report Received |
| UIC Distribution |
| ALT I II Approved by: Date: |

Page Two



| Operator Name: | | | L | ease Name: _ | | | Well #: | | |
|--|---------------------------|--|-----------------------|---|---------------------|---------------------|------------------|--|--|
| Sec Twp | S. R | East We | est C | County: | | | | | |
| INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to | ring and shut-in pres | sures, whether sh | ut-in pressur | e reached stati | c level, hydrosta | tic pressures, bott | | rval tested, time tool erature, fluid recovery, | |
| Final Radioactivity Lo files must be submitted | | | | | ogs must be ema | iled to kcc-well-lo | gs@kcc.ks.go | v. Digital electronic log | |
| Drill Stem Tests Taker (Attach Additional | | Yes [| No | L | _ | on (Top), Depth an | | Sample | |
| Samples Sent to Geo | logical Survey | Yes | No | Nam | e | | Тор | Datum | |
| Cores Taken ☐ Yes ☐ No Electric Log Run ☐ Yes ☐ No | | | | | | | | | |
| List All E. Logs Run: | | | | | | | | | |
| | | (| CASING REC | ORD Ne | ew Used | | | | |
| | | · · | | ıctor, surface, inte | ermediate, producti | 1 | | I | |
| Purpose of String | Size Hole Drilled | Size Casing Set (In O.D | | Weight Lbs. / Ft. | Setting Depth | Type of Cement | # Sacks Used | Type and Percent Additives | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | ADD | ITIONAL CEN | MENTING / SQL | JEEZE RECORD | | | | |
| Purpose: | Depth Top Bottom | Type of Cem | ent # | # Sacks Used Type and Percent Additives | | | | | |
| Perforate Protect Casing | 100 20111111 | | | | | | | | |
| Plug Back TD Plug Off Zone | | | | | | | | | |
| 1 lag on zono | | | | | | | | | |
| Did you perform a hydrau | ulic fracturing treatment | on this well? | | | Yes | No (If No, ski | o questions 2 ar | nd 3) | |
| Does the volume of the to | | • | | | | _ ` ` ' | p question 3) | | |
| Was the hydraulic fractur | ing treatment information | on submitted to the c | hemical disclo | sure registry? | Yes | No (If No, fill | out Page Three | of the ACO-1) | |
| Shots Per Foot | | ION RECORD - Bri Footage of Each Into | | | | cture, Shot, Cement | | d Depth | |
| | , , | <u> </u> | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | Pa | acker At: | Liner Run: | | | | |
| | | | | | | Yes No | | | |
| Date of First, Resumed | Production, SWD or Ef | | cing Method: owing | Pumping | Gas Lift C | other (Explain) | | | |
| Estimated Production Per 24 Hours | Oil | Bbls. G | as Mcf | Wate | er Bi | ols. G | as-Oil Ratio | Gravity | |
| DIODOCITI | ON OF CAS: | | N 4 - T - 1 | | TION: | | PPODUOTIO | ON INTERVAL. | |
| Vented Solo | ON OF GAS: Used on Lease | Open Ho | | IOD OF COMPLE \Box | | nmingled | PRODUCTION | ON INTERVAL: | |
| | bmit ACO-18.) | Other (Si | necify) | (Submit | | mit ACO-4) | | | |

| Form | ACO1 - Well Completion | |
|-----------|------------------------|--|
| Operator | SCZ Resources, LLC | |
| Well Name | KENDALL DICE I-7 | |
| Doc ID | 1194364 | |

Casing

| Purpose Of String | Size Hole Drilled | Size Casing Set | Weight | Setting Depth | Type Of Cement | | Type and Percent Additives |
|----------------------|----------------------|-----------------------|--------|------------------|-------------------|-----|----------------------------------|
| Surface | 10 | 7 | 10 | 20 | portland | 5 | |
| Production | 6.25 | 2.875 | 8 | 858 | portland | 122 | 50/50 poz |
| | | | | | | | |
| | | | | | | | |



LOCATION Offgug
FOREMAN Alan Maken

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT CEMENT

| DATE | CUSTOMER# | I WELL | . NAME & NUMBER | SECTION | TOWNSHIP | RANGE | COUNTY |
|----------------------------|----------------------|-----------------------|--|--|--|---|----------------------|
| 3-14-14 | 14 7752 Dice I-7 | | | NW 27 | 26 | 18 | AL |
| USTOMER | R | | | | | | |
| S C Z | <u>Kesouz</u> Ess | rces | | TRUCK# | DRIVER | TRUCK# | DRIVER |
| PI ULI | C - A | Co | ۸. | 730 | AlaMad | Subet | x 1100 |
| 3617 IY | Ltda | STATE | ZIP CODE | 368 | 1 McD | | |
| H . 0 + | ζ | T_{\sim} | 77053 | 369 | Dev Irig 5 | | |
| 10(A)/ | <u>00</u> | | ; | 5/5 | VILLAROY | l | 26 |
| | usstius | TIOLE GILL | HOLE DEPT | н <u>880</u> | CASING SIZE & V | · | 1/8 |
| SING DEPTH | | DRILL PIPE | TUBING | | | OTHER | |
| URRY WEIGH | | SLURRY VOL_ | WATER galls | | RATE 4 6 | | <u> </u> |
| SPLACEMEN' | ell neet | DISPLACEMEN | to be be a constant | to down | 2 6 | 11. | · 0 |
| MARKS: +/6 | in Mee | 100 # S | 1901.5780 19 | le gou | n LOSio | 15. ///: | Xect_ |
| nce pr | amper | Charles H | to A compat | F1 13 | $\frac{2}{3}\frac{3}{3}\frac{3}{3}\frac{3}{3}$ | 7 | en art |
| 1100 2 | 10 GV. | - TO 10 | wed cement | 800 15T | ed fun | | <u>000 -</u> |
| 16:10 | T Casing | 5 / D. 1 | Clared | 200 131 | - 70/ 30 | minu. | re |
| 2117 | 1. JE. 7 | TWAT- | C103802 (| 2400 | | | |
| | | | <u> </u> | <u> </u> | <u> </u> | - 4 | |
| 117 | Taff | | <u> </u> | · • | 7 | 11/2 | |
| 0/0 | - , VEI) | <u>.</u> | | 17 | an M | aller | <u> </u> |
| | | | | | Jan Comment | | |
| ACCOUNT CODE | QUANITY | or UNITS | DESCRIPTION o | DESCRIPTION of SERVICES or PRODUCT | | | TOTAL |
| | | | | | | | |
| 5401 | 1 | | PUMP CHARGE | | 3/23 | | 10850 |
| | <u></u> | | PUMP CHARGE MILEAGE | | <u>368</u> 368 | | 10850 |
| 3400 | 1 83 | <u> </u> | 1 | TACA | 368 368 | | 10850 |
| 402 | 83 | | MILEAGE Casins foot | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | 368 368 368 | | 10850 |
| 7402 402 407 | 1 83 340 | - 08 0,99 /2 | MILEAGE CASINS FOOT TONN. 105 | Tage | 368 515 | | 108500 |
| 7402 402 407 | 83 340 | - 08 0.99 /2 | MILEAGE Casins foot | Tase | | | 108500 |
| 7402 402 407 | | /2 | MILEAGE Casins foot tennifes 80 Vac | rest | 368 515 | 140300 | |
| 3402 407 502C | 12 | 12 | MILEAGE Casins Foot tennifes 80 vac 50/50 con | rest | 368 515 | | |
| 3402 402 407 502C | | 12 | MILEAGE Casins foot tennifes 80 Vac | | 368 515 369 | 66.22 | |
| 3402 407 502C | 12 | 12 | MILEAGE CASINS FOOT TONNIES 80 VAC 50/50 CEN GPI | aterial | 368 515 | 146922 | - 11/2/// |
| 3402 402 407 502C | 12 | 12 | MILEAGE Casins foot Tennifes 80 vac 50/50 cen gel | aterial 255 3007 | 368 515 369 | 66.22 | 150 22 |
| 3402 407 502C | 12 | 12 | MILEAGE Casins foot Tonnifes 80 UGC 50/50 Cen gpl | aterial | 368 515 369 | 146922 | 15022 |
| 3402 407 502C | 12 | 12 | MILEAGE Casins foot Tennifes 80 vac 50/50 cen gel | aterial 255 3007 | 368 515 369 | 146922 | 150 22 |
| 34 34 18B | 12 | 12 | MILEAGE Casins foot Tonnifes 80 UGC 50/50 Cen gpl | aterial 255 3007 | 368 515 369 | 146922 | 15000 |
| 3402 407 502C | 12 | 12 | MILEAGE Casins foot Tonnifes 80 UGC 50/50 Cen gpl | aterial 255 3007 | 368 515 369 | 146922 | 15000 |
| 3402 407 502C | 12 | 12 | MILEAGE Casins foot Tonnifes 80 UGC 50/50 Cen gpl | aterial 255 3007 | 368 515 369 | 66.22 1469.22 440.77 | 15022 |
| 3402 407 502C | 12 | 12 | MILEAGE Casins foot Tonnifes 80 UGC 50/50 Cen gpl | aterial 255 3007 | 368 515 369 | 146922 | 15022 |
| 5402 402 | 12 | 12 | MILEAGE Casins foot Tonnifes 80 UGC 50/50 Cen gpl | aterial 255 3007 | 368 515 369 | 66.22 1469.22 140.77 3325,43 | 15022 |
| 3402 407 1502C | 12 | 12 | MILEAGE Casins foot Tonnifes 80 UGC 50/50 Cen gpl | aterial 255 3007 | 368 515 369 | 66.22 1469.22 440.77 3325,43 SALES TAX ESTIMATED | 15022 |
| 3402 407 502C | 12 30 | 12 | MILEAGE Casins foot Tonnifes 80 UGC 50/50 Cen gpl | aterial 255 3007 | 368 515 369 | 66.22 1469.22 440.77 3325,43 | 15000 |

TERMS

In consideration of the prices to be charged for Consolidated Oil Well Services, LLC (COWS) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Terms. Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay COWS interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event COWS retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by COWS.

Any applicable federal, state or local sales, use occupation, consumer's or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All COWS' prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by COWS. The Customer shall at all time have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises about the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service which is to be performed.

- (a) COWS shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a 'claim') for damage to property, or injury to or death of employees and representatives, of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of COWS, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.
- (b) Unless a claim is the result of the sole willful misconduct or gross negligence of COWS. Customer shall be responsible for and indemnify and hold COWS harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from sub-surface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by COWS; (3) injury to or death of persons, other than employees of COWS, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; and (4) well damage or reservoir damage caused by (i) loss of circulation, cement invasion, cement misplacement, pumping cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. COWS may furnish down hole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage, loss or result caused by the use of such tools.

Furthermore, Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

- (c) COWS makes no guarantee of the effectiveness of any COWS' products, supplies or materials, or the results of any COWS' treatment or services.
- (d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, COWS is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by COWS. COWS' personnel will use their best efforts in gathering such information and their best judgement in interpreting it, but Customer agrees that COWS shall not be responsible for any damage arising from the use of such information except where due to COWS' gross negligence or willful misconduct in the preparation or furnishing of it.
- (c) COWS may buy and re-sell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that COWS is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify COWS against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

COWS warrants title to the products, supplies and materials, and that the same are free from defects in workmanship and materials. THERE ARE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR PURPOSE. WHICH EXTEND BEYOND THOSE STATED IN THE IMMEDIATELY PRECEDING SENTENCE. COWS's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any COWS' products, supplies, materials or services is expressly limited to the replacement of such products, supplies, materials or services or their return to COWS or, at COWS' option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against COWS for any special, incidental, indirect, consequential or punitive damages.

| | Operator License # 34897 | | | API# | | 15-001-30856-00-00 | | |
|---|--------------------------|----------------------------|-----|-------------|------|--------------------|------|------|
| | Operator | SCZ Resources | | Lease Nam | ie | Kendall Dice | | |
| | Address | 8614 Cedarspur Drive | | Well# | | I-7 | | |
| | City | Houston, TX 77055 | | | | | | |
| | Contractor JTC Oil, Inc. | | | Spud Date | | 3/10/14 | | |
| | Contractor License # | Contractor License # 32834 | | Cement Date | | | | |
| | T.D. | . 880 | | Location | | Sec 27 | T 26 | R 18 |
| | T.D. of pipe | 858 | | | 990 | feet from | N | line |
| | Surface pipe size | 7" | | | 2310 | feet from | W | line |
| | Surface pipe depth | 20' | | County | | Allen | | |
| | Well Type | Injection | | | | | | |
| | Driller's | Log | | | | | | |
| 5 | Strata | From | То | | | | | |
| | shale | 0 | 6 | | | | | |
| | lime | 6 | 49 | | | | | |
| | shale | 49 | 73 | | | | | |
| | lime | 73 | 90 | | | | | |
| | shale | 90 | 125 | | | | | |
| | | | | | | | | |

ok

ok

lime

shale

lime

shale

lime

shale

lime

shale

lime

shale

top sand

top sand

top sand

sandy

shale

lime

shale

lime

shale

lime

shale

top

top

shale

top

top

end

shale mix