

Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1194781

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from Dorth / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()					
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
	Elevation: Ground: Kelly Bushing:				
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)				
	Chloride content: ppm Fluid volume: bbls				
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:					
ENHR Permit #:	Location of fluid disposal if hauled offsite:				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West				
Recompletion Date Reached TD Recompletion Date of Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

	Page Two 1194781					
Operator Name:	Lease Name:	Well #:				
Sec TwpS. R East West	County:					
INCTRUCTIONS. Chow important tang of formations ponetrated	Dotail all coros Report all	final conject of drill stome taste giving interval tasted, time tool				

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		-	on (Top), Depth an		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne				
		Report all strings set-o	conductor, surface, inte	ermediate, producti	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							

Did you perform a hydraulic fracturing treatment on this well?	Yes	No	(
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes	No	(
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes	No	(

(If No, skip questions 2 and 3) (If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)			Depth		
TUBING RECORD:	Siz	e: Se	et At:	Packe	r At:	Liner R	un:	No	
Date of First, Resumed	Productio	on, SWD or ENHR.	Producing		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bbls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS: METHOD OF CO						TERVAL:			
Vented Solo (If vented, Sul		Jsed on Lease -18.)	Open Hole	Perf.	(Submit A	Comp. A <i>CO-5)</i>	Commingled (Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Form	ACO1 - Well Completion			
Operator	Kinney Oil Company			
Well Name	Strahm Farms 1-27			
Doc ID	1194781			

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
surface	12.25	8.625	24	265	Class A		2% gel & 3% CC
production	7.875	5.5	15.5	3942	thick-set	165	8#/sk kol- seal

Kinney Oil Company KCC # 31439

Strahm Farm 1-27 Reentry And Sidetrack - API # 15-131-20219-01-00

A whipstock was set in the Strahm Farm 1-27 at 3227' MD. A 6' window was milled in the $5\frac{1}{2}$ " casing at: 3227'-3233' MD. The $4\frac{3}{4}$ " hole was Kicked Off at 3236'MD/3230'TVD at an azimuth of 215° (Grid). At 3812' MD turned trajectory slightly from 215° (Grid) to 255° (Grid). Landed well at 4080'MD/3807'TVD with 90° inclination, azimuth of 226° (Grid). Continue drilling $4\frac{3}{4}$ " lateral increasing inclination to 93°. Reach TD of 4912'MD/3767'TVD with inclination of 93° and azimuth of 224° (Grid). No casing was run in the lateral.

Chlorides of the mud system were only 200-400 mg/liter (ppm) from the time the window was cut to TD.

The lateral was abandoned by setting a Cast Iron Bridge Plug ("CIBP") at 3160'MD/3155'TVD.

Directional Summary:

Landing Point ("Heal"): Depth: 4080'MD/3807'TVD Inclination: 90° Azimuth: 226° (Grid)

TD ("Toe"):

Depth: 4912'MD/3767'TVD Inclination: 93° Azimuth: 224° (Grid)

Ground Level: 1306' KB: 1316'

Post-Drill Well Configuration:

CIBP in the $5\frac{1}{2}$ " casing @ 3153'MD 6' window in the $5\frac{1}{2}$ " casing: 3227'-3233' MD CIBP in the $5\frac{1}{2}$ " casing (above the window) at 3160'MD/3155'TVD.