


BEREXCO LLC.
DST#3 LKC"B" 4252-4274
Start Test Date: 2014/02/12
Final Test Date: 2014/02/12

CRAIG #1-35
Formation: DST#3 LKC"B" 4252-4274
Pool: WILDCAT
Job Number: A016

CRAIG #1-35



DIAMOND TESTING, LLC

TESTER : ANDY CARREIRA
CELL # 620-617-7202

General Information

Company Name	BEREXCO LLC.	EVIN MAYHEW	Job Number	A016
Contact		CRAIG #1-35	Representative	ANDY CARREIRA
Well Name		DST#3 LKC"B" 4252-4274	Well Operator	BEREXCO LLC.
Unique Well ID		SEC35-17S-31W SCOTTCNTY,KS	Report Date	2014/02/12
Surface Location			Prepared By	ANDY CARREIRA
Well License Number				
Field		WILDCAT		
Well Type		Vertical		

Test Information

Test Type	STRADDLE
Formation	DST#3 LKC"B" 4252-4274
Well Fluid Type	01 Oil
Test Purpose	Initial Test

Start Test Date	2014/02/12	Start Test Time	01:40:00
Final Test Date	2014/02/12	Final Test Time	14:12:00

Gauge Name	5585
------------	------

Test Results

RECOVERY:

10' GO	10%G, 90%O
130'G&OCMW	5%G,10%O,50%W,35%M
140' TOTALFLUID	
	CHLORIDES 10000PPM
	PH 7
	RW .8 @ 59
	GRAVITY 35

TOOL SAMPLE: 2% OIL, 80% WATER, 18% MUD



DIAMOND TESTING
 P.O. Box 157
HOISINGTON, KANSAS 67544
 (800) 542-7313
DRILL-STEM TEST TICKET
 FILE: CRAIG 1-35 DST3

TIME ON: 01:40
 TIME OFF: 14:12

Company BEREXCO LLC. Lease & Well No. CRAIG #1-35
 Contractor BEREDCO RIG 1 Charge to BEREXCO LLC.
 Elevation 2930 Formation LKC "B" Effective Pay _____ Ft. Ticket No. A016
 Date 2-12-14 Sec. 35 Twp. 17 S Range 31 W County SCOTT State KANSAS
 Test Approved By IAN BOSMEIJER Diamond Representative ANDY CARREIRA

Formation Test No. 3 Interval Tested from 4252 ft. to 4274 ft. Total Depth 4695 ft.
 Packer Depth 4247 ft. Size 6 3/4 in. Packer depth 4274 ft. Size 6 3/4 in.
 Packer Depth 4252 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
 Depth of Selective Zone Set 4252-4274

Top Recorder Depth (Inside) 4233 ft. Recorder Number 5585 Cap. 5,000 P.S.I.
 Bottom Recorder Depth (Outside) 4254 ft. Recorder Number 8471 Cap. 10,000 P.S.I.
 Below Straddle Recorder Depth 4692 ft. Recorder Number 13819 Cap. 5400 P.S.I.

Mud Type CHEMICAL Viscosity 52 Drill Collar Length 618.23 ft. I.D. 2 1/4 in.
 Weight 9.7 Water Loss 7.0 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
 Chlorides 4000 P.P.M. Drill Pipe Length 4220 ft. I.D. 3 1/2 in.
 Jars: Make STERLING Serial Number 1 Test Tool Length 32 ft. Tool Size 3 1/2-IF in.
 Did Well Flow? NO Reversed Out NO Anchor Length 22 ft. Size 4 1/2-FH in.
 Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: 3" BLOW IN 5 MIN. BUILT TO 5" (NObb)
 2nd Open: 3" BLOW IN 21 MIN. BUILT TO 6" (NObb)

Recovered 10 ft. of GO 10%G,90%O
 Recovered 130 ft. of G&OCMW 5%G, 10%O, 50%W, 35%M
 Recovered 140 ft. of TOTAL FLUID CHLORIDES 10000PPM
 Recovered _____ ft. of PH 7

Recovered _____ ft. of <u>RW .8 @ 59</u>	Price Job
Recovered _____ ft. of <u>GRAVITY 35</u>	Other Charges
Remarks: _____	Insurance
<u>TOOL SAMPLE: 2%OIL, 89% WATER, 18% MUD</u>	Total

Time Set Packer(s) 6:25 AM A.M. P.M. Time Started Off Bottom 10:10 AM A.M. P.M. Maximum Temperature 122

Initial Hydrostatic Pressure..... (A) 2211 P.S.I.
 Initial Flow Period..... Minutes 30 (B) 33 P.S.I. to (C) 61 P.S.I.
 Initial Closed In Period..... Minutes 60 (D) 141 P.S.I.
 Final Flow Period..... Minutes 30 (E) 61 P.S.I. to (F) 104 P.S.I.
 Final Closed In Period..... Minutes 60 (G) 135 P.S.I.
 Final Hydrostatic Pressure..... (H) 2170 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.