


BEREXCO LLC.  
DST4 LANS"E-F" 4028-4060  
Start Test Date: 2014/02/12  
Final Test Date: 2014/02/13

CRAIG 1-35  
Formation: DST4 LANS"E-F" 4028-4060  
Pool: WILDCAT  
Job Number: A017

# CRAIG 1-35



# DIAMOND TESTING, LLC

TESTER : ANDY CARREIRA  
CELL # 620-617-7202

## General Information

Company Name	BEREXCO LLC.	EVAN MAYHEW	Job Number	A017
Contact		CRAIG 1-35	Representative	ANDY CARREIRA
Well Name		DST4 LANS"E-F" 4028-4060	Well Operator	BEREXCO LLC.
Unique Well ID		SEC35-17S-31W SCOTT CNTY KS	Report Date	2014/02/12
Surface Location			Prepared By	ANDY CARREIRA
Well License Number				
Field		WILDCAT		
Well Type		Vertical		

## Test Information

Test Type	STRADDLE
Formation	DST4 LANS"E-F" 4028-4060
Well Fluid Type	01 Oil
Test Purpose	Initial Test

Start Test Date	2014/02/12	Start Test Time	
Final Test Date	2014/02/13	Final Test Time	19:17:00

Gauge Name	5585
------------	------

## Test Results

RECOVERY: 2720' MW

CHLORIDES 22000 Ppm  
Ph 6  
RW .34 @ 60

TOOL SAMPLE: 100% WATER



**DIAMOND TESTING**  
P.O. Box 157  
**HOISINGTON, KANSAS 67544**  
(800) 542-7313  
**DRILL-STEM TEST TICKET**  
FILE: CRAIG 1-35 DST4

TIME ON: 19:17  
TIME OFF: 08:49

Company BEREXCO LLC. Lease & Well No. CRAIG #1-35  
Contractor BEREDCO RIG 1 Charge to BEREXCO LLC.  
Elevation 2930 Formation LANS "E-F" Effective Pay \_\_\_\_\_ Ft. Ticket No. A017  
Date 2-12-14 Sec. 35 Twp. 17 S Range 31 W County SCOTT State KANSAS  
Test Approved By IAN BOSMEIJER Diamond Representative ANDY CARREIRA

Formation Test No. 4 Interval Tested from 4028 ft. to 4060 ft. Total Depth 4695 ft.  
Packer Depth 4023 ft. Size 6 3/4 in. Packer depth 4060 ft. Size 6 3/4 in.  
Packer Depth 4028 ft. Size 6 3/4 in. Packer depth \_\_\_\_\_ ft. Size 6 3/4 in.  
Depth of Selective Zone Set 4028-4060

Top Recorder Depth (Inside) 4009 ft. Recorder Number 5585 Cap. 5,000 P.S.I.  
Bottom Recorder Depth (Outside) 4030 ft. Recorder Number 8471 Cap. 10,000 P.S.I.  
Below Straddle Recorder Depth 4692 ft. Recorder Number 13819 Cap. 5400 P.S.I.

Mud Type CHEMICAL Viscosity 52 Drill Collar Length 618.23 ft. I.D. 2 1/4 in.  
Weight 9.4 Water Loss 7.0 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.  
Chlorides 4000 P.P.M. Drill Pipe Length 3996 ft. I.D. 3 1/2 in.  
Jars: Make STERLING Serial Number 1 Test Tool Length 32 ft. Tool Size 3 1/2-IF in.  
Did Well Flow? NO Reversed Out NO Anchor Length 32 ft. Size 4 1/2-FH in.  
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: BOB IN 2 MIN (NObb)  
2nd Open: BOB IN 3 MIN (NObb)

Recovered 2720 ft. of MW 95%w,5%m  
Recovered \_\_\_\_\_ ft. of CHLORIDES 22000 ppm  
Recovered \_\_\_\_\_ ft. of Ph 6  
Recovered \_\_\_\_\_ ft. of RW .34 @ 60

Recovered _____ ft. of _____	Price Job
Recovered _____ ft. of _____	Other Charges
Remarks: _____	Insurance
TOOL SAMPLE: 100% water	Total

Time Set Packer(s) 10:47 PM A.M. P.M. Time Started Off Bottom 3:17 PM A.M. P.M. Maximum Temperature 126

Initial Hydrostatic Pressure..... (A) 2091 P.S.I.  
Initial Flow Period..... Minutes 30 (B) 43 P.S.I. to (C) 601 P.S.I.  
Initial Closed In Period..... Minutes 60 (D) 1020 P.S.I.  
Final Flow Period..... Minutes 60 (E) 599 P.S.I. to (F) 955 P.S.I.  
Final Closed In Period..... Minutes 120 (G) 1020 P.S.I.  
Final Hydrostatic Pressure..... (H) 2029 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.