

# SCHIPPER'S OIL FIELD SERVICES, L.L.C.

1095

REMIT TO 18048 170RD  
RUSSELL, KS 67665

SERVICE POINT:  
Russell, KS - Horse, KS

DATE <u>8-30-13</u>	SEC. <u>23</u>	TWP. <u>19</u>	RANGE <u>31</u>	CALLED OUT	ON LOCATION	JOB START <u>8:45pm</u>	JOB FINISH <u>9:45pm</u>
LEASE <u>Suppes</u>	WELL #. <u>1</u>	LOCATION		COUNTY <u>Scott</u>	STATE <u>KS</u>		
OLD OR <u>NEW</u> (CIRCLE ONE)							

CONTRACTOR Southwind #2

TYPE OF JOB Surface

HOLE SIZE 12 1/4 T.D.

CASING SIZE 8 5/8 DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX 300psi MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. 20 ft

PERFS

DISPLACEMENT 19 1/2

EQUIPMENT

PUMP TRUCK CEMENTER Heath

# P1 HELPER Cody

BULK TRUCK

# B3 DRIVER Ryan

BULK TRUCK

# DRIVER

OWNER

CEMENT AMOUNT ORDERED 25051 Com 3%CC

2%ogel

COMMON @

POZMIX @

GEL @

CHLORIDE @

ASC @

HANDLING @

MILEAGE @

TOTAL

REMARKS:

Ran 7 hrs of 8 5/8 casing and landing  
It - est circulation - Hook up and mix  
25051 - D. Sp/42661 at H2O - Shut in  
@ 300psi.

Cement did circulate!!

CHARGE TO: H&B Petroleum

STREET

CITY STATE ZIP

Schippers Oil Field Services, L.L.C.,  
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

Thank you!!

PRINTED NAME

SIGNATURE William Anderson

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE

EXTRA FOOTAGE @

MILEAGE @

MANIFOLD @

TOTAL

PLUG & FLOAT EQUIPMENT

@

@

@

@

@

TOTAL

SALES TAX (If Any)

TOTAL CHARGES

DISCOUNT IF PAID IN 30 DAYS

# SCHIPPER'S OIL FIELD SERVICES, L.L.C.

1101

REMIT TO 18048 170RD  
RUSSELL, KS 67665

SERVICE POINT: Russell, KS - Hoxie, KS

DATE <u>9-10-13</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START <u>7:15am</u>	JOB FINISH <u>7:45am</u>
LEASE <u>Suppes</u>	WELL #. <u>1</u>	LOCATION			COUNTY <u>Scott</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (CIRCLE ONE)							

CONTRACTOR <u>Southwind #2</u>	OWNER
TYPE OF JOB <u>Pipe Job</u>	
HOLE SIZE _____ T.D.	
CASING SIZE <u>5 1/2</u>	DEPTH <u>4705</u>
TUBING SIZE _____	DEPTH _____
DRILL PIPE _____	DEPTH _____
TOOL <u>DV Tool</u>	DEPTH _____
PRES. MAX <u>1500psi</u>	MINIMUM <u>300psi</u>
MEAS. LINE _____	SHOE JOINT _____
CEMENT LEFT IN CSG. _____	
PERFS _____	
DISPLACEMENT <u>114 bbl on bottom 5-5 bbl = top</u>	
EQUIPMENT _____	
PUMP TRUCK _____	CEMENTER <u>Heath</u>
# <u>P1</u>	HELPER <u>Cody</u>
BULK TRUCK _____	
# <u>B1</u>	DRIVER <u>Jay</u>
BULK TRUCK _____	
# _____	DRIVER _____

CEMENT AMOUNT ORDERED <u>150 sk com 2% gel 2% plaster 580 sk 60/40 6% gel</u>	
COMMON _____ @ _____	
POZMIX _____ @ _____	
GEL _____ @ _____	
CHLORIDE _____ @ _____	
ASC _____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
HANDLING _____ @ _____	
MILEAGE _____ @ _____	
TOTAL _____	

REMARKS:  
Ran 105 JTS of 5 1/2 casing and landing  
JT - EST circulation for 1 hr - mixed 50  
sk scavenger cement and failed in with 150sk  
com 2% plaster 2% gel - shut down washed pump  
and lines clean - disp 112 bbl of H2O - plug landed  
@ 1500psi - released and float held - opened  
DV tool and circulated for 2 hrs - hooked up  
and mixed 5-30 sk down casing - washed pump and  
lines clean and disp 56 bbl H2O - plug landed @ 1300psi  
plug RH = 30 sk MH = 20 sk  
 CHARGE TO: HAB Petro  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE	
DEPTH OF JOB _____	
PUMP TRUCK CHARGE _____	
EXTRA FOOTAGE _____ @ _____	
MILEAGE _____ @ _____	
MANIFOLD _____ @ _____	
_____ @ _____	
TOTAL _____	

Schippers Oil Field Services, L.L.C.,  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Mike Hammelsmith  
 SIGNATURE [Signature]

PLUG & FLOAT EQUIPMENT	
<u>DV Tool &amp; latch drum</u> @ _____	
<u>4-5 1/2 baskets</u> @ _____	
<u>10-5 1/2 turbo</u> @ _____	
<u>1-AFLI shoe</u> @ _____	
<u>16-5 1/2 Scratcher's</u> @ _____	
TOTAL _____	

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

# SCHIPPER'S OIL FIELD SERVICES, L.L.C.

1144

REMIT TO 18048 170RD  
RUSSELL, KS 67665

SERVICE POINT: Russell, US - Hoxie, US

DATE	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
10-29-13						2:30pm	3:30pm
LEASE	WELL #.		LOCATION	COUNTY		STATE	
Suppes	1			Scott		115	
<input checked="" type="radio"/> OLD <input type="radio"/> NEW (CIRCLE ONE)							

CONTRACTOR CO Tools  
 TYPE OF JOB Squeeze  
 HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE 5 1/2 DEPTH \_\_\_\_\_  
 TUBING SIZE 2 3/8 DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX 1200ps MINIMUM 1000ps  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS 4280-4295 & 4318-4322  
 DISPLACEMENT 16.24 = T 2.26 = C

EQUIPMENT  
 PUMP TRUCK \_\_\_\_\_ CEMENTER Heath  
 # P1 HELPER Cody  
 BULK TRUCK \_\_\_\_\_ DRIVER Eric  
 # R4 DRIVER \_\_\_\_\_  
 BULK TRUCK \_\_\_\_\_ DRIVER \_\_\_\_\_  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:  
Run tubing down to 4197' and est  
calc @ 2 3/8" ann @ 800ps; - pressured up backside  
to 500ps. - held - threaded up to tubing and mixed  
150ps - washed pump and lines clean and disp  
16 3/4 bbl of H2O - squeezed to 1200ps; - released  
and dried up - washed clean and pulled  
2 3/8" - pressured up to 500ps; - shut in

CHARGE TO: HOB  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Schippers Oil Field Services, L.L.C.,  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side. T-hang 104.c

PRINTED NAME \_\_\_\_\_  
 SIGNATURE [Signature]

OWNER \_\_\_\_\_  
 CEMENT AMOUNT ORDERED 150SKCOM  
 COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

SERVICE  
 DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE \_\_\_\_\_  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

PLUG & FLOAT EQUIPMENT  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

# SCHIPPER'S OIL FIELD SERVICES, L.L.C.

1153

REMIT TO 18048 170RD  
RUSSELL, KS 67665

SERVICE POINT: Russell US

DATE <u>11-11-13</u>	SEC.	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START <u>12:00pm</u>	JOB FINISH <u>1:00pm</u>
LEASE <u>Supper</u>	WELL #. <u>1</u>	LOCATION				COUNTY	STATE
<input checked="" type="radio"/> OLD OR NEW (CIRCLE ONE)							

CONTRACTOR CO Tools  
 TYPE OF JOB Squeeze  
 HOLE SIZE \_\_\_\_\_ T.D. \_\_\_\_\_  
 CASING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL Retainer plug DEPTH 4330  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS 4270-95 4310-22 4350  
 DISPLACEMENT 16 3/4 = T

EQUIPMENT  
 PUMP TRUCK CEMENTER Kath  
 # P1 HELPER Lady  
 BULK TRUCK  
 # B1 DRIVER Mark  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:  
Set cement retainer plug @ 4330' - hooked up to tubing and est. rate @ 600psi - mixed 150sx and washed pump and lines clean. Disp 12 bbl of H2O and pressured up to 1000psi - released and closed up - pull out of retainer plug and tried to wash clean - top perfs were open and could not get circulation. Come out of hole with tubing.

CHARGE TO: HOB Petro  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Schippers Oil Field Services, L.L.C.,  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME \_\_\_\_\_  
 SIGNATURE \_\_\_\_\_

OWNER \_\_\_\_\_  
 CEMENT AMOUNT ORDERED 150sx 101M

COMMON \_\_\_\_\_ @ \_\_\_\_\_  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 HANDLING \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

SERVICE  
 DEPTH OF JOB \_\_\_\_\_  
 PUMP TRUCK CHARGE \_\_\_\_\_  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 97 @ \_\_\_\_\_  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

PLUG & FLOAT EQUIPMENT  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 \_\_\_\_\_ @ \_\_\_\_\_  
 TOTAL \_\_\_\_\_

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS