## ALLIED OIL & GAS SERVICES, LLC 053059 Federal Tax I.D.# 20-5975804

SERVICE POINT:

REMIT TO P.O. BOX 31

| RUSSELL, KANSAS 67665                                  | Liberal                | Liberal (21)                            |                              |                    |
|--|------------------------|---|------------------------------|--------------------|
| DATE 1-16-14 SEC. TWP. RANGE CA                        | LLED OUT               | ON LOCATION                             | JOB START                    | JOB FINISH 6:00 om |
|  | s South                | of Subjette-K                           | COUNTY                       | STATE              |
| OLD OR NEW Circle one)                                 | 0 001111               | 0) 20018118-11                          | Trasherr                     |                    |
| CONTRACTOR CLIP DOUL " 1                               |                        |   | ٦                            |                    |
| CONTRACTOR Steeling Drilling #2 TYPE OF JOB Surface    | OWNER                  |   |                              |                    |
| HOLE SIZE 12/4 T.D.                                    | CEMENT                 |   |                              |                    |
| CASING SIZE 8 & 24# DEPTH 1838                         |                        | DERED 6705                              | - close a                    | 1 15/35            |
| TUBING SIZE DEPTH                                      |                        | 3%. 00, 14:                             |                              |                    |
| DRILL PIPE DEPTH                                       | JADSK (                | 655 A 3%C                               | 5. 4 fb                      | -seal              |
| TOOL DEPTH   |                        |   | . , .                        |                    |
| PRES. MAX MINIMUM                                      | COMMON_C               | -1953 A 20                              | 20 17.90                     | 3,580.00           |
| MEAS. LINE SHOE JOINT 41.29                            | POZMIX                 |   |                              |                    |
| CEMENT LEFT IN CSG.                                    | GEL                    |   | _@                           |                    |
| PERFS.   | CHLORIDE_              | 295K                                    | @ 6400                       | 1,856.00           |
| DISPLACEMENT 114.5 661                                 | ASC                    | ,                                       | _@                           |                    |
| EQUIPMENT  | ALCIA C                | 625 A 6705                              | K@ 16.50                     | 11,055.00          |
|  | ELSL-Flo               | -Seal 2181                              |                              |                    |
| PUMPTRUCK CEMENTER Aldo E-                             |                        |   | _@                           |                    |
| # 531-541 HELPER Cesar Pavia.                          | <u> </u>               |   |                              | -                  |
| BULK TRUCK   |                        |   | _@                           | · ——               |
| # 470-467 DRIVER Alax Corona.                          | -                      |   | _@                           |                    |
| BULK TRUCK   |                        |   |                              |                    |
| # 869-841 DRIVER Gregory Randall                       | HANDLING               | 984 CU FT                               |                              | 2 440 38           |
|  |                        | ,455 TOP M                              |                              |                    |
| REMARKS:   | MILENGE I              | 1 100 101 111                           |                              | 23,361.7           |
| REMARKS:   |                        |   | IUIAI                        | -0-5,00 1. 1.      |
|  |                        | SERVI                                   | ICE                          |                    |
|  |                        |   | 2201                         |                    |
|  | DEPTH OF J             |   | 538                          | 2,213.75           |
|  | PUMPTRUC               |   |                              | -013.10            |
|  | EXTRA FOO              |   | @                            | 154.00             |
|  | MILEAGE _Z<br>MANIFOLD | 19/11 33/                               | <u>ni</u> @ <u>4.40</u><br>@ | 275.00             |
|  | Heavy Veh              | CALLARE I                               | ; @ 7.10                     |                    |
|  | Trang Veni             | ac som                                  | @                            |                    |
| 11 ( . 1) 1 1  |                        |   | _                            |                    |
| CHARGE TO: Mc Coy Petrolaum C                          | orp.                   |   | TOTA                         | L2,912.2           |
| STREET   |                        |   | 101A                         | La, 110,00         |
|  |                        |   |                              |                    |
| CITYSTATEZIP   | PLUG & FLOAT EQUIPMENT |   |                              |                    |
|  |                        |   |                              |                    |
|  | Guide                  | Shor 1                                  | @ <i>_460.9</i>              |                    |
|  | AFU Flo                | at Value 1                              | @_ <i>446.</i> º             |                    |
| To: Allied Oil & Gas Services, LLC.                    | 7                      | ober Plug 1                             | _@ <i>_131.</i>              | 04 131.0           |
| You are hereby requested to rent cementing equipment   | _Central               | izer 5                                  | @                            | 88 3/7.4           |
| and furnish cementer and helper(s) to assist owner or  | _135 K                 | <i>t</i>                                | @ <i>559.</i> ;              | 16_557.0           |
| contractor to do work as is listed. The above work was |                        |   |                              | 1977               |
| done to satisfaction and supervision of owner agent or |                        |   | ATOT                         | 11,972.6           |
| contractor. I have read and understand the "GENERAL    |                        |   |                              | -                  |
| TERMS AND CONDITIONS" listed on the reverse side.      | SALES TAX              | (If Any)                                |                              |                    |
| TEMING AND CONDITIONS IISled on the levelse side.      | TOTAL CHA              | 200                                     | 246.                         | 55                 |
| //i MALLI.   | TOTAL CHA              | 11000 _00                               | 0,0-6                        |                    |
| PRINTED NAME (4/1) IN MIKKELSON                        | DISCOUNT               | *************************************** | IF PA                        | AID IN 30 DAYS     |
| 11141  | NET=19,772-65          |   |                              |                    |
| SIGNATURE TILL WILLIAM                                 | 1421                   | -//,                                    | 1100                         | 00                 |

## ALLIED OIL & GAS SERVICES, LLC 053060 Federal Tax 1.D.# 20-5975804

| REMIT TO P.O. BOX 31<br>RUSSELL, KANSAS 67665  | SERVICE POINT:<br>Liberal (2)                 |  |  |  |  |
|--|---|--|--|--|--|
| DATE 1-16-14 SEC. TWP. RANGE 7 305 31 W  | ALLED OUT ON LOCATION JOB START JOB FINISH    |  |  |  |  |
| LEASE Hammer WELL# A 1-17 LOCATION 4 mil.  OLD OR (NEW )Circle one)  |   |  |  |  |  |
| CONTRACTOR Sterling Dilling #2   | OWNER   |  |  |  |  |
| HOLE SIZE 12 T.D.  | CEMENT  |  |  |  |  |
| CASING SIZE 8 7/8 DEPTH TUBING SIZE DEPTH  | AMOUNT ORDERED 110 515 Class A Nort           |  |  |  |  |
| DRILL PIPE DEPTH   | 3% CC on the Fly                              |  |  |  |  |
| TOOL DEPTH   |   |  |  |  |  |
| PRES. MAX MINIMUM  | COMMON Class A 11050 17.90 1, 967.00          |  |  |  |  |
| MEAS. LINE SHOE JOINT CEMENT LEFT IN CSG.  | POZMIX@                                       |  |  |  |  |
| PERFS.   | GEL @<br>CHLORIDE5_\$\$\infty\$ @ 6420 330.00 |  |  |  |  |
| DISPLACEMENT NONE  | ASC   |  |  |  |  |
| EQUIPMENT  |   |  |  |  |  |
|  |   |  |  |  |  |
| PUMPTRUCK CEMENTER Aldo E-   |   |  |  |  |  |
| # 531-541 HELPER Cesar Pavia BULK TRUCK  |   |  |  |  |  |
| # 562-528 DRIVER Ruben Parez   | @   |  |  |  |  |
| BULK TRUCK   | @   |  |  |  |  |
| # DRIVER   | HANDLING minimum change @ 400.00              |  |  |  |  |
| REMARKS:   | MILEAGE 264.75 Tennik 2.60                    |  |  |  |  |
|  | SERVICE                                       |  |  |  |  |
|  | DEPTH OF JOB                                  |  |  |  |  |
|  | PUMP TRUCK CHARGE 1,562.50                    |  |  |  |  |
|  | EXTRA FOOTAGE@                                |  |  |  |  |
|  | MILEAGE Heavy 50 @ 7.70 385.00                |  |  |  |  |
|  | MANIFOLD @                                    |  |  |  |  |
|  |   |  |  |  |  |
| CHARGE TO: Mc Coy Patroleum Corp. STREET   | TOTAL 2, 167-50                               |  |  |  |  |
| CITYSTATEZIP   | PLUG & FLOAT EQUIPMENT                        |  |  |  |  |
|  |   |  |  |  |  |
|  | @   |  |  |  |  |
| T-, All', JO'! 0. C-, C-, '-, TT C   | @   |  |  |  |  |
| To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment   | @   |  |  |  |  |
| and furnish cementer and helper(s) to assist owner or  | @   |  |  |  |  |
| contractor to do work as is listed. The above work was   |   |  |  |  |  |
| done to satisfaction and supervision of owner agent or   | TOTAL   |  |  |  |  |
| contractor. I have read and understand the "GENERAL  | SALES TAV (If A m.)                           |  |  |  |  |
| TERMS AND CONDITIONS" listed on the reverse side.  | SALES TAX (If Any)                            |  |  |  |  |
| 1/1/1/1/   | TOTAL CHARGES 5,544.85                        |  |  |  |  |
| PRINTED NAME JUBIL 181/1002  | DISCOUNT IF PAID IN 30 DAYS                   |  |  |  |  |
| SIGNATURE AND STATE OF THE STAT | NET= 4,713.12                                 |  |  |  |  |

## ALLIES OIL & GAS SERVICES, LLC 053064 Federal Tax I.D.# 20-5975804

| REMIT TO P.O. BOX 31<br>RUSSELL, KANSAS 67665  |         |                                    | SERV   | Liberal                               | - (DJ)             |  |
|--|---------|------------------------------------|--|---------------------------------------|--------------------|--|
| DATE 1-29-14 SEC. TWP. RANGE 31 M  |         | CALLED OUT                         | ON LOCATION  | JOB START                             | JOB FINISH 12:30am |  |
|  |         | South of 3                         | 5.61-4-  | COUNTY Haskell                        | STATE              |  |
|  |         |                                    |  | HUSTEI                                |                    |  |
| OLD OR NEW (Clicle offe) /mile &   | aston   | 230, one Nort                      | hen IT BD  | J                                     |                    |  |
| CONTRACTOR Starling  |         | OWNER                              |  |                                       |                    |  |
| TYPE OF JOB Plug to Abandon  |         |                                    |  |                                       |                    |  |
| HOLE SIZE 7 % T.D.   |         | CEMENT                             |  |                                       |                    |  |
| CASING SIZE 8 % 24# DEPTH 1790   |         | AMOUNT ORDERED 170sk 60/40 4: gel, |  |                                       |                    |  |
| TUBING SIZE DEPTH  |         | 14 710-5                           | cal  |                                       |                    |  |
| DRILL PIPE 4/5 /6.6 <sup>##</sup> DEPTH TOOL DEPTH                                   |         |                                    |  | · · · · · · · · · · · · · · · · · · · |                    |  |
| PRES. MAX MINIMUM  |         | COMMON (                           | 1/055 A 109  | 17.90                                 | 1.875.80           |  |
| MEAS. LINE SHOE JOINT W  | /A      | POZMIX /F                          | COMMON <u>Class A John</u> 17.90 1,885.8<br>POZMIX /F/4 ASH 685K@ 9.35 635.8 |                                       |                    |  |
| CEMENT LEFT IN CSG.  |         | GEL                                | 6 514  | @ 23.40                               | 0 140.40           |  |
| PERFS.   |         | CHLORIDE_                          |  | _@                                    |                    |  |
| DISPLACEMENT   |         | ASC                                |  |                                       |                    |  |
| EQUIPMENT  |         |                                    |  |                                       |                    |  |
|  |         |                                    |  | _@                                    |                    |  |
| PUMPTRUCK CEMENTER Allo E.   |         |                                    |  | _@                                    |                    |  |
| # 700-686 HELPER Cosar Pavia   |         |                                    |  | _@<br>@                               |                    |  |
| BULK TRUCK   | RISE    |                                    |  | _ @                                   |                    |  |
| # 869-841 DRIVER Ricardo E. Jose C   | <u></u> |                                    |  |                                       |                    |  |
| BULK TRUCK   |         |                                    |  |                                       |                    |  |
| # DRIVER   |         | HANDLING                           | 176 EV FT  | @ 2.48                                | 436.48             |  |
| 3  |         | MILEAGE                            | 382 Ton mike   |                                       |                    |  |
| REMARKS:   |         |                                    |  | TOTAL                                 | 4,031.68           |  |
|  |         | •                                  | CEDVI  |                                       | 7                  |  |
|  |         |                                    | SERVI  | CE                                    |                    |  |
|  |         | DEPTH OF I                         | DB 1790  |                                       |                    |  |
|  |         | PUMPTRUC                           |  | TA.                                   | 1,250,00           |  |
|  |         | EXTRA FOO                          | TAGE   | @                                     | -/-                |  |
|  |         | MILEAGE_                           | Heavy 50mi   | @ 7.70                                | 385.00             |  |
|  |         | MANIFOLD                           | 0  | @                                     |                    |  |
|  |         | Light V                            | chiele 50n   | 7: @ <u>4.40</u>                      | 1 _ 200,00         |  |
| .1 6. 01   | ,       |                                    |  | @                                     | -                  |  |
| CHARGE TO: Mc Coy Petron   | run     | 9                                  |  |                                       | 1 mrt on           |  |
| STREET   |         |                                    | 84   | TOTAL                                 | 4855.00            |  |
|  |         | -                                  |  |                                       |                    |  |
| CITYSTATEZIP   | _       | PLUG & FLOAT EQUIPMENT             |  |                                       |                    |  |
|  |         | \                                  |  |                                       |                    |  |
|  |         |                                    |  | @                                     |                    |  |
|  |         |                                    |  |                                       |                    |  |
| To Allied Oil & Con Comings II C   |         |                                    |  | @                                     |                    |  |
| To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equip | mant    |                                    |  |                                       |                    |  |
| and furnish cementer and helper(s) to assist owner                                   |         |                                    |  | @                                     |                    |  |
| contractor to do work as is listed. The above work                                   |         |                                    |  |                                       |                    |  |
| done to satisfaction and supervision of owner age                                    |         |                                    |  | TOTA                                  | L                  |  |
| contractor. I have read and understand the "GENI                                     | ERAL.   |                                    |  |                                       |                    |  |
| TERMS AND CONDITIONS" listed on the revers   |         | SALESTAX                           | (If Any)   |                                       |                    |  |
| i)   |         | тоты сна                           | RGES 5,88  | 36.68                                 | 4)                 |  |
|  |         |                                    |  |                                       |                    |  |
| PRINTED NAME / Walls Martines  |         | _ DISCOUNT                         |  |                                       | AID IN 30 DAYS     |  |
| SIGNATURE  | _       | NET                                | 5,003.   | 68                                    |                    |  |