

ALLIED OIL & GAS SERVICES, LLC 056829

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31,
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

| | | | | | | | |
|---------------------------|--------------------|--------------------------|-----------------|--|---------------------|-----------------------|-------------------------|
| DATE <u>11.23.13</u> | SEC. <u>13</u> | TWP. <u>11</u> | RANGE <u>19</u> | CALLED OUT | ON LOCATION | JOB START <u>5:30</u> | JOB FINISH <u>10:00</u> |
| LEASE <u>Allison B</u> | WELL # <u>8-13</u> | LOCATION <u>Hays, KS</u> | | | COUNTY <u>Ellis</u> | STATE <u>Ks</u> | |
| OLD OR (NEW) (Circle one) | | | | <u>n to river rd - W 4 1/2 mi. W 1A0</u> | | | |

| | |
|--|-----------------------|
| CONTRACTOR <u>Strolch's Drilling</u> | OWNER |
| TYPE OF JOB <u>Surface</u> | |
| HOLE SIZE <u>8 5/8</u> | DEPTH <u>264.52'</u> |
| CASING SIZE | DEPTH |
| TUBING SIZE | DEPTH |
| DRILL PIPE | DEPTH |
| TOOL | DEPTH |
| PRES. MAX | MINIMUM |
| MEAS. LINE | SHOE JOINT <u>15'</u> |
| CEMENT LEFT IN CSG. <u>15'</u> | |
| PERFS. | |
| DISPLACEMENT <u>15.89 gal H₂O</u> | |

| | |
|-------------------------------------|----------------------------------|
| CEMENT AMOUNT ORDERED <u>180 SK</u> | |
| <u>+ 37.00</u> | |
| COMMON <u>180 SK</u> | @ <u>17.90</u> <u>\$3,222.00</u> |
| POZMIX | @ |
| GEL <u>3 SK</u> | @ <u>23.40</u> <u>70.20</u> |
| CHLORIDE <u>5.4 SK</u> | @ <u>64.0</u> <u>\$345.60</u> |
| ASC | @ |
| HANDLING <u>197.51</u> | @ <u>2.48</u> <u>\$489.97</u> |
| MILEAGE <u>108.87</u> | @ <u>2.60</u> <u>\$283.06</u> |
| TOTAL | <u>\$4,410.24</u> |
| | <u>4530.77</u> |

REMARKS:

* Circulator 1200 with cement to surface.
* Pumped 180 SK @ 22.28 gpm - Displaced cement @ 15.89 gpm cement to surface.
* Shot 9 5/8 in @ 300 psi.

SERVICE

| | |
|--------------------------|------------------------------|
| DEPTH OF JOB | <u>264.52</u> |
| PUMP TRUCK CHARGE | <u>\$1,512.25</u> |
| EXTRA FOOTAGE | @ |
| MILEAGE <u>108.87</u> | @ <u>7.70</u> <u>\$838.6</u> |
| MANIFOLD <u>1 1/2 in</u> | @ <u>4.40</u> <u>\$77.2</u> |
| | @ |
| | @ |

CHARGE TO: Transpac Oil
STREET _____
CITY _____ STATE _____ ZIP 67665

TOTAL \$1,730.05

PLUG & FLOAT EQUIPMENT

| | |
|-------|-------------|
| | @ |
| | @ |
| | @ |
| | @ |
| | @ |
| | @ |
| TOTAL | <u>0.00</u> |

To: Allied Oil & Gas Services, LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME George Begler
SIGNATURE George Begler

SALES TAX (If Any) _____
TOTAL CHARGES \$1,730.05 \$260.82
DISCOUNT \$1565.20 IF PAID IN 30 DAYS
Net 4695.62

ALLIED OIL & GAS SERVICES, LLC 054842

Federal Tax I.D.# 20-5975804

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell KS

| | | | | | | | |
|---------------------------------------|----------------|--------------------|-----------------|-------------------------------------|-------------|------------------------------|-------------------------------|
| DATE <u>12-1-13</u> | SEC. <u>13</u> | TWP. <u>11</u> | RANGE <u>19</u> | CALLED OUT | ON LOCATION | JOB START <u>12:00 pm</u> | JOB FINISH <u>12:30 pm</u> |
| LEASE <u>Allison B</u> | | WELL # <u>8-13</u> | | LOCATION <u>Hays KS 13N 4 1/2 W</u> | | COUNTY <u>Ellis</u> | STATE <u>KS</u> |
| OLD OR NEW (Circle one) <u>NEW</u> | | | | <u>Sinto</u> | | | |

CONTRACTOR Shields
 TYPE OF JOB Long string
 HOLE SIZE 7 7/8 T.D. 3520
 CASING SIZE 5 7/8 14" DEPTH 3518
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT 11.33
 CEMENT LEFT IN CSG. 11.33
 PERFS.
 DISPLACEMENT 85 1/2 bbl

OWNER
 CEMENT AMOUNT ORDERED 175 ASC 5th Gil/lt
1/4" flo
 COMMON @
 POZMIX @
 GEL @
 CHLORIDE @
 ASC 175 @ 20.90 3657.50
Gilsonite 875th @ .98 857.50
flo seal 50th @ 2.97 148.50
mud flush 12.6bl @ 58.70 704.40
 HANDLING 226.13 @ 2.48 560.80
 MILEAGE 177.525 @ 2.60 461.57
 TOTAL 6390.27

EQUIPMENT
 PUMP TRUCK CEMENTER Robert Y
 # 409 HELPER Nathan D
 BULK TRUCK
 # 378 DRIVER Joc G
 BULK TRUCK
 # DRIVER

REMARKS:

ran 85 jts of 5 7/8 14" csg received circulation mix 12.6bl mud flush mix 30 sks in Rat hole 15 sks in Mouse hole mix 130 wash ASC 5th Gil/lt 1/4 flo displace 85 1/2 bbl of water land the plug at 1500 8:11:45 AM release

Thank you!!!

SERVICE

DEPTH OF JOB 3520
 PUMP TRUCK CHARGE 2558.75
 EXTRA FOOTAGE @
 MILEAGE 18 HVM.T @ 7.70 138.60
 MANIFOLD @ 275.00 N/C
18 LVM.T @ 4.40 79.20

TOTAL 2776.55

CHARGE TO: Trans Pacific
 STREET _____
 CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

AFU Float shoe @ 339.00 339.00
latch down 1013 @ 398.75 398.75
IR Part collar @ 1831.25 1831.25
1 basket @ 159.40 159.40
9 centralizers @ 28.40 255.60

TOTAL 2984.20

To: Allied Oil & Gas Services, LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) _____
 TOTAL CHARGES 12151.12

PRINTED NAME Ken Buehler
 SIGNATURE [Signature]

DISCOUNT 2291.70 IF PAID IN 30 DAYS
2566.71
 net 9584.41

JOB LOG

SWIFT Services, Inc. *P & Keller*

DATE *12-10-13* PAGE NO. *1*

CUSTOMER *Trans Pacific Oil Co.* WELL NO. *#8-13* LEASE *Allison "B"* JOB TYPE *Part Cellar* TICKET NO. *25310*

| CHART NO. | TIME | RATE (BPM) | VOLUME (BBL) (GAL) | PUMPS | | PRESSURE (PSI) | | DESCRIPTION OF OPERATION AND MATERIALS |
|-----------|-------------|------------|--------------------|-------|---|----------------|-------------|--|
| | | | | T | C | TUBING | CASING | |
| | <i>1250</i> | | | | | | | <i>on loc set up Trks</i> |
| | | | | | | | | <i>2 7/8" x 5 1/2"</i> |
| | | | | | | | | <i>PC 1258'</i> |
| | <i>1330</i> | | | | | | <i>1000</i> | <i>Test Csg</i> |
| | | | | | | | | <i>Open P.C.</i> |
| | <i>1335</i> | <i>3</i> | <i>2</i> | | | <i>300</i> | | <i>Take rate & check Per Blow</i> |
| | <i>1340</i> | <i>4.5</i> | <i>0</i> | | | <i>300</i> | | <i>Start Cement 150sks SMD</i> |
| | | <i>4.5</i> | <i>81</i> | | | <i>400</i> | | <i>Circ Cement / Raise weight</i> |
| | | <i>3</i> | <i>86/0</i> | | | <i>350</i> | | <i>End Cement / start Displacement</i> |
| | <i>1400</i> | | <i>6.5</i> | | | <i>400</i> | | <i>Cement Displaced</i> |
| | | | | | | | | <i>Close P.C.</i> |
| | <i>1405</i> | | | | | | <i>1000</i> | <i>Test Csg</i> |
| | | | | | | | | <i>Run 4 jts</i> |
| | <i>1415</i> | <i>3</i> | <i>0</i> | | | | | <i>Reverse out</i> |
| | <i>1420</i> | | <i>15</i> | | | | | <i>Hole Clean</i> |
| | | | | | | | | <i>wash up Trk</i> |
| | | | | | | | | <i>150sks SMD</i> |
| | | | | | | | | <i>Circ 20sks To pit</i> |
| | | | | | | | | <i>Thank you</i> |
| | | | | | | | | <i>Nick, David E & Doug</i> |
| | | | | | | | | <i>BY:</i> |

RECEIVED
DEC 13 2013

BY: