Elite Cement & Acidizing of KS, LLC

810 E 7th, PO Box 92 Eureka, KS 67045

| Phone # | Fax# |
|--------------|--------------|
| 620-583-5561 | 620-583-5524 |

| Date | Invoice # |
|-----------|-----------|
| 2/26/2014 | 1094 |

Bill To

Trimble & Maclaskey Oil LLC
PO Box 171
Gridley, KS 66852



| Job Date 2/24/2014 | | | | | | |
|--------------------|--|--|--|--|--|--|
| Lease Information | | | | | | |
| Rossillon #17 | | | | | | |
| Foreman ES | | | | | | |

| Customer ID# | Terms |
|--------------|------------|
| 1000 | 5% 15 Days |

| Item | Description | Qty | Rate | Amount |
|------|---|-------|--------|--------|
| A101 | Acid Pump Charge (1500 Gal) Pump Truck Mileage 15% HCL Acid Acid Inhibitor Iron Control Non Emulsifier Surface Tension Reducer ABF City Water KCL Substitute 80 Bbl Vac Truck | 1 | 800.00 | 800.00 |
| A107 | | 30 | 3.95 | 118.50 |
| A205 | | 250 | 1.65 | 412.50 |
| A213 | | 0.5 | 40.00 | 20.00 |
| A215 | | 1 | 36.00 | 36.00 |
| A214 | | 1 | 30.00 | 30.00 |
| A210 | | 0.5 | 32.00 | 16.00 |
| A208 | | 55 | 2.90 | 159.50 |
| A224 | | 1,300 | 0.01 | 13.00T |
| A216 | | 1 | 30.00 | 30.00 |
| A113 | | 3 | 85.00 | 255.00 |

| E-mail | |
|------------------------|---|
| elitecementing@att.net | ٦ |

| Subtotal | \$1,890.50 |
|-------------------|------------|
| Sales Tax (7.15%) | \$0.93 |
| Total | \$1,891.43 |
| Payments/Credits | \$0.00 |
| Balance Due | \$1,891.43 |

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561

Cementing & Acidizing of Kansas, LLC



Cement or Acid Field Report
Ticket No. 1094


Foreman Fd STrickler

Camp Fureka KS

| Date | Customer ID # | Leas | e & vveii Number | | Section | 10 | wnsnip | Range | | County | | State |
|------------|---------------|----------------|------------------|--------------|--------------|------|--------------|------------|--------|-------------------|-----|--------|
| 2-24- | | Rossi Ilai | 2 17 | | 25 | 2 | 15 | IOE | | 14011 | | KS |
| Customer | | | | Safety | Unit # | | Driv | ver | | Unit # | | Driver |
| Trin | ible a mac | 125Key 0 | : 1 LLC | Meeting | 101 | | A | B | | | | |
| Mailing Ad | ddress | , | | 10 | 144 | | Alan | -m | No. | | | |
| P.O. | Box 171 | | | AB Alan-W | | | A CONTRACTOR | to starty. | | | | |
| City | | State | Zip Code | Man | 7 | | | | | | | |
| Grid | ley | 15 | 66852 | | | | | | | | | |
| Job Type | Acid break | Jown Hole Dep | th | | Slurry Vol. | 1 | : 2530 | - 35 | Tubino | 2539 | r | 12 |
| Casing D | epth | Hole Siz | e | | Slurry Wt | | | | _ | ipe | | 7.00 |
| Casing S | ize & Wt. | Cement | oft in Casing | | Motor Collok | 0-1 | 0.01 | | | 25.50 | | / |
| Displacer | ment 20BBIS - | OVE V Dionland | ert in Casing | | | | | | | paker | | 0 |
| | | | | | Bump Plug to | | | | | 1-1301 | | |
| Remarks | : Rig up To | 2 2/8 Tul | ing- pump | 10 80 | 315 KCL W | 210 | - 10 % | MACU. | laTe | well- | 500 | 7 |
| 400 | 401 100 K | ngo deic | on nert |) - SR | TOAKEN | m 10 | 1011 111 | - 1 m | 40) | 5 2- | | |
| pum | 0 26 BBIS H | ch water | Flush. Du | mo 18 | 75T 5 BA | 15 | 77 1- | Anm | 51. | T Oacuo | W- | - 7 0 |
| INS | U aT.524 | Bpm -] | ob comple | 7e R | is down. | 1 | 9111 | DP | Sru | (1 DOWN | P | 24-0- |
| | | | | | | | | | | The second second | | 7 |
| | | | | Y | | | | 400 | | | | 7 |
| | | | | | | | | • | | 7 19. | | |
| | | | | The state of | | | | 42. | | | | |
| | | | | - | | | | | 7 | Hanky | 04 | |
| | | 16.3 | | 4 | | | | | Ed. | AB- A1 | 171 | · m |
| | | | | | | | | | | | | |

| Code | Qty or Units | Description of Product or Services | Unit Price | |
|----------|----------------|------------------------------------|------------|---------|
| A-101 . | / | Pump Charge | Unit Price | Total |
| 4-107 | 30 | Mileage | 1.001.098 | X 6 8 6 |
| | 4-14-12-1-12-1 | | 3.95 | 118.50 |
| 9-205 | 250 571 | 1590 HCL mud Acid and | | al ma |
| 9-213 | 15031 | ACID ENDIBITOR | 1.65 | 412,50 |
| 7.215 P | 1 Ga1 | IRON CONTROL | 40.00 | 20.00 |
| 214 | 1631 | nan Emul | 36.00 | 36.00 |
| 1.210 | 12 931 | | 30.00 | 3000 |
| 7-208 | 555 | ABF | 32.00 | 16.00 |
| -224 | 1300 001 | AT 17T | 2.90 | 159.50 |
| -216 | 1621 | C.Ty water 10.00/1000 (Tax) 7.15% | 10.00 | 13.00 |
| | 1001 | KCL | 30.00 | 30.00 |
| | | | | |
| | | 49. | | |
| -113 | 3 1 | | | 146 |
| -113 | 0 | 80 BBI UdcTruck | 85.00 | 255.00 |
| F | | A A | | |
| | | | | |
| | | | SubToTal | 1890.50 |
| | | | 00.000 | 1070.00 |
| | | | Sales Tax | .93 |
| uthoriza | tion wit by | Briah Title | Total | 1891.43 |

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.



Elite Cement & Acidizing of KS, LLC

810 E 7th, PO Box 92 Eureka, KS 67045

| Phone # | Fax# |
|--------------|--------------|
| 620-583-5561 | 620-583-5524 |



| Date | Invoice # |
|-----------|-----------|
| 2/14/2014 | 1076 |

| Bill To | |
|-----------------------------|--|
| Trimble & Maclaskey Oil LLC | |
| PO Box 171 | |
| Gridley, KS 66852 | |
| | |
| | |
| | |
| | |

| Job Date 2/4/2014 | | | |
|-------------------|----|--|--|
| Lease Information | | | |
| Rossillon #17 | | | |
| Foreman | KM | | |

| Customer ID# | Terms |
|--------------|------------|
| 1000 | 5% 15 Days |

| Item | Description | Qty | Rate | Amount |
|-------|------------------------------|-------|----------|-----------|
| C104 | Cement Pump-Top Outside | 1 | 1,050.00 | 1,050.00 |
| C107 | Pump Truck Mileage (one way) | 30 | 3.95 | 118.50 |
| C203 | Pozmix Cement 60/40 | 120 | 12.75 | 1,530.00T |
| C206 | Gel Bentonite | 415 | 0.20 | 83.00T |
| C108A | Ton Mileage (min. charge) | 1 | 345.00 | 345.00 |
| C113 | 80 Bbl Vac Truck | 3.5 | 85.00 | 297.50 |
| C224 | City Water | 3,300 | 0.01 | 33.00T |
| | | | | |

| E-mail | |
|------------------------|--|
| elitecementing@att.net | |

| Subtotal | \$3,457.00 |
|-------------------|------------|
| Sales Tax (7.15%) | \$117.69 |
| Total | \$3,574.69 |
| Payments/Credits | \$0.00 |
| Balance Due | \$3,574.69 |

8 章 0 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561

Cementing & Acidizing of Kansas, LLC



Cement or Acid Field Report Ticket No. 1076

3574.69

Total

Foreman Kevin McCoy

Camp Eureka

| | | 00000 | | | | N | | | | | _ | |
|-----------|---------------|---------|------------------|---------|----------------|--------|--------|-------|--------|--------|---|--------|
| | | MPL 15- | 111-20489 | | | - Keep | | | | | | |
| Date | Customer ID # | Leas | se & Well Number | | Section | To | wnship | Range | | County | | State |
| 2/4/14 | /000 | Rossi | 110N #17 | | 25 | 21 | 15 | 10€ | | Lyon | | Ks |
| Custome | | | | Safety | Unit # | | Driv | er | | Unit # | | Driver |
| - | TRIMble & MAG | -lasrey | | Meeting | 102 | | Russ. | m. | | | | |
| | | -1110/1 | | KM | 110 | | Rudy. | m. | | | | |
| Mailing A | | | | RM | 145 | | ALLEN | | | | | |
| 1 | . o. Box | | | | | | | | | | | |
| City | | State | Zip Code | AB | 100 | | | | | | | |
| 6. | ridley | Ks | 66852 | | | | | | | | | |
| Јор Туре | Top Outside | Hole De | pth 2605 KB | | Slurry Vol. 46 | B66 | , | | Tubing | 1" | | |

| Job Type Top Outside | Hole Depth 2605 KB | Slurry Vol. 46 BbL | Tubing |
|-----------------------------|-------------------------|-------------------------|------------------|
| Casing Depth 2594' 6.L. | Hole Size 77/8" | Slurry Wt. | Drill Pipe |
| Casing Size & Wt. 51/2 14 # | Cement Left in Casing | Water Gal/SK | Other |
| Displacement | Displacement PSI | Bump Plug to | BPM |
| Remarks: SAFety Meeting: | RAN & WASH down 1" Tubi | ng ON ANNUlus of 5/2. 7 | 99 FIRM CEMENT @ |

Remarks: SAFETY Meeting: RAN & WASH JOWN I" TUbing ON ANNULUS OF 51/2. TAg FIRM CEMENT @
1030'. BREAK CIRCULATION WI FRESH WATER, MIXED 120 SKS 60/40 POZMIX CEMENT WI 41/6 GEL = 46
Bbl Slurry. Good Cement to SURFACE, Shut down, Pull I" Tubing. Job Complete. Rig down.

| Code | Qty or Units | Description of Product or Services | Unit Price | Total |
|------|--------------|------------------------------------|------------|---------|
| 104 | 1 | Pump Charge | 1050.00 | 1050.00 |
| 107 | 30 | Mileage | 3.95 | 118.50 |
| | | | | |
| 203 | 120 5K5 | 60/40 POZMIX CEMENT | 12.75 | 1530.00 |
| 206 | 415 * | Gel 4% | .20# | 83.00 |
| | | | | |
| 108 | 5.16 TONS | TON Mikage | M/c | 345.00 |
| 113 | 3.5 HRS | 80 BLL VAC TRUCK | 85.00 | 297.50 |
| 224 | 3300 | City water | 10.00/1000 | 33.00 |
| | | | 1 | |
| | 314 240 | | | |
| | | | | |
| | | | | |
| | 7 | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | THANK YOU | Sub TotAL | 3457.00 |
| | | 7.15°6 | Sales Tax | 117.69 |

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.

Authorization Witnessed By BRYAN MACLASKEY Title

Elite Cementing & Acidizing of KS, LLC

PO Box 92, 810 E 7th Eureka, KS 67045

| Phone # | Fax# |
|--------------|--------------|
| 620-583-5561 | 620-583-5524 |



| Date | Invoice # |
|------------|-----------|
| 12/23/2013 | 1013 |

| Bill To | |
|-----------------------------|---|
| Trimble & Maclaskey Oil LLC | |
| PO Box 171 | |
| Gridley, KS 66852 | Ì |
| | |
| | |
| | |
| | |

| Job Date 12/18/2013 | | | |
|---------------------|----|--|--|
| Lease Information | | | |
| Rossillon #17 | | | |
| Foreman | KM | | |

| Customer ID# | Terms |
|--------------|------------|
| 1000 | 5% 15 Days |

| Item | Description | Qty | Rate | Amount |
|--------------|--------------------------------|-------|---------------|------------------|
| C113 C224 | 80 Bbl Vac Truck City Water | 3,000 | 85.00 0.01 | 340.00 30.00T |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| E-mail | |
|------------------------|--|
| elitecementing@att.net | |

| Subtotal | \$370.00 |
|-------------------|----------|
| Sales Tax (7.15%) | \$2.15 |
| Total | \$372.15 |
| Payments/Credits | \$0.00 |
| Balance Due | \$372.15 |

■ 810 Ê 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561

Cementing & Acidizing of Kansas, LLC



Cement or Acid Field Report Ticket No. 1013

Foreman KeVIN MCCOY Camp EUREKA

| API | # 15 | 5- | 111 | - 2 | 04 | 18 | 9 |
|-----|------|----|-----|-----|----|----|---|
|-----|------|----|-----|-----|----|----|---|

| | | API | #15-111-2048 | 39 | P | XI. | L | • | | | |
|-------------|---------------|-------------|--------------------|---------|--------------|-----|--------|--------|------------|-----|--------|
| Date | Customer ID # | Leas | e & Well Number | | Section | To | wnship | Range | Cour | nty | State |
| 2/18/13 | 1000 | Rossii | 1/0N # 17 | | 25 | 21 | 15 | 100 | 2 40 N | | Ks |
| Customer | | | | Safety | Unit # | | Driv | | Unit # | | Driver |
| 11 | Rimble & MI | ACLASKEY | | Meeting | 141 | | ALLEN | 0 | | | |
| Mailing Add | Iress | | | 1 | | | | | | | |
| P.C | D. Box 171 | | | , | | | | | | | |
| City | | State | Zip Code | 1 | | | | | | | |
| 61 | edley | Ks | | | | | | | | | |
| ob Type . | WAKE HAULI | -9 Hole Der | oth | | Slurry Vol | | | 1 | ubing | | |
| | | | ze | | Slurry Wt | | | | Orill Pipe | | |
| | | | eft in Casing | | Water Gal/SK | | | | Other | | |
| | | | ement PSI | | | | | | | | |
| | | | | | | | | | | | |
| Remarks: | HAUL W. | Ater FOR C | ementing Lo. | Ngstri | N9 | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | 39- | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Code | Qty or Units | Description | of Product or Serv | vices | | | | Uni | t Price | Т | otal |
| Joue | Gly of Office | | | 1003 | | | | - 3111 | | - | 0 101 |
| | | Pump Charg | е | | | | | | | | |

| Code | Qty or Units | Description of Product or Services | Unit Price | Total |
|----------|--------------|--|------------|--------|
| | | Pump Charge | | |
| | | Mileage | | |
| | | | | |
| C 113 | 4 Hes | 80 BBL VAC TRUCK | 85.00 | 340.00 |
| C 224 | 3000 OAK | 80 Bbl VAC TRUCK City WATEL | 10.00/1000 | 30.00 |
| | 9113 | | / | No. |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | And the second s | | |
| | A CASE | | | |
| 146 | | | | |
| | | | | |
| | | | | |
| | | THANK YOU | SUB TOTAL | 370.00 |
| | | 1.131. | Sales Tax | 2.15 |
| Authoria | ation | M C Title | Total | 312.15 |

Elite Cementing & Acidizing of KS, LLC

PO Box 92, 810 E 7th Eureka, KS 67045

| Phone # | Fax# |
|--------------|--------------|
| 620-583-5561 | 620-583-5524 |

| LEP |
|-----|
| V' |

| Date | Invoice # | | |
|------------|-----------|--|--|
| 12/18/2013 | 1008 | | |

| Bill To | |
|---------------------------------|--|
| Trimble & Maclaskey Oil LLC | |
| PO Box 171 Gridley, KS 66852 | |
| | |
| | |
| | |

| 12/18/2013 | | | |
|-------------------|--|--|--|
| Lease Information | | | |
| Rossillon #17 | | | |
| KM | | | |
| | | | |

| Customer ID# | Terms |
|--------------|------------|
| 1000 | 5% 15 Days |

| Item | Description | Qty | Rate | Amount |
|-------|------------------------------|-----|----------|-----------|
| C102 | Cement Pump-Longstring | 1 | 1,050.00 | 1,050.00 |
| C107 | Pump Truck Mileage (one way) | 30 | 3.95 | 118.50 |
| C201 | Thick Set Cement | 150 | 19.50 | 2,925.00T |
| C207 | KolSeal | 750 | 0.45 | 337.50T |
| C208 | Pheno Seal | 150 | 1.25 | 187.50T |
| C217 | Caustic Soda | 100 | 1.60 | 160.00T |
| C108A | Ton Mileage (min. charge) | 1 | 345.00 | 345.00 |
| C421 | 5 1/2 Latch Down Plug | 1 | 230.00 | 230.00T |
| C661 | 5 1/2 AFU Float Shoe | 1 | 294.00 | 294.00T |
| C604 | 5 1/2 Cement Basket | 1 | 225.00 | 225.00T |
| C504 | 5 1/2 x 7 7/8 Centralizers | 6 | 48.00 | 288.00T |
| C112 | Rotating Cement Swivel | 1 | 100.00 | 100.00T |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| E-mail | |
|------------------------|--|
| elitecementing@att.net | |

| Subtotal | \$6,260.50 |
|-------------------|-------------------|
| Sales Tax (7.15%) | \$339.41 |
| Total | \$6,599.91 |
| Payments/Credits | \$0.00 |
| Balance Due | ድራ ኖ ስስ ስ1 |

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561

Cementing & Acidizing of Kansas, LLC

Cement or Acid Field Report
Ticket No. 1008
Foreman Kenn McCoy
Camp Eureka

| | | HIL | 15-001-204 | 89 | | COLUMN TO | Man. | | | |
|-----------|---------------|--|-----------------|---------|---------|-----------|--------|-------|--------|--------|
| Date | Customer ID # | Leas | e & Well Number | | Section | To | wnship | Range | County | State |
| 12/18/13 | 1000 | Ross | 11/0N #17 | | 25 | 21 | 15 | 10E | Lyon | KS |
| Custome | | | | Safety | Unit # | | Driv | er | Unit # | Driver |
| | TRIMble & MA | CLASKE | | Meeting | 102 | | ShANN | | | |
| Mailing A | | - The state of the | 7 | KM | 111 | - | RICK | | | |
| | P.o. Box 171 | | | 54 | 141 | | ALLEN | B. | | |
| / | .o. Dox 111 | | | RL | | | | | | |
| City | | State | Zip Code | AB | | | | 71 | | |
| G | Bridley | K5 | | | | | | | | |
| | | | | | | | | | | |

| Job Type Longstring | Hole Depth 2605 KB | Slurry Vol. 50 BbL | Tubing |
|-----------------------------|-----------------------|-----------------------|------------|
| Casing Depth 2594' 6.L. | Hole Size | Slurry Wt. | Drill Pipe |
| Casing Size & Wt. 51/2 14 # | Cement Left in Casing | Water Gal/SK 9.0 | Other |
| Displacement 64. BbL | Displacement PSI 700 | Bump Plug to 1100 ASI | BPM 4.5 |

Remarks: SAFETY Meeting: Riqup to 51/2 Casing w/ Rotating Swivel. Break Circulation w/ 5 Bbl Fresh water. Pump 10 Bbl Caustic Soda Pre Flush, 5 Bbl water Spacer. Mixed 150 sks Thick Set Cement w/ 5 *Kol-Seal / sk 1 * Phenoseal / sk @ 13.7 * / gal yield 1.85 = 50 Bbl Sturry. wash out Pomp of Lines. Shut down, Release Latch down Plug. Displace Plug to Seat w/ 64. Bbl Fresh water. Final Pumping Pressure 700 PSI. Bump Plug to 1100 PSI. Walt 2 mins. Release Pressure. Float of Plug Heid. Good Circulation @ All times while Cementing. Job Complete. Rig down. Potated Casing

| Code | Qty or Units | Description of Product or Services | Unit Price | Total |
|-------------|--------------|--|------------|---------|
| 102 | 1 | Pump Charge | 1050.00 | 1050.00 |
| 107 | 30 | Mileage | 3.95 | 118.50 |
| a litera in | | | | |
| 201 | 150 5Ks | THICK SET CEMENT | 19.50 | 2925.00 |
| 207 | 750# | KOL-SEAL 5#/SK | . 45 # | 337.50 |
| 208 | 150# | Pheno Seal 1#/5K | 1.25 # | 187.50 |
| | | | | |
| 217 | 100× | CAUCTIC Soda PRE Flush | 1.60 # | 160.00 |
| | | | | |
| 108 A | 8.25 TONS | TON MileAge | M/c | 345.00 |
| | | | | |
| 421 | 1 | 51/2 LATCH down Plugs | 230.00 | 230.00 |
| 661 | 1 | 51/2 AFU FloAT Shoe | 294-00 | 294.00 |
| 684 | 1 | 51/2 Cement Basket | 225.00 | 225.00 |
| 504 | Ь | 51/2 x 77/8 Centralizers | 48.00 | 288.00 |
| 112 | 1 | Rental on Rotating Swivel | 100.00 | 100.00 |
| | | | | |
| | | | | |
| | | THANK YOU | Sub TotAL | 6260.50 |
| | | -A 7.15% | Sales Tax | 339.41 |
| | | ed By Mike Stafford Title Gulick Dr.lg. Toolpusher | | 6599.91 |

TERMS

In consideration of the prices to be charged by Elite Cementing & Acidizing of Kansas, LLC (ELITE) services, equipment and products and for the performance of services and supplying of materials, Customer agrees to the following terms and conditions.

Cash in advance unless satisfactory credit is established. On credit sales, invoices are payable within 30 days of the invoice date. On all invoices not paid within 30 days, Customer agrees to pay ELITE interest at the rate of 18% per annum or the maximum rate allowed by law, whichever is higher. In the event ELITE retains an attorney to pursue collection of any account, Customer agrees to pay all collection costs and attorney's fees incurred by ELITE.

Any applicable federal, state or local sales, use, consumer or emergency taxes shall be added to the quoted price. All process license fees required to be paid to others will be added to the scheduled prices.

All ELITE prices are subject to change without notice.

SERVICE CONDITIONS

Customer warrants that the well is in proper condition to receive the services, equipment, products and materials to be supplied by ELITE. The Customer shall at all times have complete care, custody, and control of the well, the drilling and production equipment at the well, and the premises around the well. A responsible representative of the Customer shall be present to specify depths, pressures, or materials used for any service to be performed.

- (a) ELITE shall not be responsible for any claim, cause of action or demand (hereinafter referred to as a "claim") for damage to property, injury to or death of employees and representatives of Customer or the well owner (if different from Customer), unless such damage, injury or death is caused by the willful misconduct or gross negligence of ELITE, including but not limited to sub-surface damage and surface damage arising from sub-surface damage.
- (b) Unless a claim is the result of the sole willful misconduct or gross negligence of ELITE, Customer shall be responsible for and indemnify and hold ELITE harmless from any claim for: (1) reservoir loss or damage, or property damage resulting from subsurface pressure, losing control of the well and/or a well blowout; (2) damages as a result of a subsurface trespass, or an action in the nature thereof, arising from a service operation performed by ELITE; (3) injury to or death of persons, other than employees of ELITE, or damage to property (including, but not limited to, injury to the well), or any damages whatsoever, irrespective of cause, growing out of or in any way connected with the use of radioactive material in the well hole; (4) well damage or reservoir damaged caused by (i) loss of circulation, cement invasion, cement misplacement, pumping

cement or cement plugs on wells with loss of circulation, including the failure to displace plug to proper depth, (ii) subsurface pressure and resulting failure to complete pumping of cement or cement plug, including dehydration of cement slurry or flashing, plugged float shoe, annulus bridging or plugging, or (iii) down hole tools being lost or left in the well, or becoming stuck in the well for any reason and by any cause. ELITE may furnish downhole tools and may supply supervision for the running and placement of such tools but will not be liable for any damage or loss resulting from the use of such tools. Customer will be responsible for the cost to replace such tools if they are lost or left in the well.

- (c) ELITE makes no guarantee of the effectiveness of any ELITE products, supplies or materials, or the results of any ELITE treatment or services.
- (d) Because of the uncertainty of variable well conditions and the necessity of relying on facts and supporting services furnished by others, ELITE is unable to guarantee the accuracy of any chart interpretation, research analysis, job recommendation or other data furnished by ELITE. ELITE personnel will use their best efforts in gathering such information and their best judgment in interpreting it. Customer agrees that ELITE shall not be responsible for any damage arising from the use of such information except where due to ELITE's gross negligence or willfull misconduct in the preparation or furnishing of it.
- (e) ELITE may buy and resell to Customer down hole equipment, including but not limited to float equipment, DV tools, port collars, type A & B packers, and Customer agrees that ELITE is not an agent or dealer for the companies who manufacture such items, and further agrees that Customer shall be solely responsible for and indemnify ELITE against any claim with regard to the effectiveness, malfunction of, or functionality of such items.

WARRANTIES - LIMITATION OF LIABILITY

ELITE warrants its title to the products, supplies, and materials used or sold to the customer. ELITE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, NOR ANY WARRANT OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ELITE's liability and Customer's exclusive remedy in any claim (whether in contract, tort, breach of warranty or otherwise,) arising out of the sale or use of any ELITE products or services is expressly limited to the replacement of such or their return to ELITE or, at ELITE's option, an allowance to Customer of credit for the cost of such items.

Customer waives and releases all claims against ELITE for any special, incidental, indirect, consequential or punitive damages.

Elite Cementing & Acidizing of KS, LLC

PO Box 92, 810 E 7th Eureka, KS 67045

| Phone # | Fax# |
|--------------|--------------|
| 620-583-5561 | 620-583-5524 |

| Date | Invoice # |
|------------|-----------|
| 12/16/2013 | 1006 |

Bill To

Trimble & Maclaskey Oil LLC
PO Box 171
Gridley, KS 66852



| Job Date 12/14/2013 | | |
|---------------------|----|--|
| Lease Information | | |
| Rossillon #17 | | |
| Foreman | KM | |

| Customer ID# | Terms |
|--------------|------------|
| 1000 | 5% 15 Days |

| Item | Description | Qty | Rate | Amount |
|-------|------------------------------|-----|--------|-----------|
| C101 | Cement Pump-Surface | 1 | 840.00 | 840.00 |
| C107 | Pump Truck Mileage (one way) | 30 | 3.95 | 118.50 |
| C200 | Class A Cement-94# sack | 90 | 15.00 | 1,350.00T |
| C205 | Calcium Chloride | 250 | 0.60 | 150.00T |
| C206 | Gel Bentonite | 170 | 0.20 | 34.00T |
| C108A | Ton Mileage (min. charge) | 1 | 345.00 | 345.00 |
| | | | | |

| E-mail | |
|------------------------|--|
| elitecementing@att.net | |

| Subtotal | \$2,837.50 |
|-------------------|------------|
| Sales Tax (7.15%) | \$109.68 |
| Total | \$2,947.18 |
| Payments/Credits | \$0.00 |
| Balance Due | \$2,947.18 |

810 E 7TH PO Box 92 EUREKA, KS 67045 (620) 583-5561

Cementing & Acidizing of Kansas, LLC



Ticket No. 1006

Foreman Kevin & Russ McCoy

Camp EUREKA

| | AOT# | 15-001-20489 | | | * L | | | |
|--|------------|-----------------|---------|--|------------|----------|-----------------|----------|
| Date Customer ID # | Leas | e & Well Number | 7 | Section | Township | Range | County | State |
| 12/14/13 1000 | Ross | 11/0N #17 | | 25 | 215 | 10E | Lyon | Ks |
| Customer | | | Safety | Unit # | Driv | | Unit # | Driver |
| Trimble & M | AC/ASKey | | Meeting | 102 | SHANN | | | |
| Mailing Address Po. Box 171 | | | KM | /// | ALLEN | В. | | |
| City | State | Zip Code | RM | | | | | |
| GRIdley | Ks | 66852 | | | | | | |
| Job Type Surface Casing Depth 102' 6.2. Casing Size & Wt. 8 48 23 Displacement 6.7 BbL | Hole Siz | th | | Slurry Vol. 2 Slurry Wt. 14 Water Gal/SK Bump Plug to | 6,5 | Dr | bingill Pipeher | |
| Remarks: SAFety Med | ting: Big | up to 85/8 0 | CASING. | BREAK C | Realation | W/ 5-BB | L FResh WAT | be |
| Mixed 90 SKS Class | "A" Cement | 11/3% CACL | 12 2% | Ge/ @ 14. | 8 # /901 = | 22 BBC . | STURRY. DIST | place w/ |
| 6.7 BLL Fresh water | s. Shut Ca | SIND IN GOOD | Cemer | ut Returns | to Sugar | ACP = 6 | RH Sluck | y to Pot |
| Job Complete. Ri | a dourse | 7 | | | | | | |
| or compression in | 100000 | | | | | | | |
| | | | | | | | | |
| | | | | | | | 4 | |
| | | | | | | | | |

| Code | Qty or Units | Description of Product or Services | Unit Price | Total |
|-----------------|-------------------|------------------------------------|------------|---------|
| 101 | 1 | Pump Charge | 840.00 | 840.00 |
| 107 | 30 | Mileage | 3.95 | 118.50 |
| | | | | |
| 200 | 90 sks | Class "A" Cement | 15.00 | 1350.00 |
| 205 | 250 4 | CACLZ 3% | -60 | 150,00 |
| 206 | 170 # | Gel 2% | .20 | 34.00 |
| and the same of | | | | |
| 108 A | 4.23 | Ton MileAge | M/c | 345,00 |
| | No. of the second | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| 1400 | | | | |
| | | | | |
| | | THANK YOU 7.15% | SUB TOTAL | 2837.50 |
| | | A 7.15% | Sales Tax | 109.68 |