

| For KCC | Use: |
|------------|--------|
| Effective | Date: |
| District # | : |
| SGA? | Yes No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | month d | ay year | Spot Description: | |
|--|--|--|--|---------|
| | monar | ay your | | Ē' |
| OPERATOR: License# | | | feet from N / S Line of | Secti |
| Name: | | | feet from E / W Line of | Section |
| Address 1: | | | Is SECTION: Regular Irregular? | |
| ddress 2: | | | (Note: Locate well on the Section Plat on reverse side) | |
| | | Zip: + | County: | |
| Contact Person: | | | Lease Name: Well #: | |
| hone: | | | Field Name: | |
| CONTRACTOR: License# | | | _ | |
| lame: | | | Target Formation(s): | \Box |
| Mall Duille et Ferre | 14/- 11 01 | Torre Construence of | Nearest Lease or unit boundary line (in footage): | |
| Well Drilled For: | Well Class: | Type Equipment: | | et MS |
| Oil Enh F | | Mud Rotary | | 1 |
| Gas Stora | · 🛏 | Air Rotary | | |
| Dispo | | Cable | Depth to bottom of fresh water: | |
| Seismic ;# o | | | Depth to bottom of resh water: | |
| Otner: | | | Surface Pipe by Alternate: I | |
| If OWWO: old well | information as follows: | | Length of Surface Pipe Planned to be set: | |
| | | | | |
| Operator: | | | | |
| | | | Projected Total Depth: | |
| Original Completion Da | ate: Origin | nal Total Depth: | | |
| Directional, Deviated or Ho | rizontal wellhore? | Yes No | Water Source for Drilling Operations: | |
| | | | Well Farm Pond Other: | |
| i 100, trao vortioar aoptin | | | DWR Permit #: | |
| Bottom Hole Location: | | | (Nata Analytes Bound with DMD) | |
| | | | (Note: Apply for Permit with DWR) | |
| | | | (Note: Apply for Permit with DWR) Will Cores be taken? | |
| | | | (Note: Apply for Permit with DWR) | |
| | | | (Note: Apply for Permit with DWR) Will Cores be taken? | |
| CC DKT #: | | AF | (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: | 1 |
| CCC DKT #: The undersigned hereby | affirms that the drilling | AF , completion and eventual p | - (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone: | |
| CCC DKT #: | affirms that the drilling | AF , completion and eventual p nents will be met: | - (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone: | |
| The undersigned hereby t is agreed that the follow 1. Notify the appropriance of the | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to | AF, completion and eventual potents will be met: to spudding of well; drill shall be posted on each | - (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone: | 1 |
| The undersigned hereby t is agreed that the follow 1. Notify the appropriation of the approp | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each | Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set | 1 |
| The undersigned hereby t is agreed that the follow 1. Notify the appropriation in the appropriation in the appropriation in the appropriation in the minimum amough all unconstitutions. | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be see a minimum of 20 feet into the | (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. | |
| The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all unconsi 4. If the well is dry ho | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw | AF, completion and eventual parents will be met: to spudding of well; drill shall be posted on each specified below shall be see a minimum of 20 feet into the een the operator and the di | (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; | |
| The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be notif | AF, completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into to een the operator and the di ied before well is either plus | (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; | |
| The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be notif II COMPLETION, prod | AF, completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into to een the operator and the di ied before well is either plug uction pipe shall be cement | Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. | |
| The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE of the pursuant to App | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notiful COMPLETION, producendix "B" - Eastern Ka | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th | (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; | |
| The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE of the pursuant to App | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notiful COMPLETION, producendix "B" - Eastern Ka | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th | (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing | |
| The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE of the pursuant to App | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notiful COMPLETION, producendix "B" - Eastern Ka | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th | (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing | |
| The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the follow A copy of the approx The minimum amough all unconsor If the well is dry ho The appropriate dis If an ALTERNATE IN Or pursuant to Approx The completed | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ele, an agreement betwe strict office will be notif II COMPLETION, produced in the company of the surface of the company of the | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th | (Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing | |
| The undersigned hereby It is agreed that the follow It Notify the appropria A copy of the appropria The minimum amough all unconse If the well is dry ho The appropriate dis If an ALTERNATE Or pursuant to Appropriate of the completed | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ele, an agreement betwe strict office will be notif II COMPLETION, produced in the company of the surface of the company of the | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th | (Note: Apply for Permit with DWR) Will Cores be taken? | |
| The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the follow A copy of the approx The minimum amough all unconsor If the well is dry ho The appropriate dis If an ALTERNATE IN Or pursuant to Approx The completed | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ele, an agreement betwe strict office will be notif II COMPLETION, produced in the company of the surface of the company of the | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th | (Note: Apply for Permit with DWR) Will Cores be taken? | J |
| he undersigned hereby is agreed that the follow 1. Notify the appropriate of the approach of the approach of the approach of the approach of the well is dry how through all unconstant of the well is dry how of the appropriate displayed or pursuant to Approach of the appropriate | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notiful COMPLETION, produced in the company of the surface of the company of the mically | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be se a minimum of 20 feet into the een the operator and the diffed before well is either pluguction pipe shall be cement insas surface casing order a spud date or the well shall be | (Note: Apply for Permit with DWR) Will Cores be taken? | J |
| he undersigned hereby is agreed that the follow 1. Notify the appropriate of the appropriate of the appropriate of the well is dry ho 5. The minimum amount of the well is dry ho 6. If an ALTERNATE of the appropriate of | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be notif II COMPLETION, produendix "B" - Eastern Karl within 30 days of the | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be see a minimum of 20 feet into the enthe operator and the diffed before well is either pluguction pipe shall be cement insas surface casing order aspud date or the well shall be | (Note: Apply for Permit with DWR) Will Cores be taken? | J |
| The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to App must be completed Journal Honor For KCC Use ONLY API # 15 - Conductor pipe required | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwe strict office will be notiful COMPLETION, produced in the within 30 days of the inically | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cement ansas surface casing order as spud date or the well shall be spuddeted. | Will Cores be taken? If Yes, proposed zone: SFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 DAYS of spud date. Strict office on below any usable water to surface within 120 DAYS of spud date. Strict office on below any usable water to surface within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all strict office within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all strict office within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all strict office within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all strict office within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or prior to plu | J |
| The undersigned hereby It is agreed that the follow I. Notify the appropria I. A copy of the appropria I. A copy of the appropria I. The minimum amough all unconso If the well is dry ho I. The appropriate dis If an ALTERNATE Or pursuant to Appropriate to Compute the completed IDMITTED TOTAL TO | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwe strict office will be notiful COMPLETION, produced in the within 30 days of the inically | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cement ansas surface casing order as spud date or the well shall be spuddeted. | (Note: Apply for Permit with DWR) Will Cores be taken? | J |
| The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to Appropriate to the completed Ubmitted Electroic For KCC Use ONLY API # 15 - Conductor pipe required | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ale, an agreement betwestrict office will be notiful COMPLETION, produendix "B" - Eastern Kath within 30 days of the mically | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the diffied before well is either pluguation pipe shall be dementions as surface casing order as spud date or the well shall be spudded in the well shall be set of the wel | Will Cores be taken? If Yes, proposed zone: SFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases, within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases, within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases, within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or prior to plugging; ag | J |
| The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to App must be completed Ubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required and in the complete or consumer to the | affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwe strict office will be notiful COMPLETION, produced "B" - Eastern Kate within 30 days of the inically | AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the diffied before well is either pluguation pipe shall be dementions as surface casing order as spud date or the well shall be spudded in the well shall be set of the wel | Will Cores be taken? If Yes, proposed zone: SFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; gred or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. Strict 33,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; | , on |

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

please check the box below and return to the address below.

| Well will not be drilled or Permit Expired | Date: | |
|--|-------|--|
| Signature of Operator or Agent: | | |
| | | |



SEWARD CO. 3390' FEL

| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: _ | | | | | | | | alion of vv | reii. Courity. | |
|--------------|---------|-----------|--|---|-------------|---|------------|----------------|---|--|
| Lease: | | | | | | | | | feet from N / S Line of Section | |
| | er. | | | | | | | | feet from E / W Line of Section | |
| Well Number: | | | | | | | | SecTwpS. R E W | | |
| Number of | | | | | | | 15 (| Section: | Regular or Irregular | |
| QTR/QTR/ | QIR/QIR | of acreag | e: | | | | - | | | |
| | | | | | | | If S | ection is | Irregular, locate well from nearest corner boundary. | |
| | | | | | | | Se | ction corne | er used: NE NW SE SW | |
| | | | | ipelines an | d electrica | the neare | required b | the Kans | dary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). ired. | |
| | | : | : | : | | : | : | | | |
| | | : | : | : | | | : | | LEGEND | |
| | | | | | | | : | · | | |
| | | : | : | : | | : | : | : | O Well Location | |
| 4000 # | | | <u> </u> | : | | : | : | | Tank Battery Location | |
| 1330 ft | | ·(| ೨ | • | | | | | Pipeline Location | |
| | | : | : | : | | : | : | : | Electric Line Location | |
| | | : | : | : | | : | : | | Lease Road Location | |
| | | : | : | : | | : | : | | Lease Road Location | |
| | | | | | ••••• | | | | | |
| | | : | : | : | | : | : | | | |
| | | : | • | : | ı | : | : | | EXAMPLE : | |
| | | ; | <u>· </u> | : | | : | : | | | |
| | | : | • | 1 | 4 | : | : | | | |
| | | : | | : | | : | | | | |
| | ••••• | | | • | ••••• | | | | | |
| | | : | : | : | | : | : | | | |
| | | : | | : | | : | | | | |
| | | | | | ••••• | • | | | 1980' FSL | |
| | | : | : | : | | : | : | | | |
| | | | | : | | : | | | | |
| | 1 | | | | 1 | | • | | . I III. | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | | | |
|--|---|--|---|--|--|
| Operator Address: | | | | | |
| Contact Person: | | Phone Number: | | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | | |
| Type of Pit: Emergency Pit Burn Pit | Pit Drilling Pit If Existing, date constructed: r Pit Haul-Off Pit | | SecTwp R | | |
| | | | Feet from North / South Line of Section | | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | | | Feet from East / West Line of SectionCounty | | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | |
| Is the bottom below ground level? | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? | | |
| Pit dimensions (all but working pits): | Length (fee | et) | Width (feet) N/A: Steel Pits | | |
| Depth fro | om ground level to dee | epest point: | (feet) No Pit | | |
| material, thickness and installation procedure. | | inter integrity, ii | ncluding any special monitoring. | | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallo Source of inform | west fresh water feet. mation: | | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: | | |
| Producing Formation: | | Type of materia | ıl utilized in drilling/workover: | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | | |
| Barrels of fluid produced daily: | | Abandonment p | procedure: | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | | be closed within 365 days of spud date. | | |
| Submitted Electronically | | | | | |
| | KCC | OFFICE USE O | NLY Steel Pit RFAC RFAS | | |
| Date Received: Permit Num | ber: | Permi | t Date: Lease Inspection: Yes No | | |



1197227

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB- | -1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | | | |
|--|--|--|--|--|--|
| OPERATOR: License # | _ Well Location: | | | | |
| Name: | | | | | |
| Address 1: | | | | | |
| Address 2: | Lease Name: Well #: | | | | |
| City: State: Zip:+ | _ If filing a Form T-1 for multiple wells on a lease, enter the legal description or | | | | |
| Contact Person: | the lease helow: | | | | |
| Phone: () Fax: () | _ | | | | |
| Email Address: | _ | | | | |
| Surface Owner Information: | | | | | |
| Name: | _ When filing a Form T-1 involving multiple surface owners, attach an additional | | | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | | | |
| Address 2: | country and in the real estate property toy records of the country transvers | | | | |
| City: | _ | | | | |
| | thodic Protection Borehole Intent), you must supply the surface owners and | | | | |
| | ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | | | |
| Select one of the following: | | | | | |
| owner(s) of the land upon which the subject well is or will b | e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address. | | | | |
| KCC will be required to send this information to the surface | I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form. | | | | |
| If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C | ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned. | | | | |
| Submitted Electronically | | | | | |
| I | | | | | |

5hannon #9-14 1160' FNL+ 1330' FWL 5 14-T 25-R17, Alka Co.



Bate Reference 7 Description Beginning September 8 statute
Reference 7 Description Balance Debut A redit Balance
The General Ledger is in balance 0 or

General Lodger

Page 2 02/28/14 03:15 PM

56700