

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective Date:				
District #				
SGA?	Yes No			

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

197595

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable  Seismic: # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?  Yes No	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	( <b>Note:</b> Apply for Permit with DWR )
YOO DIAT III.	
CCC DKT #:	
CCC DKT #:	
	Will Cores be taken?
AFF	Will Cores be taken? Yes No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? Yes No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? Yes No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? Yes No If Yes, proposed zone:  IDAVIT Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?YesNo
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	Will Cores be taken?
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge	Will Cores be taken? Yes Note If Yes, proposed zone:  IDAVIT Inging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  In the complete of the complete is necessary prior to plugging; and or production casing is cemented in;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes No.  No.  Idrilling rig;  Yes On.  Idrilling rig;  Yes No.  Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes No.  No.  Idrilling rig;  Yes On.  Idrilling rig;  Yes No.  Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes No.  No.  Idrilling rig;  Yes No.  Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes No.  No.  Idrilling rig;  Yes No.  Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.  Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes No.  No.  Idrilling rig;  Yes No.  Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes No.  No.  Idrilling rig;  Yes No.  Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the set of the se	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes Note that the proposed zone:  Idrilling rig;  Yes Cone that the pr
he undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distr  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes virculating cement to the top; in all cases surface pipe shall be set underlying formation.  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In office on plug length and placement is necessary prior to plugging;  In office on plug length a
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the interval of the set of the se	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes virculating cement to the top; in all cases surface pipe shall be set underlying formation.  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement is necessary prior to plugging;  In or office on plug length and placement in;  If yes N  If Yes, proposed zone:  If Yes N  If Yes, proposed zone:  If Yes
AFF the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plughts agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  1. Ibmitted Electronically  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Idrilling rig;  y circulating cement to the top; in all cases surface prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Idrilling rig;  y circulating rig;  y circulati
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrest office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  **IDEMITTED STATES**  **IDEMITTED STAT	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to plugging;  If or production casing is cemented in;  If or mobelow any usable water to surface within 120 DAYS of spud date.  If office on plug length and placement is necessary prior to plugging;  If or mobelow any usable water to surface within 120 DAYS of spud date.  If office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing.  If Yes Notifice In Notification of Surface Owner Notification Act (KSONA-1) with Intent to Drill;  If ill Drill Pit Application (form CDP-1) with Intent to Drill;  If ill acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distrection of the distrection	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Idrilling rig;  y circulating cement to the top; in all cases surface prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  Idrilling rig;  y circulating rig;  y circulati
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  Libmitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging;  ed or production casing is cemented in;  from below any usable water to surface within 120 DAYS of spud date.  I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the distr  5. The appropriate district office will be notified before well is either plugge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be  **Ubmitted Electronically**  For KCC Use ONLY  API # 15	Will Cores be taken?  If Yes, proposed zone:  IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  Idrilling rig;  Yes circulating cement to the top; in all cases surface pipe shall be set underlying formation.  It office on plug length and placement is necessary prior to plugging;  If or production casing is cemented in;  If orm below any usable water to surface within 120 DAYS of spud date.  If or production casing is cemented in;  If orm below any usable water to surface within 120 DAYS of spud date.  If or production casing is cemented in;  If or production casing is cemented in;  If or production casing is cemented in;  If or production as in the set of plugging;  If or plugging is cement to plugging;  If yes case and the set of plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:		
Lease:	feet from N / S Line of Section		
Well Number:	feet from E / W Line of Section		
Field:	SecTwpS. R 🗌 E 🔲 W		
Number of Acres attributable to well:	Is Section: Regular or Irregular		
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW		
PLA	Т		
Show location of the well. Show footage to the nearest leas lease roads, tank batteries, pipelines and electrical lines, as require You may attach a separate of the second secon	red by the Kansas Surface Owner Notice Act (House Bill 2032).		
	LEGEND		

# 14 2279 ft.-

# Lease Road Location EXAMPLE 1980' FSL SEWARD CO. 3390' FEL

Well Location


Tank Battery Location Pipeline Location ----- Electric Line Location

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 335 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l		
To the processing in a content of country training			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?  Yes  N	No	How is the pit lined if a plastic liner is not used?		
			NAC data (force)		
Pit dimensions (all but working pits):	Length (feet)	,	Width (feet) N/A: Steel Pits No Pit		
If the pit is lined give a brief description of the li			dures for periodic maintenance and determining		
material, thickness and installation procedure.			cluding any special monitoring.		
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of worl	king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill nite must h	e closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY					
Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		



1197595

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)


OPERATOR: License #			
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:	•		
Phone: ( ) Fax: ( )  Email Address:			
Surface Owner Information:			
Name:			
Address 1:	owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,			
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
I			



#### Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159



143219

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

American Warrior, Inc.

OPERATOR

Lake #7 (restake)

LEASE NAME

Comanche County, KS 14 32s 19w Sec. Two. Rng.

Sec. Twp. Rng. 335' FSL – 2279' FWL = Top Hole 747' FSL – 509' FEL = Bottom Hole Location spot

SCALE: 1" = 1000'

DATE STAKED: Nov. 5<sup>th</sup>, 2013

MEASURED BY: Ben R.


DRAWN BY: Drew H.

AUTHORIZED BY: Cecil O.

This drawing does not constitute a monumented survey or a land survey plat This drawing is for construction purposes only

**Directions**: From the North side of Coldwater Ks, at the intersection of Hwy 183 & Hwy 160 – Now go 1 miles South on Hwy 160 – Now go 1 mile West on Ave I to the NE corner of section 14-32s-19w – Now go 0.4 mile West on Ave I – Now go 1 mile South on Rd 12 to ingress stake West into – Now go approx. 340' West through wheat into staked location.

Final ingress must be verified with land owner Operator.



### R. Evan Noll

(Petroleum Landman)

P.O. Box 1351 Hays, KS 67601 Office - 785,628,8774 Cell - 785,628,8478 Fax - 785,628,8478

November 11, 2013

City of Coldwater P.O. Box 743 Coldwater, KS 67027

RE: Lake #7 Well

Directional Well:

Surface Location: 335' from South Line & 2279' from West Line Bottom Location: 747' from South Line & 509' from East Line

Section 14-32S-19W Comanche County, Kansas

#### **Dear Property Owner:**

American Warrior is planning to drill a directional well (this is not a horizontal well). Prior to issuing a permit to drill, the Kansas Corporation Commission is requiring the property owner be notified. The operator for the captioned well is:

American Warrior, Inc.

P.O. Box 399

Garden City, KS 67846


Contact Man: Kevin Wiles - (620) 271-4407 - kwiles@awioil.com

I'm enclosing a copy of the intent to drill filed with the KCC, a plat showing well, lease road, pipe & electric Line & tank battery locations for the captioned well. This is all non-binding and preliminary, being shown simply to satisfy State requirement.

If you have any questions, please contact American Warrior at the above number.

R. Evan Noll

Contract Landman for American Warrior, Inc.



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

April 08, 2014

Cecil O'Brate American Warrior, Inc. 3118 CUMMINGS RD PO BOX 399 GARDEN CITY, KS 67846

Re: Drilling Pit Application Lake 7 SW/4 Sec.14-32S-19W Comanche County, Kansas

#### Dear Cecil O'Brate:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.