

C	onfiden	tiality	/ Request	ed:
	Yes	N	lo	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1197790

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15					
Name:			_ Spot Description:					
Address 1:								
Address 2:			Feet from North / South Line of Section					
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section			
Contact Person:			Footages Calculated from I	Nearest Outside Section C	Corner:			
Phone: ()			□ NE □ NW	V □SE □SW				
CONTRACTOR: License #			GPS Location: Lat:	, Long: _				
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)			
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84				
Purchaser:			County:					
Designate Type of Completion:			Lease Name:	W	/ell #:			
	e-Entry	Workover	Field Name:					
	_		Producing Formation:					
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground:	Kelly Bushing:	:			
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total C	Depth:			
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet			
☐ Cathodic ☐ Other (Co	ore, Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No			
If Workover/Re-entry: Old Well I			If yes, show depth set:		Feet			
Operator:			If Alternate II completion, c	cement circulated from:				
Well Name:			feet depth to:	w/	sx cmt.			
Original Comp. Date:								
Deepening Re-perf	•	NHR Conv. to SWD	Drilling Fluid Managemer	nt Plan				
☐ Plug Back	Conv. to G		(Data must be collected from the					
Commingled	Pormit #:		Chloride content:	ppm Fluid volume	e: bbls			
Dual Completion			Dewatering method used: _					
SWD			Location of fluid disposal if	hauled offsite				
☐ ENHR			1					
GSW	Permit #:		Operator Name:					
_ _			Lease Name:	License #:_				
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West			
Recompletion Date		Recompletion Date	County:	Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

Page Two



Operator Name:				_ Lease I	Name: _			Well #:		
Sec Twp	S. R	East	West	County	:					
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b d.	ottom hole temp	erature, fluid recov	
Final Radioactivity Lo files must be submitte						ogs must be ema	alled to kcc-well-	logs@kcc.ks.go	v. Digital electronic	
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample	
Samples Sent to Geo	Samples Sent to Geological Survey				Nam	е		Тор	Datum	
Cores Taken Electric Log Run	es No									
List All E. Logs Run:										
				RECORD	Ne					
	0: 11.1					ermediate, product		" 0 1	T 15	
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives	
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD				
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used		Type and	Percent Additives		
Perforate Protect Casing	Top Dottom									
Plug Back TD Plug Off Zone										
1 lug 0 li 20 lio										
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)	
Does the volume of the t			-		-			skip question 3)		
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, i	ill out Page Three	of the ACO-1)	
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth	
			e of Each interval Feriorated			(* *			200	
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:				
		0017111				[Yes N	o		
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)			
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity	
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!		
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.			mmingled	PRODUCTION	ON INTERVAL:	
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)			

Form	ACO1 - Well Completion
Operator	Smitherman, Leon C., Jr.
Well Name	Weber B 4
Doc ID	1197790

All Electric Logs Run

Gamma ray	
Neutron	
Lithodensity	
X-Y Caliper	
Induction	
Micro	
Sonic	



MAILING ADDRESS

COPY

502

43713

	ONSOLIDA Dii Well Service		3/85		LOCATION J	180	11
	hanute, KS 6672 or 800-467-8676		KET & TREAT		ORT # 15-01	5-2399	6-00-
DATE	CUSTOMER#	WELL NAME & I		SECTION	TOWNSHIP	RANGE	COUNTY
11/3/13	7682	Weber B	#4	19	24	5	Butle:
CUSTOMER							
Swa thor	MAAL IPAN	C. TA	1	TRUCK#	DRIVER !	TRUCK#	DRIVER

ZIP CODE 539 KS HOLE SIZE CASING SIZE & WEIGHT_ HOLE DEPTH CASING DEPTH 211. DRILL PIPE TUBING

SLURRY VOL_.30 SLURRY WEIGHT WATER gal/sk CEMENT LEFT in CASING DISPLACEMENT 13.0 DISPLACEMENT PSI MIX PSI

: •-				
CODE	QUANITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
54015		PUMP CHARGE	870,00	8.70,00
5406	11	MILEAGE	4.20	46.20
4106	/	85/g cement Basket	3.36.00	336.0a
5407	. 1	Minbalkdelivery		368,00
11043	1305ks	Minhalkdelivery class Acement		2041,00
1102	34169	calcium chlaride	. 18	
11188	26065	601	,22	57.200
1107	7.5165	Polyflake	2,47	185,25
			1	
		Inchised The State of the State	3ustotal	4147.01
::-				
		6.4	SALES TAX	183.22
avin 3737 ·			ESTIMATED	¥

AUTHORIZTION_ I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this fo 263793

TICKET NUMBER_	43765
LOCATION 180)
TOPFICE TO	1661011

p. 1

	hanute, KS 667: or 800-467-8676		LD HCKE		IMENI KEP			1800	/
DATE	CUSTOMER#		NAME & NUME	CEMEN	SECTION	# 15-0 TOWNSHIP	4	- 23 990 RANGE	COUNTY
11/6/13 CUSTOMER	7682	weber		= 4	19	24		5	Butler
Smither MAILING ADDRE	man Leo	n C Ir			TRUCK#	DRIVER		TRUCK#	DRIVER
14331		ary Cir			467	Ron M B'll H	+		
city wich		STATE KS	67230		539	Jeffs	1		
JOB TYPE Plu		HOLE SIZE	10/200	! HOLE DEPTH		CASING SIZE &	MALE	CUT 95/0	<u> </u>
CASING DEPTH	J	DRILL PIPE		TUBING	•	-		THER	
SLURRY WEIGH	т	SLURRY VOL_			<	CEMENT LEFT I		-	
DISPLACEMENT		DISPLACEMEN		MIX PSI		RATE			
REMARKS: 54	fety Me	eting R	andrill	Dide dou	un to 26	Horoke	6	irc	Pumped
3.5 5 K						dlaced wi			
freshw	ater Pul	led drill	pipe . 11	p to	A - A -	moed 2			0/40 007
mix 4%		om 60+				drill pip	P	TOPORDO	Af Hole
Plugged	Rat hal	e with	2051	S P02	mix 49	6 perce	n.	+ 60 1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	& compl	ete		1					
	/						-		
	- Augmenturper			,					
• •	•								
1000 III T			_						
ACCOUNT CODE	QUANITY	or UNITS	DES	SCRIPTION of	SERVICES or PR	ODUCT		UNIT PRICE	TOTAL
5405 N		1	PUMP CHARGE					1085.00	1085.00
540%			MILEAGE			·	\downarrow	4.20	46.20
5407		. /	Mind	ulK a	leliver	<u> </u>	+	348.00	.348,00
1131		80 skg	60/40	Pazm	X Comer		T	13.18	1054,40
11188		320145					T	.22	70,40
		7,87,937			*	<u> </u>	1	1,505	707,0
					***************************************		\dagger		
							十		1.0
•				· ···			十		
							+		
							十		
							1	ubtotal	2624,00
						ć	۲	D 11 10 101	AGUST CO
							十	anna.	26
						And and	\dagger	vom più i	UU
							+	i)	
				······································			+		
						6.4	\dagger	SALES TAX	71.99
Ravin 3737		١.	international desiration of the second secon			W. I		ESTIMATED	2. 2
	m. 1	11.	a B	T	al Dich		-	TOTAL	1645.99

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form 263793

TICKET NUMBER_	43765
LOCATION 180)
TOPFICE TO	1661011

p. 1

	hanute, KS 667: or 800-467-8676		LD HCKE		IMENI KEP			1800	/
DATE	CUSTOMER#		NAME & NUME	CEMEN	SECTION	# 15-0 TOWNSHIP	4	- 23 990 RANGE	COUNTY
11/6/13 CUSTOMER	7682	weber		= 4	19	24		5	Butler
Smither MAILING ADDRE	man Leo	n C Ir			TRUCK#	DRIVER		TRUCK#	DRIVER
14331		ary Cir			467	Ron M B'll H	+		
city wich		STATE KS	67230		539	Jeffs	1		
JOB TYPE Plu		HOLE SIZE	10/200	! HOLE DEPTH		CASING SIZE &	MALE	CUT 95/0	<u> </u>
CASING DEPTH	J	DRILL PIPE		TUBING	•	-		THER	
SLURRY WEIGH	т	SLURRY VOL_			<	CEMENT LEFT I		-	
DISPLACEMENT		DISPLACEMEN		MIX PSI		RATE			
REMARKS: 54	fety Me	eting R	andrill	Dide dou	un to 26	Horoke	6	irc	Pumped
3.5 5 K						dlaced wi			
freshw	ater Pul	led drill	pipe . 11	p to	A - A -	moed 2			0/40 007
mix 4%		om 60+				drill pip	P	TOPORDO	Af Hole
Plugged	Rat hal	e with	2051	S P02	mix 49	6 perce	n.	+ 60 1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	& compl	ete		1					
	/						-		
	- Augmenturper			,					
• •	•								
1000 III T			_						
ACCOUNT CODE	QUANITY	or UNITS	DES	SCRIPTION of	SERVICES or PR	ODUCT		UNIT PRICE	TOTAL
5405 N		1	PUMP CHARGE					1085.00	1085.00
540%			MILEAGE			·	\downarrow	4.20	46.20
5407		. /	Mind	ulK a	leliver	<u> </u>	+	348.00	.348,00
1131		80 skg	60/40	Pazm	X Comer		T	13.18	1054,40
11188		320145					T	.22	70,40
		7,87,937			*	<u> </u>	1	1,505	707.70
					***************************************		\dagger		
							十		1.0
•				· ···			十		
							+		
							十		
							1	ubtotal	2624,00
						ć	۲	D 11 10 101	AGUST CO
							十	anna.	26
						And and	\dagger	vom più i	UU
							+	i)	
				······································			+		
						6.4	\dagger	SALES TAX	71.99
Ravin 3737		١.	international desiration of the second secon			W. I		ESTIMATED	2. 2
	m. 1	11.	a B	T	al Dich		-	TOTAL	1645.99

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form