



Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1198059
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1198059

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD:	Size: _____ Set At: _____ Packer At: _____	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
----------------	--	---

Date of First, Resumed Production, SWD or ENHR. _____	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____
---	--

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--	---	---

MARK MORRISON
1651 50th Road
Yates Center, KS 66783

WORK ORDER

MEARS LEASE B

<u>DATE</u>	<u>WELL</u>	<u>DESCRIPTION</u>
3/19/2014	B02	mixed 8 sacks of cement to cement surface
3/21/2014	B02	established circulation; circulate 130 sacks of cement to surface; pumped plug and set float shoe

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

SOLD TO:
ME003
JOHN MEARS
4100 240TH RD
CHANUTE
KS 66720

3-21-14

54 W TO YC S ON HWY TO 2400RD
E 2 MI TO RENO RD N 1MI TO 10TH
E OF NORMAL GATE NSD

SHIP TO:

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	DRIVER/TRUCK	% Air	PLANT/TRANSACTION #
10:55 AM	WELL	13.00	13.00	JD 32		WTL00
DATE	PO NUMBER	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	TICKET NUMBER
3/21/14	WELL #B02	1	13.00	9	0.00	4.00 in 36278

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks, Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED
X _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
_____ GAL X _____

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:
X *John Mears*

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
13.00	WELL	WELL (10 SACKS PER UNIT)	13.00	
13.00	MIX&HAUL	MIXING AND HAULING	13.00	
3.00		Trucking Charge		

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
				% TAX 6.15
				TIME DUE
				DELAY TIME
				ADDITIONAL CHARGE 1 _____
				ADDITIONAL CHARGE 2 _____
				GRAND TOTAL ▶

11:12

B-02

Building Materials
 Farm & Ranch Supplies
 Structural Steel Products
 Hardware & Paint

copy for Mark



A Division of Cleaver Farm Supply, Inc.
 2103 S. SANTA FE
 CHANUTE, KS 66720
 (620)431-6070

RETURN POLICY - within 30 days only - merchandise must be in saleable condition and accompanied by invoice.


No refunds on Special Order non-stock items

Account due 10th of month following purchase. 1 1/2% interest per month added for an annual percentage rate of 18%.

SOLD TO
 JOHN C. MEARS
 4100-240TH.

CHANUTE, KS 66720-9803
 431-2129

SHIP TO
 JOHN C. MEARS
 DEL. TODAY 10 MI. W. TO BUFFALO
 TURNOFF THEN 4 MI. N. AND 1/2 MI. E
 THRU RED GATES, KS 66720-9803
 431-2129



Shipment #: 1

ACCOUNT #	CUSTOMER P.O.#	TERMS	ORDER #	ORDER DATE	SLSMN	INVOICE #	INVOICE DATE
M1478		NET 10TH	1201005	12/16/13	TB		
ORDERED	BACKORDERED	SHIPPED	U/M	DESCRIPTION	PRICE	AMOUNT	
60	0	60	EA	CEMENT STANDARD TYPE 1 94LB MONARCH STD PALLET ?			
2	0	2	EA	PALLET BLOCKS & QUIK-CRETE PALLET			
1	0	1	EA	DELIVERY CHARGE (OUT OF TOWN) DCO			
<p><i>Surface cement for</i></p> <p><i>SS# 38 - 8 sack</i></p> <p><i>SS# 39 - 8 sack</i></p> <p><i>#M-09 - 8 sack</i></p> <p><i>#B-01 - 8 sack</i></p> <p><i>#B-02 - 8 sack</i></p> <p><i>#K1-19 - 5 sack</i></p> <p><i>#K1-20 - 5 sack</i></p>							
December 16, 2013 11:38:34 TERRY BRIDGES				1 / 0		MERCHANDISE	
weight: 5640.00			SHIP VIA	FILLED BY	CHK'D BY	DRIVER	OTHER
*****							TAX
* Pick Ticket *							FREIGHT
*****							TOTAL
10		PAGE 1 OF 1					

DRILLERS LOG

Company: JOHN MEARS

Contractor: EK Energy LLC

License# 33977

Farm: MEARS LEASE B

County: WOODSON

Well No: BO-2

Sec: 35 TWP: 26 Range: 16E

API: 15-207-28825-00-00

Location: 270 FSL

Surface Pipe: 40'

Location: 4400 FEL

Spot: SW-SE-SW-SW

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	9	Drilled 9 7/8 Hole Set 7"
45	LIME	54	Drilled 5 7/8 HOLE
114	SHALE	168	
15	LIME	183	
49	SHALE	232	Started 3/19/2014
25	LIME	257	Finished 3/21/2014
80	SHALE	337	
213	LIME	550	
97	SHALE	647	T.D. Hole 1041'
9	LIME	656	T.D. PIPE 1025'
9	SHALE	665	
8	SANDY SH	673	
70	SHALE	743	
27	LIME	770	
27	SHALE	797	
17	LIME	814	
5	SHALE	819	
4	LIME	823	
9	SHALE	832	
3	SAND	835	
32	SHALE	867	
3	SAND	870	
49	SHALE	919	
2	COAL	921	
62	SHALE	983	
5	OIL SAND	988	
13	OIL SAND SHALEY	1001	
	SANDY SHALE	T.D.	