

Cont	identi	ality	Requested:
ΠY	es [	No	)

### Kansas Corporation Commission Oil & Gas Conservation Division

1198077

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from	South Line of Section
City: S	tate: Zi	p:+	Fe	eet from East / V	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section Co	orner:
Phone: ()			□ NE □ NV	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	We	ell #:
New Well Re	-Entry	Workover	Field Name:		
	_	_	Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground:	Kelly Bushing: _	
☐ OG	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:
CM (Coal Bed Methane)	dow	тетір. Ава.	Amount of Surface Pipe Se	et and Cemented at:	Feet
Cathodic Other (Con	e. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well In			If yes, show depth set:		Feet
Operator:			If Alternate II completion, of	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:	Original To	otal Depth:			
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Manageme	nt Plan	
☐ Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from t		
O constitued and	D		Chloride content:	ppm Fluid volume:	bbls
<ul><li>Commingled</li><li>Dual Completion</li></ul>			Dewatering method used:		
SWD			Location of fluid disposal if	f haulad offsita:	
☐ ENHR			Location of fluid disposal fi	nauled offsite.	
GSW			Operator Name:		
_			Lease Name:	License #:	
Spud Date or Date Rea	ached TD	Completion Date or	QuarterSec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

Page Two



Operator Name:			Lease Name:			Well #:	
Sec Twp	S. R	East West	County:				
open and closed, flow and flow rates if gas to Final Radioactivity Lo	ving and shut-in pressu to surface test, along w og, Final Logs run to ob	ormations penetrated. Dures, whether shut-in pre with final chart(s). Attach otain Geophysical Data a or newer AND an image t	essure reached stati extra sheet if more and Final Electric Lo	c level, hydrosta space is needed	tic pressures, bott d.	om hole tempe	erature, fluid recovery,
Drill Stem Tests Take		Yes No	L	og Formatic	on (Top), Depth an	d Datum	Sample
Samples Sent to Geo	ological Survey	Yes No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
			RECORD Ne				
	Siza Hala	Report all strings set-o	1			# Cooks	Type and Parcent
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	EEZE BECORD			
Purpose: Perforate Protect Casing Plug Back TD	Depth Top Bottom	Type of Cement	# Sacks Used	EEEE NEGGNB	Type and P	ercent Additives	
Plug Off Zone							
Does the volume of the		n this well? aulic fracturing treatment ex submitted to the chemical o		? Yes	No (If No, ski	o questions 2 and properties of the properties o	
Shots Per Foot		N RECORD - Bridge Plugootage of Each Interval Perl			cture, Shot, Cement		Depth
	- Cpany			, ,			23,500
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or ENF	HR. Producing Meth		Gas Lift C	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil B	bbls. Gas	Mcf Wate	er Bl	bls. G	as-Oil Ratio	Gravity
Vented Sole	ON OF GAS:  d Used on Lease  shmit ACO-18.)	Open Hole Other (Specify)	METHOD OF COMPLE Perf. Dually (Submit A	Comp. Con	nmingled mit ACO-4)	PRODUCTIO	ON INTERVAL:

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

CA001 \*

MARK MORRISION

# Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to

NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

MARK MORRISION, 1651 SMIH RD 66783 YATES CENTER 54 W TO HWY 75 S 11 MI TO 2400 RD E 2 1/2 MI N SD

			VARDO ORDERED		DRIVER/TRUCK	/ Air	PLANT/TRANSACTION #
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		RC		
	1.15-1 1	11.50	11.50		34		IOLAL
12:45 PM	WELL	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
DATE	S S S S N S N S N S N S N S N S N S N S	LOAD #					
	KIMBERLIN	1	11.50	6	0.00	4.00 in	36329
11. 四人位人人大大	LATLIE LATERAL	***			Evenseive Water	r is Detrimental to Conci	ete Performance

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Perland Cement, Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Confact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly calles damage to the premises and/or adjacent
property if it pleasafter material in this load where you desire it. It is
our wain to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE releaving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewalks,
driveways, cutts, etc. by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle so
that the will not litter the public street. Further, as additional consideration, the undersigned agrees to indomnify and hot harmless the driver
of his truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order. Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

Excess Delay Time Charged @ \$			^		UNIT PRICE	EXTENDED PRICE
QUANTITY	CODE	DESCRIPTION	<b>公司和基础的基本的基础的基础的</b>			
11.50 2.50 11.50	WELL TRUCKING MIX&HAUL	TRUCKING	SACKS PER UNIT) CHARGE ND HAULING	11.50 2.50 11.50	\$55.00 \$55.00 \$25.00	\$632.50 \$137.50 \$287.50
				THE ALLOWED	#K1-	11
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST	CONTRACTOR OF THE PARTY OF THE		41,057.50
			1. JOB NOT READY 6. TRUCK BF 2. SLOW POUR OR PLIMP 7. ACCIDEN 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 9. OTHER		TAX 8.40	\$88.83 \$1,146.33
LEFT PLANT	ARRIVED JOB	START UNLOADING	5. ADDED WATER	THE DOL		\$1,146.33
12:27		A P Asy	76	· ASSAUTAGE	ADDITIONAL CHARGE	· 林山山山湖山 ——
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE	
					GRAND TOTAL	

Building Materials Farm & Ranch Supplies Structural Steel Products Hardware & Paint



A Division of Cleaver Farm Supply, Inc.

2103 S. SANTA FE CHANUTE, KS 66720

Account due 10th of month following purchase. 1 1/2% interest per month added for an annual percentage rate of 18%.

merchandise must be in saleable

RETURN POLICY - within 30 days only -

condition and accompanied by invoice.

No refunds on Special Order non-stock

SOLD TO JOHN C. MEARS 4100-240TH.

(620)431-6070

SHIP TO

JOHN C. MEARS

DEL. TODAY 10 MI. W. TO BUFFALO TURNOFF THEN 4 MI. N. AND 1/2 MI.E THRU RED GATES, KS 66720-9803

CHANUTE, KS 66720-9803 431-2129 431-2129 Shipment #: 1 ORDER DATE SLSMN INVOICE # INVOICE DATE ORDER # ACCOUNT # CUSTOMER P.O.# TERMS 12/16/13 TB M1478 NET 10TH 1201005 AMOUNT PRICE SHIPPED U/M DESCRIPTION ORDERED BACKORDERED CEMENT STANDARD TYPE 1 94T.B 60 60 EA MONARCH STD PALLET ? 0 2 EA PALLET BLOCKS & QUIK-CRETE 2 DELIVERY CHARGE (OUT OF TOWN) 0 1 EA I DCO Surface Cement for 55# 38 - 8 sack 55# 39 - 8 sack - 8 sack - 8 sack - 5 sack #K1-20 December 16, 2013 11:38:34 TERRY BRIDGES 1 / 0 **MERCHANDISE** Weight: 5640.00 CHK'D BY DRIVER FILLED BY OTHER \*\*\*\*\*\*\*\*\* \* Pick Ticket \* TAX \*\*\*\*\*\*\*\*\*\* 10 PAGE 1 OF 1 **FREIGHT** TOTAL

MARK MORRISON 1651 50th Road Yates Center, KS 66783

## **WORK ORDER**

KIMBERLIN LEASE

<u>DATE</u> 3/25/2014	WELL KI-19	<u>DESCRIPTION</u> mixed 5 sacks of cement to cement surface
3/27/2014	KI-19	established circulation; circulate 115 sacks of cement to surface; pumped plug and set float shoe

#### **DRILLERS LOG**

Company:

MARK MORRISON

Contractor: EK Energy LLC

License# 33977

Farm:

KIMBERLIN

County: WILSON

Well No:

KI-19

Sec: 3 TWP: 27 Range: 16E

API:

15-205-28252-00-00

Location: 927 FSL

Surface Pipe: 22'

Location: 3434 FEL

Spot: SE-NW-SE-SW

Thickness	Formation	Depth	Remarks	
.	SOIL & CLAY	5	Drilled 97/8 Hole Set 7"	
36	LIME	41	Drilled 5 7/8 HOLE	
113	SHALE	154		
58	LIME	202		
27	SHALE	229	Started 3/25/2014	
14	LIME	243	Finished 3/27/2014	
77	SHALE	320		
201	LIME	521		
112	SHALE	633	T.D. Hole 940	
10	LIME	643	T.D. PIPE 929.5	
76	SHALE	719		
33	LIME	752		
26	SHALE	778	BOTTOM JT 31.6'	
17	LIME	795		
5	SHALE	800		
4	LIME	804		
5	SHALE	809		
3	OIL SAND	812		
120	SHALE	932		
8	OIL SAND	940		
	(2)			