

Kansas Corporation Commission Oil & Gas Conservation Division

1198131

Form CP-1
March 2010
This Form must be Typed
Form must be Signed
All blanks must be Filled

WELL PLUGGING APPLICATION

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

OPERATOR: License #:		API No. 1	API No. 15							
Name:		If pre 196								
Address 1:		Spot Des								
Address 2:		_								
City: State:		T								
Contact Person:		_								
Phone: ()		Footages	Footages Calculated from Nearest Outside Section Corner: NE NW SE SW							
Filone. ()										
			ame:							
		Lease IVe	arrie.	VVen #.						
Check One: Oil Well Gas Well OG	D&A Car	thodic Wate	r Supply Well Ot	ther:						
SWD Permit #:	ENHR Permit #:		Gas Storage	Permit #:						
Conductor Casing Size:	Set at:		Cemented with:		Sacks					
Surface Casing Size:	_ Set at:		Cemented with:		Sacks					
Production Casing Size:	_ Set at:		Cemented with:		Sacks					
Elevation: (G.L. / K.B.) T.D.: Condition of Well: Good Poor Junk in Hole Proposed Method of Plugging (attach a separate page if adding Is Well Log attached to this application? Yes No. 1f ACO-1 not filed, explain why:	Casing Leak at:			tone Corral Formation)						
Plugging of this Well will be done in accordance with K. Company Representative authorized to supervise plugging										
Address:	(City:	State:	Zip:	-+					
Phone: ()										
Plugging Contractor License #:		Name:								
Address 1:	A	Address 2:								
City:			State:	Zip:	_+					
Phone: ()										
Proposed Date of Plugging (if known):										

Payment of the Plugging Fee (K.A.R. 82-3-118) will be guaranteed by Operator or Agent

Submitted Electronically



Kansas Corporation Commission Oil & Gas Conservation Division

1198131

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

	Well Location:
Name:	SecTwpS. R 🔲 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
are preliminary non-binding estimates. The locations may be entered or	batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the rner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	



Chesapeake Operating, Inc.

Interoffice Memorandum

TO: Jay Stratton

CC: Walter Kennedy, John Hudson, David Lynch and Bud Neff

FROM: Doug Kathol, Sara Everett

DATE: February 28, 2014

RE: Plug and Abandon

THUROW 3-11

SECTION 11-T23S-R41W HAMILTON COUNTY, KS

Chesapeake Energy GWI: 100% NRI: 87.5%

Recommendation:

The Thurow 3-11 was producing approximately 20 MCF and 15 BW per day when it was shut in October 2013. The well was drilled in

Property Number: 210748

1999 to a total depth of 2,630 feet and completed in the Winfield formation. Cumulative production has been 434 MMCF of natural gas.

Discussion:

THUROW 3-11
Plug & Abandon
WINFIELD
VERTICAL
2/28/2014

Geologist :	Walter Kennedy
Reservoir Engineer:	John Hudson
Production Engineer :	Doug Kathol
Landman:	David Lynch
Production Sup.:	Bud Neff

WELL DATA:

Lease: THUROW 3-11 **WI:** 1.000000 **NRI:** 0.875000

S-T-R: 11-T23S-R41W County, St: HAMILTON, KS

Location: SW NE NE - 4030 FSL & 1250 FEL OF SECTION

AFE #: 803110 **API #**: 1507520701 **Prop. #**: 210748 **IP**: 128 MCF

PBTD: 2,599' **TD**: 2,630' **Spudded**: 7/22/1999

Type: VERTICAL Elevations GL: 3,470' KB: 3,481' KB-GL: 11'

Casing and Tubing:

						SET [DEPTH
SIZE	WEIGHT	GRADE	TYPE	CEMENT	TOC	TOP	BTM
8 5/8	20.00#	J-55	Surface Casing	185	11'	11'	349'
4 1/2	10.50#	J-55	Production Casing	150	1,970'	11'	2,630'
2 3/8	4.70#	J-55	Tubing			11'	2,593'

Production Casing and Tubing Data:

 SIZE	WEIGHT	GRADE	ID	DRIFT	Bbl/Ft.	Gallons/Ft.	Burst	Collapse	Jnt St	
4 1/2	10.50#	J-55	4.0520"	3.9270"	0.0159	0.66990	4,790	4,010	132	
2 3/8	4.70#	J-55	1.9950"	1.9010"	0.00365	0.16240	7,700	8,100	71,730	

Well Driving Directions:

GO N HWY 27 TO RD 15 TURN W 1 MILE THEN TURN N 1/2 MILE THEN W 1/8 MILE THEN BACK N TO

Perf'd Formations Depth Range Stimulation Details

Treatable Water 1050' Stone Corral 2070'

Winfield 2562' - 2572' 21,500# Ottawa Sand + 4000# 12/20 resin gel + 345 bbl 30# gel

NOTES:

Procedure

- 1. Obtain plugging permit from KCC office and notify plugging supervisor 24 hrs. before plugging operations begin.
- 2. MIRU WO unit. ND WH, NU BOP. Kill well if necessary with lease water.
- 3. POOH laying down downhole equipment. Stand back tbg in derrick.
- 4. MIRU WL Unit and RIH with 4½" CIBP and set at +/-50' above perfs. Dump bail 10' of cement on CIBP. RDMO WL unit.
- 5. RIH w/ tbg, set EOT @+/-50' above CIBP and circulate hole with 9#, 36 vis (minimum plugging mud and circulate plugging mud to surface). TOOH w/tbg.
- 6. PUH with tubing. Circulate cement across the 8-5/8" csg shoe and spot 100' cement cmt plug. (See note)
- 7. PUH with tubing. Circulate cement across Base of Treatable Water and spot 100' cmt plug. WOC and POOH.
- 8. RIH with tubing and tag cement plug.. Respot more cement if necessary.
- 9. PUH with tbg to 34' and spot 30' cement plug (34' to 4') from surface.
- 10. RDMO WO unit. Cut off csg 4' below ground level and weld on ID Plate.

NOTE:

If $4\frac{1}{2}$ " casing cannot be cut off below surface casing shoe, the 4 $1\frac{1}{2}$ " casing must be perforated at surface casing shoe and block squeezed, raising cement to 50' above the surface csg shoe depth. The cement plug must then be tagged at 50' from shoe or higher. Go to step #9.

Current Wellbore Schematic

WELL (PN): THUROW 3-11 (210748) FIELD OFFICE: GARDEN CITY

FIELD: Bradshaw

STATE / COUNTY: **KANSAS/HAMILTON**

LOCATION: SEC 11-23S-41W, 4030 FSL & 1250 FEL ROUTE: GAR-KS-ROUTE 01A - DON LEE

ROUTE: GA

GL: 3,470.0 KB: 3,481.0 KB Height: 11.0

DEPTHS: TD: 2,630.0

API #: 1507520701 Serial #: SPUD DATE: 7/22/1999 **RIG RELEASE: 8/25/1999** 1ST SALES GAS: 8/18/1999 **1ST SALES OIL:**

Current Status: SHUTIN VERTICAL - Original Hole, 2/28/2014 8:10:24 AM **Pumping Units** Vertical schematic (actual) Zones Model Install Date Conventional Crank Churchhill 8M-40-89-48 48.00 8/18/1999 Surface Casing; Set @ 349.0 ftKB; Original Hole Depth Cut Pull (ftKB) Set Tension (kips) Mud Weiaht Cut Pull Date Drift Top Item Des OD (in) ID (in) (in) Wt (lb/ft) Grade Thread Top (ftKB) Btm (ftKB) Len (ft) Casing Joints 8 5/8 8.097 20.00 J-55 11.0 348.0 337.00 Shoe 8 5/8 348.0 349.0 1.00 Production Casing; Set @ 2,629.0 ftKB; Original Hole Mud Weight Cut Pull Date Depth Cut Pull (ftKB) Set Tension (kips) Drift Top ID (in) (in) Thread Item Des OD (in) Wt (lb/ft) Grade Top (ftKB) Btm (ftKB) Len (ft) Casing Joints 4 1/2 4.052 10.50 J-55 11.0 2,628.0 2,617.00 1.00 Shoe 4 1/2 2.628.0 2,629.0 **Description:** Surface Casing Cement 11.0-349.0 Top of Cement (ftKB): 11.0 Top Measurement Method: Returns to Surface Vol Pumped Pump Start Amount Yield Fluid Date (sacks) Class Dens (lb/gal) (bbl) (ft3/sack) 7/22/1999 100 A Lead Tail 85 Light **Description:** Production Casing Cement 1,970.0-2,630.0 Top of Cement (ftKB): 1,970.0 Top Measurement Method: Volume Calculations Pump Start Amount Vol Pumped Yield Date (sacks) Class Dens (lb/gal) (bbl) (ft³/sack) 8 5/8 in; 20.00 lb/ft: Lead 7/25/1999 150 C J-55; 349.0 ftKB **Tubing String: Tubing - Production** Set Depth (ftKB) Wellbore 2,593.0 Original Hole Pull Date Cut Pull Date Depth Cut Pull (ft... 5/24/2007 WINFIEL Sand Frac; 2,562.0-OD Drift Wt Тор Btm D. 2,572.0 ftKB; (ftKB) (ftKB) ID (in) (lb/ft) Grade Item Des (in) (in) Len (ft) Jts Original 7/30/1999 Tubing Sub 2 3/8 19.0 11.0 8.00 Hole Tubing Sub 2 3/8 19.0 27.0 8.00 2 3/8 Tubing Sub 27.0 33.0 6.00 2,582.0 2 3/8 1.995 1.901 2,549.00 80 Tubing 4.70 J-55 33.0 Seat Nipple 2 3/8 2,582.0 2,583.0 1.00 Mud Anchor 2 3/8 2,583.0 2,593.0 10.00 Rod String: Rod - Conventional Set Depth (ftKB) In Tubina Strina Pull Date 2,587.0 Tubing - Production set at 2,593.0ftKB on 5/24/2007 12:00 AM Gr Gui Guide ad des/ Item Des OD (in) Make Model Des Rod Top (ftKB) Btm (ftKB) Len (ft) Jts е Polished 1 1/4 14.0 16.00 -2.0Rod Rod Sub 14.0 20.0 5/8 6.00 Rod Sub 5/8 20.0 29.0 9.00 2,544.00 Sucker Rod 5/8 Weatherf S-67 29.0 2,573.0 102 ord Rod Pump 1 1/2 2.573.0 2.583.0 10.00 4 1/2 in; 10.50 lb/ft; Gas Anchor 2,583.0 2,587.0 4.00 J-55; 2,629.0 ftKB

> Report Printed: 2/28/2014 **Page 1/2**

Current Wellbore Schematic

WELL (PN): THUROW 3-11 (210748) FIELD OFFICE: GARDEN CITY


FIELD OFFICE: GARDEN GITT FIELD: Bradshaw STATE / COUNTY: KANSAS / HAMILTON LOCATION: SEC 11-23S-41W, 4030 FSL & 1250 FEL ROUTE: GAR-KS-ROUTE 01A - DON LEE ELEVATION: GL: 3,470.0 KB: 3,481.0 KB Heig

KB Height: 11.0

DEPTHS: TD: 2,630.0

API#: 1507520701 Serial #: SPUD DATE: 7/22/1999 **RIG RELEASE: 8/25/1999** 1ST SALES GAS: 8/18/1999 **1ST SALES OIL:**

Current Status: SHUTIN



Page 2/2

Report Printed: 2/28/2014




Chesapeake Energy Corporation

CST Production Monitor Export THUROW 3-11 (WINFIELD)

1/1/1900 - 2/27/2014 | Gross Volumes | Operated Wells | 14.65 Pressure Base

Zone: THUROW 3-11 (WINFIELD) in Route: GAR-KS-Route 01A - Don Lee Production Engineer: Doug Kathol Production Foreman: Dennis Frick

Date Range Cum Gas Prod (Mcf): 434,125 Date Range Cum Oil Prod (bbl): 0 Date Range Cum Water Prod (bbl): 236,730 Production Setting: Rod Pump - PU-ELC-AUTO





Chesapeake Energy Corporation

CST Production Monitor Export THUROW 3-11 (WINFIELD)

1/1/1900 - 2/27/2014 | Gross Volumes | Operated Wells | 14.65 Pressure Base

Marker #	Date	Annotation	Created By	Created Date
1	7/22/1999	Drilling/Drilling/Original Drilling	WellviewJobInfo	1/29/2013
		Workover/Completion/Initial Completion	WellviewJobInfo	1/29/2013
3	5/18/2007	Workover/Failure/Tubing Repair	WellviewJobInfo	1/29/2013



Chesapeake Energy Corporation CST Operations 8/8ths LOS Report

LOS MAIN

01/2013 - 12/2013 Gross Volumes | Operated Wells

	LENEKUT																					
Name	Property	Gas	Oil	NGL	Royalty	Revenue	MCFE	Total	LOE/MCFE	Ad	Compression	Overhead	R&M	SWD	Subsurface	Utilities	Workover	All	Sev	Op Cash	Capital	Net Cash
		Price	Price	Price	Burden			LOE		Val								Other	Tax	Flow		Flow
THUROW 3-	210748	\$2.17	\$92.43	\$0.00	1,378	9,645	5,054	17,209	\$3.41	337	0	6,024	238	988	0	573	0	9,049	548	8,112	0	8,112
Totals		\$2.17	\$92.43	\$0.00	1,378	9,645	5,054	17,209	\$3.41	337	0	6,024	238	988	0	573	0	9,049	548	8,112	0	8,112



Chesapeake Energy Corporation CST Operations 8/8ths LOS Report

THUROW 3-11

01/2013 - 12/2013 Gross Volumes | Operated Wells

Name	Property	Gas Price	Oil Price	NGL Price	Royalty Burden	Revenue	MCFE	Total LOE	LOE/MCFE	Ad Val	Compression	Overhead	R&M	SWD	Subsurface	Utilities	Workover	All Other	Sev Tax	Op Cash Flow	Capital	Net Cash Flow
THUROW 3-	210748	\$2.17	\$92.43	\$0.00	1,378	9,645	5,054	17,209	\$3.41	337	0	6,024	238	988	0	573	0	9,049	548	8,112	0	8,112

11													
Line Item	01/2013	02/2013	03/2013	04/2013	05/2013	06/2013	07/2013	08/2013	09/2013	10/2013	11/2013	12/2013	Total
Gas Revenue Volume	669	545	478	564	583	532	525	604	465	89	0	0	5,054
Gas Sales	669	545	478	564	583	532	525	604	465	89	0	0	5,054
Gas Value	\$1,503	\$1,230	\$1,039	\$1,427	\$1,505	\$1,118	\$1,059	\$1,341	\$952	(\$153)	\$0	\$0	\$11,023
Gas Price	\$2.25	\$2.26	\$2.17	\$2.53	\$2.58	\$2.10	\$2.02	\$2.22	\$2.05	(\$1.71)	\$2.55	\$2.88	\$2.17
Oil Revenue Volume	0	0	0	0	0	0	0	0	0	Ó	0	0	0
Oil Sales	0	0	0	0	0	0	0	0	0	0	0	0	0
Oil Value	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0
Oil Price	\$88.99	\$90.59	\$89.49	\$86.01	\$88.96	\$89.97	\$99.13	\$100.70	\$100.40	\$94.72	\$88.16	\$92.06	\$92.43
Royalty Burden	188	154	130	178	188	140	132	168	119	(19)	0	0	1,378
Royalty Percent	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000
Revenue	1,315	1,077	909	1,249	1,317	979	927	1,173	833	(133)	0	0	9,645
MCFE	669	545	478	564	583	532	525	604	465	89	0	0	5,054
LOE Total	2,057	1,352	1,675	1,568	1,562	1,524	1,607	1,700	1,881	1,533	396	354	17,209
LOE Per MCFE	\$3.07	\$2.48	\$3.50	\$2.78	\$2.68	\$2.86	\$3.06	\$2.81	\$4.05	\$17.22	\$0.00	\$0.00	\$3.41
Ad Valorem Tax	0	0	0	0	0	0	0	0	0	0	0	337	337
Audit Charges	0	0	0	0	0	0	0	0	0	0	0	0	0
Company Labor	621	174	178	179	180	180	192	197	198	204	379	0	2,682
Compression	0	0	0	0	0	0	0	0	0	0	0	0	0
Contract Serv/Equip Rental	0	0	0	0	0	0	0	0	0	0	0	0	0
Field Facilities	53	37	32	41	40	40	35	35	38	42	0	0	393
Fuel Water Lube	0	0	0	0	0	0	0	0	0	0	0	0	0
Gas Processing	0	0	0	0	0	0	0	0	0	0	0	0	0
Insurance	0	0	0	0	0	0	0	0	314	0	0	0	314
Oil Processing	0	0	0	0	0	0	0	0	0	0	0	0	0
Other Expenses	2	4	4	15	4	15	1	1	1	1	0	0	48
Overhead	573	573	573	615	615	615	615	615	615	615	0	0	6,024
Pumping Service	491	434	601	499	473	513	512	666	573	499	0	0	5,261
Regulatory	0	0	0	0	0	0	0	0	0	0	0	0	0
Rents And Fees	0	0	0	0	0	0	0	0	0	0	0	0	0
Repairs & Maintenance	0	0	38	0	0	0	0	0	0	200	0	0	238
Salt Water Disposal	116	105	109	113	116	105	109	116	83	16	0	0	988
Salt Water Processing	0	0	0	0	0	0	0	0	0	0	0	0	0
Subsurface Repairs	0	0	0	0	0	0	0	0	0	0	0	0	0
Supplies	3	2	1	48	3	1	1	21	1	9	0	0	90
Telemetry	0	0	0	0	0	0	0	0	0	0	0	0	0
Transportation	0	0	0	0	0	0	0	0	0	0	0	0	0
Treating Expenses	87	0	87	0	87	0	87	0	0	(87)	0	0	261
Utilities	111	23	52	58	44	55	55	49	58	34	17	17	573
Workover	0	0	0	0	0	0	0	0	0	0	0	0	0
Gas Severance Tax	74	61	52	70	73	56	53	67	48	(6)	0	0	548
Oil Severance Tax	0	0	0	0	0	0	0	0	0	0	0	0	0
Severance Tax	74	61	52	70	73	56	53	67	48	(6)	0	0	548
IDC Monthly	0	0	0	0	0	0	0	0	0	0	0	0	0
WEQ Monthly	0	0	0	0	0	0	0	0	0	0	0	0	0
NRI	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000
GWI	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
Operating Cash Flow	(817)	(336)	(818)	(389)	(318)	(601)	(733)	(593)	(1,096)	(1,661)	(396)	(354)	(8,112)
Capital	0	0	0	0	0	0	0	0	0	0	0	0	0
Net Cash Flow	(817)	(336)	(818)	(389)	(318)	(601)	(733)	(593)	(1,096)	(1,661)	(396)	(354)	(8,112)

Chesapeake Energy Corporation CST Operations 8/8ths LOS Report

Totals

01/2013 - 12/2013 Gross Volumes | Operated Wells

Name Property	Gas Oil Price Price		oyalty Rever	nue MCFE Tot		Ad Compre Val	ession Overhea	d R&M SWD S	Subsurface Util	lities Workover	All Sev Other Tax	Op Cash Capi Flow	tal Net Cash Flow
Totals	\$2.17 \$92.43			645 <mark>5,054</mark> 17,	209 \$3.41		0 6,02	24 238 988	0	573 0		8,112	0 8,112
Line Item	01/2013	02/2013	03/2013	04/2013	05/2013	06/2013	07/2013	08/2013	09/2013	10/2013	11/2013	12/2013	Total
Gas Revenue Volume	669	545	478	564	583	532	525	604	465	89	0	0	5,054
Gas Sales	669	545	478	564	583	532	525	604	465	89	0	0	5,054
Gas Value	\$1,503	\$1,230	\$1,039	\$1,427	\$1,505	\$1,118	\$1,059	\$1,341	\$952	(\$153)	\$0	\$0	\$11,023
Gas Price	\$2.25	\$2.26	\$2.17	\$2.53	\$2.58	\$2.10	\$2.02	\$2.22	\$2.05	(\$1.71)	\$2.55	\$2.88	\$2.17
Oil Revenue Volume	0	0	0	0	0	0	0	0	0	0	0	0	0
Oil Sales	0	0	0	0	0	0	0	0	0	0	0	0	0
Oil Value Oil Price	\$0 \$88.99	\$0 \$90.59	\$0 \$89.49	\$0	\$0	\$0 \$89.97	\$0	\$0 \$100.70	\$0 \$100.40	\$0 \$94.72	\$0 \$88.16	\$0 \$92.06	\$0 \$92.43
Royalty Burden	188	φ90.59 154	130	\$86.01 178	\$88.96 188	ъо9.97 140	\$99.13 132	168	119	(19)	\$00.10	\$92.06 0	1,378
Royalty Percent	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000	0.12500000
Revenue	1,315	1,077	909	1,249	1,317	979	927	1,173	833	(133)	0.12300000	0.12300000	9,645
MCFE	669	545	478	564	583	532	525	604	465	89	0	0	5,054
LOE Total	2,057	1,352	1,675	1,568	1,562	1,524	1,607	1,700	1,881	1,533	396	354	17,209
LOE Per MCFE	\$3.07	\$2.48	\$3.50	\$2.78	\$2.68	\$2.86	\$3.06	\$2.81	\$4.05	\$17.22	\$0.00	\$0.00	\$3.41
Ad Valorem Tax	0	0	0	0	0	0	0	0	0	0	0	337	337
Audit Charges	0	0	0	0	0	0	0	0	0	0	0	0	0
Company Labor	621	174	178	179	180	180	192	197	198	204	379	0	2,682
Compression	0	0	0	0	0	0	0	0	0	0	0	0	0
Contract Serv/Equip Rental	0	0	0	0	0	0	0	0	0	0	0	0	0
Field Facilities	53	37	32	41	40	40	35	35	38	42	0	0	393
Fuel Water Lube	0	0	0	0	0	0	0	0	0	0	0	0	0
Gas Processing	0	0	0	0	0	0	0	0	0	0	0	0	0
Insurance	0	0	0	0	0	0	0	0	314	0	0	0	314
Oil Processing	0	0	0	0	0	0	0	0	0	0	0	0	0
Other Expenses	2	4	4	15	4	15	1	1	1	1	0	0	48
Overhead	573	573	573	615	615	615	615	615	615	615	0	0	6,024
Pumping Service	491	434	601	499	473	513	512	666	573	499	0	0	5,261
Regulatory	0	0	0	0	0	0	0	0	0	0	0	0	0
Rents And Fees	0	0	0	0	0	0	0	0	0	0	0	0	0
Repairs & Maintenance	0	0	38	0	0	0	0	0	0	200	0	0	238
Salt Water Disposal	116	105	109	113	116	105	109	116	83	16	0	0	988
Salt Water Processing	0	0	0	0	0	0	0	0	0	0	0	0	0
Subsurface Repairs	0	0	0	0	0	0	0	0	0	0	0	0	0
Supplies	3	2	1	48	3	1	1	21	1	9	0	0	90
Telemetry	0	0	0	0	0	0	0	0	0		0	U	0
Transportation	87	0	0	0	87	0	0	0	0	0	0	0	0
Treating Expenses Utilities	111	23	87 52	58	44	55	87 55	49	58	(87) 34	17	17	261 573
Workover	0	0	0	0	0	0	0	0	0	0	0	0	0/3
Gas Severance Tax	74	61	52	70	73	56	53	67	48	(6)	0	0	548
Oil Severance Tax	0	0	0	0	0	0	0	0	0	0	0	0	040
Severance Tax	74	61	52	70	73	56	53	67	48	(6)	0	0	548
IDC Monthly	0	0	0	0	0	0	0	0		(0)	0	0	0-40
WEQ Monthly	0	0	0	0	0	0	0	0	0	0	0	0	0
NRI	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000	0.87500000
GWI	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000	1.00000000
Operating Cash Flow	(817)	(336)	(818)	(389)	(318)	(601)	(733)	(593)	(1,096)	(1,661)	(396)	(354)	(8,112)
Capital	0	0	0	0	0	0	0	0	0	0	0	0	(0,1.12)
Net Cash Flow	(817)	(336)	(818)	(389)	(318)	(601)	(733)	(593)	(1,096)	(1,661)	(396)	(354)	(8,112)
	(-)	(/ -		(122)	(/	(/-	(/	(/	(/ / -	(/ /-	(/	(/	(-, /

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Thomas E. Wright, Commissioner Jay Scott Emler, Commissioner

April 07, 2014

Sarah Rodriguez/Doug Kathol Chesapeake Operating, Inc. 6200 N WESTERN AVE PO BOX 18496 OKLAHOMA CITY, OK 73118-1046

Re: Plugging Application API 15-075-20701-00-00 THUROW 3-11 NE/4 Sec.11-23S-41W Hamilton County, Kansas

Dear Sarah Rodriguez/Doug Kathol:

This letter is to notify you that the Conservation Division has received your plugging proposal, form CP-1, for the above well and has reviewed the proposal for completeness. The central office will now forward your CP-1 to the district office listed below for review of the proposed plugging method. Please contact the district office for approval of your proposed plugging method at least five (5) days before plugging the well, pursuant to K.A.R. 82-3-113(b). If a workover pit will be used during the plugging of the well it must be permitted. A CDP-1 form must be filed and approved prior to the use of the pit in accordance with K.A.R. 82-3-600.

The Conservation Division's review of form CP-1, either in the central or district office, does not include an inquiry into well ownership or the filing operator's legal right to plug the well. This notice in no way constitutes authorization to plug the above well by persons not having legal rights of ownership or interest in the well.

This notice is void after October 04, 2014. The CP-1 filing does not bring the above well into compliance with K.A.R 82-3-111 with regard to the Commission's temporary abandonment requirements.

Sincerely, Production Department Supervisor

cc: District 1

(620) 225-8888