

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

SGA?

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Expected Spud Date:	month day	year	Spot Description:
		you.	
OPERATOR: License#			feet from N / S Line of
lame:			feet from E / W Line of
\ddress 1:			Is SECTION: Regular Irregular?
ddress 2:			(Note: Locate well on the Section Plat on reverse side)
		p: +	County:
			Lease Name: Well #:
none:			Field Name:
ONTRACTOR: License#			Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
Well Drilled For:	Well Class:	Type Equipment:	Nearest Lease or unit boundary line (in footage):
			Ground Surface Elevation:fe
Oil Enh F	=	Mud Rotary Air Rotary	Water well within one-quarter mile:
Gas Stora		Cable	Public water supply well within one mile:
Seismic ;# o		Cable	Depth to bottom of fresh water:
<u> </u>	of Flores Office		Depth to bottom of usable water:
			Surface Pipe by Alternate: I II
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			
•			Projected Total Depth:
		Total Depth:	Formation at Total Depth:
	· ·		Water Source for Drilling Operations:
irectional, Deviated or Ho	rizontal wellbore?	Yes No	Well Farm Pond Other:
•			DWR Permit #:
			( <b>Note:</b> Apply for Permit with DWR )
			Will Cores be taken?
DK1 #:			
OC DK1 #:		ΛE	If Yes, proposed zone:
The undersigned hereby at its agreed that the follow	ving minimum requirement ate district office <i>prior</i> to	ompletion and eventual p	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the approtect of the approximation of the approximation of the approximation of the appropriate disection of the appropriate disection of the appropriate of the approximation	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production and in the control of the	ompletion and eventual p nts will be met: spudding of well; fill shall be posted on each ecified below shall be se minimum of 20 feet into the on the operator and the dist before well is either plugation pipe shall be cement that surface casing order #	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production of the production of the sport o	ompletion and eventual p nts will be met: spudding of well; fill shall be posted on each ecified below shall be se minimum of 20 feet into the on the operator and the dist before well is either plugation pipe shall be cement that surface casing order #	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the approtect of the appropriate distribution of the appropriate distribution of the appropriate distribution of the appropriate distribution of pursuant to Appropriate distribution of the appropriate distrib	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production of the production of the sport o	ompletion and eventual p nts will be met: spudding of well; fill shall be posted on each ecified below shall be se minimum of 20 feet into the on the operator and the dist before well is either plugation pipe shall be cement that surface casing order #	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to did unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production of the production of the spondix "B" - Eastern Kans I within 30 days of the spondix in the production of the spondix in the spondix in the production of the spondix in the spo	ompletion and eventual pents will be met: spudding of well; rill shall be posted on eacecified below shall be seminimum of 20 feet into the operator and the died before well is either plugition pipe shall be cement as surface casing order and date or the well shall be	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification.
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appropria 3. The minimum amout through all unconst 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed  Ibmitted Electror  For KCC Use ONLY  API # 15 -	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production of the production of the sponsor of the sp	ompletion and eventual pents will be met: spudding of well; rill shall be posted on eacecified below shall be seminimum of 20 feet into the operator and the distribution pipe shall be cement as surface casing order faud date or the well shall be	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 6. If completed  Ibmitted Electror  For KCC Use ONLY  API # 15  Conductor pipe required -	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production within 30 days of the sponically	ompletion and eventual ponts will be met: spudding of well; iill shall be posted on each ecified below shall be seminimum of 20 feet into the operator and the distribution pipe shall be cement as surface casing order and date or the well shall be seminimum of the well shall be seminimum of the operator and the distribution pipe shall be cement as surface casing order and date or the well shall be seminimum of the well shall be seminimum of the well shall be seminimum.	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification.
he undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the approduce of the appropriate distriction of the appropriate distriction of the appropriate of the appr	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to drunt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production of the production of the sponsor of the sp	ompletion and eventual ponts will be met: spudding of well; iill shall be posted on each ecified below shall be seminimum of 20 feet into the operator and the distribution pipe shall be cement as surface casing order and date or the well shall be seminimum of the well shall be seminimum of the operator and the distribution pipe shall be cement as surface casing order and date or the well shall be seminimum of the well shall be seminimum of the well shall be seminimum.	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby at is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate to Electror  Ubmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe recompositions.	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production within 30 days of the sponically	ompletion and eventual pents will be met: spudding of well; ill shall be posted on eacecified below shall be seminimum of 20 feet into the operator and the distriction pipe shall be cement as surface casing order stud date or the well shall be the operator.  — feet _ feet per ALT.    I I II	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconse 4. If the well is dry hous 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate to appropriate to the completed of the completed of the completed of the completed of the complete of the complet	ving minimum requirement ate district office <i>prior</i> to be oved notice of intent to do unt of surface pipe as spolidated materials plus a le, an agreement between strict office will be notified II COMPLETION, production within 30 days of the sponically	ompletion and eventual pents will be met: spudding of well; ill shall be posted on eacecified below shall be seminimum of 20 feet into the operator and the distriction pipe shall be cement as surface casing order stud date or the well shall be the operator.  — feet _ feet per ALT.    I I II	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



For KCC Use ONLY	
API # 15	

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

## 495 ft.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Pit is:			
☐ Emergency Pit     ☐ Burn Pit     ☐ Proposed       ☐ Settling Pit     ☐ Drilling Pit     If Existing, date co		Existing	SecTwp R
		nstructed:	Feet from North / South Line of Section
Workover Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
	(bbls)		County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?
Yes No	Yes N	No	
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits
	om ground level to dee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet.
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease:		Number of world	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
Cashinted Electronically			
	ксс	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	her:	Darmi	t Date: Lease Inspection: Yes No



1198630

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	•1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	_ Well Location:
Name:	
Address 1:	
Address 2:	Lease Name: Well #:
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or
Contact Person:	the lease helow:
Phone: ( ) Fax: ( )	_
Email Address:	-
Surface Owner Information:	
Name:	_ When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate preparty toy records of the county traceurer
City:	_
the KCC with a plat showing the predicted locations of lease roads, to	thodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
<ul> <li>□ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax</li> <li>□ I have not provided this information to the surface owner(s). KCC will be required to send this information to the surface</li> </ul>	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and
If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned.
Submitted Electronically	
I	

For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Laymon Oil II LLC	Location of Well: County: Woodson
Lease: M Laymon	495 feet from N / X S Line of Section
Well Number: 2-14	1,485 feet from X E / W Line of Section
Field:	Sec. 14 Twp. 24 S. R. 15 X E W
Number of Acres attributable to well:	N
QTR/QTR/QTR/QTR of acreage: NE _ SE _ SW _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest lea lease roads, tank batteries, pipelines and electrical lines, as requi	ase or unit boundary line. Show the predicted locations of ired by the Kansas Surface Owner Notice Act (House Bill 2032). arate plat if desired.
	LEGEND
	O Well Location  Tank Battery Location  Pipeline Location  Electric Line Location  Lease Road Location
14	EXAMPLE

1980' FSL

SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.