

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

| For KCC    | Use:   |  |
|------------|--------|--|
| Effective  | Date:  |  |
| District # |        |  |
| SGA?       | Yes No |  |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

| Expected Spud Date:   | Spot Description:  |
|---|--|
|   | Sec Twp S. R L E L W   |
| PPERATOR: License#  | feet from N / S Line of Section  |
| ame:  | feet from E / W Line of Section  |
| ddress 1:   | Is SECTION: Regular Irregular?   |
| ddress 2:   | (Note: Locate well on the Section Plat on reverse side)  |
| ty: State: Zip: +   | County:  |
| ontact Person:  | Lease Name: Well #:  |
| hone:   | Field Name:  |
| CONTRACTOR: License#  | Is this a Prorated / Spaced Field?   |
| ame:  | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):  |
| Oil Enh Rec Infield Mud Rotary  | Ground Surface Elevation:feet MS   |
| Gas Storage Pool Ext. Air Rotary  | Water well within one-quarter mile:  |
| Disposal Wildcat Cable  | Public water supply well within one mile:  |
| Seismic ; # of Holes Other  | Depth to bottom of fresh water:  |
| Other:  | Depth to bottom of usable water:   |
|   | Surface Pipe by Alternate: II III  |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set:  |
| Operator:   |  |
| Well Name:  | Projected Total Depth:   |
| Original Completion Date: Original Total Depth:   | Formation at Total Depth:  |
|   | Water Source for Drilling Operations:  |
| Directional, Deviated or Horizontal wellbore? Yes No  | Well Farm Pond Other:  |
| f Yes, true vertical depth:   | DWR Permit #:  |
| Bottom Hole Location:   | (Note: Apply for Permit with DWR )   |
| (CC DKT #:  | Will Cores be taken?   |
|   | Will color be taken:   |
|   | If Yes, proposed zone:   |
|   | If Yes, proposed zone:   |
| AF  | If Yes, proposed zone:   |
| AF<br>The undersigned hereby affirms that the drilling, completion and eventual pl  | If Yes, proposed zone:   |
| AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  | If Yes, proposed zone:   |
| AF  The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.   |
| AF  The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each   | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig;  |
| AF  The undersigned hereby affirms that the drilling, completion and eventual plet is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set   |
| AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the  | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set   |
| AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug  | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  the underlying formation.  the trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;  |
| AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente   | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  the underlying formation.  the drilling rig; the underlying formation.  the underlying formation of the top; in all cases surface pipe shall be set the underlying formation.  the underlying formation of the top; in all cases surface pipe shall be set the underlying formation.  The underlying formation of the underlying forma |
| AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district of the second | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  thict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #   | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  the underlying formation.  the drilling rig; the underlying formation.  the underlying formation of the top; in all cases surface pipe shall be set the underlying formation.  the underlying formation of the top; in all cases surface pipe shall be set the underlying formation.  The underlying formation of the underlying forma |
| AF The undersigned hereby affirms that the drilling, completion and eventual pl t is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #   | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  thict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set  | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  thictic office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| AF The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the set  | If Yes, proposed zone:  FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  thict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disentance of the specified district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically.   | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of  | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification  |
| The undersigned hereby affirms that the drilling, completion and eventual plates agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distance of the surface well is either plugument. The appropriate district office will be notified before well is either plugument. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;   |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the second of the  | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;   |
| The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set.  4. If the well is dry hole, an agreement between the operator and the disesting of the surface of the set of | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;  |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all unconsolidated materials plus a minimum of 20 feet into the set into the set of the  | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;  |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the disentation of the surface of the specified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15  | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;  |
| The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each as through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search searc      | FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;   |

Agent:

Spud date: \_

| For KCC Use ONLY |   |
|------------------|---|
| API # 15         | - |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                                      | Location of Well: County:   |
|--|---|
| Lease:   |   |
| Well Number:                                   | feet from E / W Line of Section   |
| Field:   | SecTwpS. R 🗌 E 🗍 W  |
| Number of Acres attributable to well:          | is Section.     Ixegular of     Integular                                 |
|  | If Section is Irregular, locate well from nearest corner boundary.        |
|  | Section corner used: NE NW SE SW  |
|  |   |
|  | PLAT  |
| Show location of the well. Show footage to the | nearest lease or unit boundary line. Show the predicted locations of      |
|  | es, as required by the Kansas Surface Owner Notice Act (House Bill 2032). |
| You may at                                     | ttach a separate plat if desired.   |
| : : : :  |   |
|  | LECEND  |
|  | LEGEND  |
|  | : O Well Location   |
|  | Tank Battery Location   |
|  | Pipeline Location   |
|  | : : : : Electric Line Location  |
|  | Lease Road Location   |
|  | : · · · · · · · · · · · · · · · · · · ·                                   |
|  |   |
|  | EXAMPLE : :   |
| : : : : :                                      |   |
| 29   |   |
|  |   |
|  | ····· , ······· , ········  |
|  |   |
|  | <sup>:</sup>  |
|  | 495 ft. 1980' FSL   |
|  | 493 11.   |
|  |   |

1120 ft.

SEWARD CO.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

Kansas Corporation Commission Oil & Gas Conservation Division

1198923 Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:   |   |  | License Number:  |  |
|--|---|--|--|--|
| Operator Address:  |   |  |  |  |
| Contact Person:  |   |  | Phone Number:  |  |
| Lease Name & Well No.:   |   |  | Pit Location (QQQQ):   |  |
| Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  | Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity: |  | SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of Section          |  |
|  | (bbls)  |  | County   |  |
| Is the pit located in a Sensitive Ground Water A   | rea? Yes  | No   | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)                              |  |
| Is the bottom below ground level?  | Artificial Liner?   | No   | How is the pit lined if a plastic liner is not used?   |  |
| Pit dimensions (all but working pits):   | Length (fee   | et)  | Width (feet) N/A: Steel Pits   |  |
| Depth fro  | om ground level to dee  | epest point:   | (feet) No Pit  |  |
|  |   |  |  |  |
| Distance to nearest water well within one-mile of  | of pit:   | Depth to shallowest fresh water feet. Source of information: |  |  |
| feet Depth of water wellfeet   |   | measured   | well owner electric log KDWR   |  |
| Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to |   | Type of materia  | over and Haul-Off Pits ONLY:  Il utilized in drilling/workover:  xing pits to be utilized:  procedure: |  |
| flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.  Submitted Electronically  |   |  |  |  |
|  | KCC   | OFFICE USE O   | NLY Liner Steel Pit RFAC RFAS  |  |
| Date Received: Permit Numl   | ber:  | Permi  | t Date: Lease Inspection: Yes No   |  |

CORRECTION #1 Kansas Corporation Commission

1198923 Form KSONA-1 January 2014 Form Must Be Typed

Form must be Signed

All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-  | 1 (Cathodic Protection Borehole Intent)   |  |  |
|--|---|--|--|
| OPERATOR: License #  | _ Well Location:  |  |  |
| Name:  |   |  |  |
| Address 1:   | County:   |  |  |
| Address 2:   | Lease Name: Well #:   |  |  |
| City: State: Zip:+   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of  |  |  |
| Contact Person:  | the lease below:  |  |  |
| Phone: ( ) Fax: ( )  | _   |  |  |
| Email Address:   | -   |  |  |
| Surface Owner Information:   |   |  |  |
| Name:  |   |  |  |
| Address 1:   | owner information can be found in the records of the register of deeds for the  |  |  |
| Address 2:   |   |  |  |
| City: State: Zip:+   | -   |  |  |
| the KCC with a plat showing the predicted locations of lease roads, to   | hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.                          |  |  |
| owner(s) of the land upon which the subject well is or will be   | e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this s, and email address.                           |  |  |
| KCC will be required to send this information to the surface   | I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this less of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form. |  |  |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C   | ng fee with this form. If the fee is not received with this form, the KSONA-1<br>P-1 will be returned.  |  |  |
| Submitted Electronically   |   |  |  |
| T Company of the Comp |   |  |  |

# **Summary of Changes**

Lease Name and Number: West Carter V35

API/Permit #: 15-121-30184-00-00

Doc ID: 1198923

Correction Number: 1

Approved By: Rick Hestermann 04/10/2014

| Field Name                  | Previous Value  | New Value   |
|-----------------------------|---|---|
| KCC Only - Approved<br>By   | Rick Hestermann<br>04/08/2014                             | Rick Hestermann<br>04/10/2014                             |
| KCC Only - Approved Date    | 04/08/2014  | 04/10/2014  |
| KCC Only - Date<br>Received | 04/08/2014  | 04/09/2014  |
| Lease Name                  | East Carter   | West Carter   |
| Save Link                   | //kcc/detail/operatorE<br>ditDetail.cfm?docID=11<br>98644 | //kcc/detail/operatorE<br>ditDetail.cfm?docID=11<br>98923 |