

Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1199237

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
GG GSW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1199237		
Operator Name:	_ Lease Name:	Well #:		
Sec TwpS. R East _ West	County:			
INCTRUCTIONS: Chause important tang of formations paratrated	atail all aaraa Bapart all final	annian of drill atoms toots giving interval tootad, time tool		

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sho	eets)	Yes No		-	n (Top), Depth an		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	е		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
			RECORD Ne				
		Report all strings set-c	conductor, surface, inte	ermediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing							
Plug Off Zone							

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No,	skip	questions 2 and 3)
(If No,	skip	question 3)

No


No No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For		RD - Bridge P Each Interval F		e	A		ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Siz	ze:	Set At:		Packer	r At:	Liner Ru	un:	No	
Date of First, Resumed	I Product	ion, SWD or ENHF	} .	Producing M	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
									T	
DISPOSITI	ON OF (GAS:			METHOD	OF COMPLE	TION:		PRODUCTION IN	TERVAL:
Vented Sold Used on Lease Open Hole				Open Hole	Perf. Dually Comp. Commingled					
(If vented, Su	bmit ACC	D-18.)		Other (Specify)		(Submit)		(Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



Oil & Gas Well Drilling Water Wells Geo-Loop Installation

> Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

WELL LOG JRC Oil Company, Inc. Cleveland #CF-44 API #15-003-26,024 October 14 - October 15, 2013

10 soil & clay 10 28 shale 38 15 lime 53 23 shale 76 7 lime 83 16 shale 99 4 lime 103 30 shale 133 10 lime 143 7 shale 150 36 lime 186 8 shale 194 27 lime 221 4 shale 225 18 lime 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 2 shale <td< th=""><th>Thickness of Strata</th><th>Formation</th><th>Total</th></td<>	Thickness of Strata	Formation	Total
15 lime 53 23 shale 76 7 lime 83 16 shale 99 4 lime 103 30 shale 133 10 lime 143 7 shale 150 36 lime 186 8 shale 194 27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 26 shale 533 10 lime 543 52 shale 595 36 </td <td></td> <td></td> <td></td>			
23 shale 76 7 lime 83 16 shale 99 4 lime 103 30 shale 133 10 lime 143 7 shale 150 36 lime 186 8 shale 194 27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 493 12 shale 505 2 lime 507 26 shale 533 10 lime 543 52 shale 595 36 broken sand 631 brown & grey, ok bleeding 5 broken sand 6	28	shale	38
7 lime 83 16 shale 99 4 lime 103 30 shale 133 10 lime 143 7 shale 150 36 lime 186 8 shale 194 27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 2 shale 595 36 broken sand 631 brown & grey, ok bleeding 52 shale 595 36 broken sand 639 brown, good bleeding 5 br	15	lime	53
16 shale 99 4 lime 103 30 shale 133 10 lime 143 7 shale 150 36 lime 186 8 shale 194 27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 26 shale 533 10 lime 543 52 shale 595 36 broken sand 631 brown & grey, ok bleeding 3 oil sand 648 black, no oil show 5 broke	23	shale	76
4 lime 103 30 shale 133 10 lime 143 7 shale 150 36 lime 186 8 shale 194 27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 26 shale 533 10 lime 543 52 shale 595 36 broken sand 631 brown & grey, ok bleeding 3 oil sand 648 brown, good bleeding 5 broken sand 639 brown, good bleeding	7	lime	83
30 shale 133 10 lime 143 7 shale 150 36 lime 186 8 shale 194 27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 26 shale 533 10 lime 543 52 shale 595 36 broken sand 631 brown & grey, ok bleeding 3 oil sand 648 brown, good bleeding 5 broken sand 639 brown, good bleeding 6 oil sand 648 black, no oil show	16	shale	99
10 lime 143 7 shale 150 36 lime 186 8 shale 194 27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 26 shale 533 10 lime 543 52 shale 595 36 broken sand 631 brown & grey, ok bleeding 3 oil sand 645 brown, good bleeding 5 broken sand 639 brown & grey, ok bleeding 6 oil sand 645 brown, good bleeding 3 sand 648	4	lime	103
7 shale 150 36 lime 186 8 shale 194 27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 26 shale 533 10 lime 543 52 shale 595 36 broken sand 634 brown, good bleeding 3 oil sand 643 brown, good bleeding 5 broken sand 639 brown & grey, ok bleeding 6 oil sand 645 brown, good bleeding 3 sand 648 black, no oil show 22 shale <td>30</td> <td>shale</td> <td>133</td>	30	shale	133
36 lime 186 8 shale 194 27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 26 shale 533 10 lime 543 52 shale 595 36 broken sand 631 brown & grey, ok bleeding 3 oil sand 645 brown, good bleeding 5 broken sand 639 brown & grey, ok bleeding 6 oil sand 648 black, no oil show 22 shale 670 3 sand 648 black, no oil show 22 shale	10	lime	143
8 shale 194 27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 505 2 lime 503 10 lime 543 52 shale 595 36 broken sand 631 brown & grey, ok bleeding 3 oil sand 639 brown, good bleeding 5 broken sand 639 brown, good bleeding 6 oil sand 645 brown, good bleeding 3 sand 648 black, no oil show 22 shale 670 <	7	shale	150
27 lime 221 4 shale 225 18 lime 243 base of the Kansas City 29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 505 2 lime 503 10 lime 543 52 shale 595 36 broken sand 631 brown & grey, ok bleeding 3 oil sand 634 brown, good bleeding 5 broken sand 639 brown, good bleeding 6 oil sand 645 brown, good bleeding 3 sand 648 black, no oil show 22 shale 670 1 coal 671	36	lime	186
4shale 225 18lime 243 base of the Kansas City29shale 272 6sand 278 grey, gassy142shale 420 7lime 427 48shale 475 1coal 476 9shale 485 8lime 493 12shale 505 2lime 507 26shale 533 10lime 543 52shale 595 36broken sand 631 brown & grey, ok bleeding3oil sand 634 brown, good bleeding5broken sand 639 brown & grey, ok bleeding3sand 648 black, no oil show22shale 670 1coal 671	8	shale	194
18lime243 243 base of the Kansas City29shale2726sand278 grey, gassy142shale4207lime42748shale4751coal4769shale4858lime49312shale5052lime50726shale53310lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 <black, no="" oil="" show<="" td="">22shale6701coal671</black,>	27	lime	221
29shale2726sand278 grey, gassy142shale4207lime42748shale4751coal4769shale4858lime49312shale5052lime50726shale53310lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671	4	shale	225
29 shale 272 6 sand 278 grey, gassy 142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 26 shale 533 10 lime 543 52 shale 595 36 broken sand 631 brown & grey, ok bleeding 3 oil sand 643 brown, good bleeding 5 broken sand 639 brown & grey, ok bleeding 6 oil sand 645 brown, good bleeding 3 sand 648 black, no oil show 22 shale 670 1 coal 671	18	lime	243 base of the Kansas City
142shale4207lime42748shale4751coal4769shale4858lime49312shale5052lime50726shale53310lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671	29	shale	
142 shale 420 7 lime 427 48 shale 475 1 coal 476 9 shale 485 8 lime 493 12 shale 505 2 lime 507 26 shale 533 10 lime 543 52 shale 595 36 broken sand 631 brown & grey, ok bleeding 3 oil sand 634 brown, good bleeding 5 broken sand 639 brown & grey, ok bleeding 6 oil sand 645 brown, good bleeding 3 sand 648 black, no oil show 22 shale 670 1 coal 671	6	sand	278 grey, gassy
48shale4751coal4769shale4858lime49312shale5052lime50726shale53310lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671	142	shale	
1coal4769shale4858lime49312shale5052lime50726shale53310lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671	7	lime	427
9shale4858lime49312shale5052lime50726shale53310lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671	48	shale	475
8lime49312shale5052lime50726shale53310lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		coal	476
12shale5052lime50726shale53310lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		shale	485
2lime50726shale53310lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		lime	493
26shale53310lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		shale	505
10lime54352shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		lime	507
52shale59536broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		shale	533
36broken sand631 brown & grey, ok bleeding3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		lime	543
3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		shale	595
3oil sand634 brown, good bleeding5broken sand639 brown & grey, ok bleeding6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		broken sand	631 brown & grey, ok bleeding
6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		oil sand	
6oil sand645 brown, good bleeding3sand648 black, no oil show22shale6701coal671		broken sand	639 brown & grey, ok bleeding
3sand648 black, no oil show22shale6701coal671		oil sand	
22 shale 670 1 coal 671		sand	
		shale	
58 shale 729 TD		coal	671
	58	shale	729 TD

Drilled a 9 7/8" hole to 21.4' Drilled a 5 5/8" hole to 729'

Set 21.4' of 7" surface casing, cemented with 6 sacks cement. Set 726' of use 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, 1 seating nipple,1 clamp.

	34 18 66749)) 365-5588	Y, INC.		JR10/9 JRC 0I 169 N 1/4 MI MIKE PI	under truck's own p seller assumes no roadways, driveway, risk. The maximum charge will be mad water contents for st strength test when w NOTICE TO OWNEE Failure of this contra complete this contra which is the subject of	0. BOX 426 T) E 6.75 MI MEET @ GATE 48-8112	er's or intermediary's direction, in any manner to sidewalks, etc., which are at customer's ucks is 5 minutes per yard. A fhis concrete contains correct o not assume responsibility for juest. pplying material or services to nechanic's lien on the property	
TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	* AIR	PLANT/TRANSACTION #	
10:29:06a		9.00 yd	90.00 yd	0.00		0.00	ANDCO	
DATE	To Date	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
10-21-13	Today	4	36.00 yd	25447	G/yd 0.0	4.00 in	35316	
 BROFERTY DANAGE RELEASE CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CAACELLATION of ORGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. A accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsibile for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$20/Ht. 					GAL X G			
QUANTITY	CODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE	
9.00 2.00 9.00	WELL TRUCKING MIX&HAUL	WELL (10 SA TRUCKING CH MIXING & HA)	36.00 8.00 36.00		×4954 ×2254 ×1104	
RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CY	LINDER TEST TAKEN	TIME ALLOWED		in set	
12:45 LEFT PLANT	12:05 ARRIVED JOB	11155 START UNLOADING	JOB NOT READY SLOW POUR OR PUMP SLOW POUR OR PUMP THUCK AHEAD ON JOB CONTRACTOR BROKE DOWN S. ADDED WATER	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	TIME DUE		1463	
10:48	11.30	11110				ADDITIONAL CHARGE 1		
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME				ADDITIONAL CHARGE 2	\$ (2.250)	
			and a strand and a strand a strand and a strand as the str		Anger faith and any second second		1875=	