

С	onfiden	tiality Reque	ested:
	Yes	No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1199238

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	_
Address 2:			F6	eet from	outh Line of Section
City: S	State: Z	ip:+	Fe	eet from East / We	est Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section Cor	ner:
Phone: ()			□ NE □ NW	v □se □sw	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	Well	#:
	e-Entry	Workover	Field Name:		
	_	_	Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	□ SIOW □ SIGW	Elevation: Ground:	Kelly Bushing:	
☐ OG	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total Dep	oth:
CM (Coal Bed Methane)	dow	тетір. дай.	Amount of Surface Pipe Se	et and Cemented at:	Feet
Cathodic Other (Co.	re, Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes N	lo
If Workover/Re-entry: Old Well Ir			If yes, show depth set:		Feet
Operator:			If Alternate II completion, of	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:	Original T	otal Depth:			
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
☐ Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from t		
□ Oursesia eta d	D		Chloride content:	ppm Fluid volume: _	bbls
<ul><li>Commingled</li><li>Dual Completion</li></ul>			Dewatering method used:		
SWD			Location of fluid disposal if	hauled offsite:	
☐ ENHR			Location of fluid disposal fi	nauleu onsite.	
GSW			Operator Name:		
<u> </u>			Lease Name:	License #:	
Spud Date or Date Re	eached TD	Completion Date or	QuarterSec	TwpS. R	
Recompletion Date		Recompletion Date	County:	Permit #:	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II Approved by: Date:						

Page Two



Operator Name:			Lease Name: _			Well #:			
Sec Twp	S. R	East West	County:						
open and closed, flow and flow rates if gas t	ving and shut-in presson surface test, along w	formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach	essure reached stati n extra sheet if more	c level, hydrosta space is neede	itic pressures, bott d.	tom hole tempe	erature, fluid r	recovery,	
		otain Geophysical Data a or newer AND an image		egs must be ema	ailed to kcc-well-lo	gs@kcc.ks.gov	v. Digital elec	tronic log	
Drill Stem Tests Taken (Attach Additional	•	Yes No		_	on (Top), Depth ar		Samp		
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m	
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No							
List All E. Logs Run:									
		CASING	RECORD Ne	ew Used					
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.				
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv		
		ADDITIONAL	OFMENTING / OOL						
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa			
Perforate Top Bottom		Type of Cement	Type of Cement # Sacks Used		Type and Percent Additives				
Protect Casing Plug Back TD									
Plug Off Zone									
Did you perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)		
	=	raulic fracturing treatment ex	xceed 350,000 gallons			p question 3)	,		
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)		
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per			cture, Shot, Cement			Depth	
	Сроспу Г	octago of Laon morvari of	ioratou	(>1	mount and rand or ma	teriar Good)		<u> Борит</u>	
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No				
Date of First, Resumed	Production, SWD or EN								
Fotimeted Day 1 2	0" -	Flowing			Other (Explain)	) O" D "			
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	Gas-Oil Ratio	Gr 	ravity	
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:		
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled				
	bmit ACO-18.)	Other (Specify)	(Submit )	ACO-5) (Sub	omit ACO-4)		-		



## Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Paola, KS 66071

#### WELL LOG

JRC Oil Company, Inc. Cleveland #CF-46 API #15-003-26,023 October 7 - October 8, 2013

Thickness of Strata	<u>Formation</u>	<u>Total</u>
8	soil & clay	8
25	shale	33
42	lime	75
7	shale	82
4	lime	86
18	shale	104
7	lime	111
27	shale	138
8	lime	146
5	shale	151
42	lime	193
5	shale	198
26	lime	224
4	shale	228
19	lime	247 base of the Kansas City
28	shale	275
6	sand	281 making gas
143	shale	424
6	lime	430
9	shale	439
7	sand	446 green, no oil
11	silty shale	457
1	coal	458
2	shale	460
10	broken sand	470 brown & grey, light bleeding
8	sand	478 grey, no oil
1	coal	479
6	shale	485
18	lime	503
6	silty shale	509
1	lime	510
33	shale	543
6	lime	549
18	shale	567
3	lime	570
33	shale	603
49	broken sand	652 brown & grey, ok bleeding
73	shale	725 TD
		PROPERTY AND

Drilled a 9 7/8" hole to 22.4' Drilled a 5 5/8" hole to 725'

Set 22.4' of 7" surface casing, cemented with 6 sacks cement.

Set 722' of use 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, 1 seating nipple,1 clamp.

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

# Payless Concrete Products, Inc.

CF-44 905x

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength est when water is added at customer's request.

NOTICE TO OWNER

Strength test when water is added at consumer 3 request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

TRAME

QUANTITY

9.00

Z-005-2

J.R.C. DIL COMPANY, INC. 25558 NE WILSON RD.

GARNETT KS

DESCRIPTION

TRUCKING CHARGE

WELL (10 SACKS PER UNIT)

JRC OIL CO., INC/P.O. BOX 425 169 N TO 1750(4THST) E 6.MI TO WILSON I MI S MEET @ SCURVE MIKE PHONE # 785-448-8112 GARNETT, KS 66032-0426

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	W DAIL	DRIVER/TRUCK	w ATD	PLANT/TRANSACTION #
09:24:27a	UELL	9.00 yd	90.00 yd	0.00	38	0.00	ANDCO
DATE	To Data	LOAD#	-y YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10-21-13	Today	. 3	27.00 yd	25445	6/yd 0.0	4.00 in-!	25214

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. CODE

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY YO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if I places the material in this load where you desire it. It is our wish to help you in every way that we gan, but in order to do this the driver is requesting that you sign his "RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, criveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove muld from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

LOAD RECEIVED BY

6.00

UNIT PRICE EXTENDED PRICE

MIXING & HAULING RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED JOB NOT READY
 SLOW POUR OR PUMP
 TRUCK AHEAD ON JOB TRUCK BROKE DOWN
 ACCIDENT
 CITATION 4. CONTRACTOR BROKE DOWN
5. ADDED WATER 9. OTHER LEFT PLANT ARRIVED JOB START UNLOADING TIME DUE ADDITIONAL CHARGE 1 TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME **DELAY TIME** ADDITIONAL CHARGE 2

GRAND TOTAL