

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1199735

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MSI
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic: # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
YOO DIAT III.	
CCC DKT #:	
CCC DKT #:	
	Will Cores be taken?
AFF	Will Cores be taken? Yes No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? Yes No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:	Will Cores be taken? Yes No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? Yes No If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	Will Cores be taken? Yes No If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Inging of this well will comply with K.S.A. 55 et. seq.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken?YesNo
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr	Will Cores be taken?
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge	Will Cores be taken? Yes Note If Yes, proposed zone: IDAVIT Inging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In the control of the control
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes No. No. Idrilling rig; Yes On. Idrilling rig; Yes No. Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes No. No. Idrilling rig; Yes On. Idrilling rig; Yes No. Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes No. No. Idrilling rig; Yes Do. Idrilling rig; Yes No. Idrilling rig; Yes No. Idrilling rig; Yes No. Idrilling rig; Yes No. Idrilling rig; Yes Do. Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes No. No. Idrilling rig; Yes No. Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes No. No. Idrilling rig; Yes No. Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes No. No. Idrilling rig; Yes No. Idrill
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the set of the se	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes Note that the proposed zone: Idrilling rig; Yes one the proposed zone the proposed zone the proposed zone the proposed
he undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to the through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes virculating cement to the top; in all cases surface pipe shall be set underlying formation. In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In office on plug length and placement is necessary prior to plugging; In office on plug length a
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the interval of the set of the se	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes virculating cement to the top; in all cases surface pipe shall be set underlying formation. In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement is necessary prior to plugging; In or office on plug length and placement in; If yes N If Yes, proposed zone: If Yes N If Yes, proposed zone: If Yes
AFF the undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plughts agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1. Ibmitted Electronically For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Idrilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Idrilling rig; y circulating cement to the top; in all cases surface prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Idrilling rig; y circulating rig; y circulati
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest office will be notified before well is either plugges. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be **IDEMITTED NATE: II COMPLETION or the spud date or the well shall be submitted Electronically **For KCC Use ONLY** API # 15	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes y circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If or mobelow any usable water to surface within 120 DAYS of spud date. If office on plug length and placement is necessary prior to plugging; If or mobelow any usable water to surface within 120 DAYS of spud date. If office prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. If Yes Notifice In Notification of Surface Owner Notification Act (KSONA-1) with Intent to Drill; If ill Drill Pit Application (form CDP-1) with Intent to Drill; If ill acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the distrection	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Idrilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Idrilling rig; y circulating cement to the top; in all cases surface prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Idrilling rig; y circulating rig; y circulati
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be Libmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. I3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be **Ubmitted Electronically** For KCC Use ONLY API # 15	Will Cores be taken? If Yes, proposed zone: IDAVIT Iging of this well will comply with K.S.A. 55 et. seq. Idrilling rig; Yes circulating cement to the top; in all cases surface pipe shall be set underlying formation. It office on plug length and placement is necessary prior to plugging; If or production casing is cemented in; If orm below any usable water to surface within 120 DAYS of spud date. If or production casing is cemented in; If orm below any usable water to surface within 120 DAYS of spud date. If or production casing is cemented in; If or production casing is cemented in; If or production casing is cemented in; If or production as in the form to plugging; If or plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

Operator:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


Location of Well: County:

Operator.								0000	
Lease:									feet from N / S Line of Section
Well Numb	oer:								feet from E / W Line of Section
Field:							Se	C.	
							_		
Number of							10	Section:	Regular or Irregular
QTR/QTR/	/QTR/QTR	of acreag	e:				_		
							If S	Section is	Irregular, locate well from nearest corner boundary.
							Se	ction corne	er used: NE NW SE SW
							PLAT		
	Si	how locatio	on of the w	ell. Show	footage to	the neare	st lease oi	r unit bound	dary line. Show the predicted locations of
	lease roa	ads, tank b	atteries, p	ipelines an	d electrica	al lines, as	required b	y the Kans	sas Surface Owner Notice Act (House Bill 2032).
		2072	t.		You m	ay attach a	a separate	plat if desi	ired.
		2072	τ.						
		:	:	:		:	:	:	
			:	:		:		:	LEGEND
			•	•		•		•	
			:	:		:	:	:	O Well Location
			:	:		:	:	:	Tank Battery Location
	•••••		• • • • • • • • • • • • • • • • • • • •		•••••		• • • • • • • • • • • • • • • • • • • •		Pipeline Location
			:	:		:	:	:	Electric Line Location
			:	:		:	:	:	Lease Road Location
688 ft.	•••••	J	• • • • • • • • • • • • • • • • • • • •		•••••		• • • • • • • • • • • • • • • • • • • •		
000 11.		:	:				:		
			:		I				EXAMPLE :
		:	<u>.</u>	<u> </u>		<u>:</u>	<u>:</u>	:	
		:		6	j I	:		:	
		:	:	:		:	:	:	
		:	:	:		:	:	:	
		:	:	:		:	:	:	
			•	•				•	1980' FSL
		:	:	:		:	:	:	V-1
		:	: :	:		:	: :	:	
		•	•	•				•	
		:	:	:		:	:	•	

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

735 Form CDP-1

May 2010

Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East West Section Feet from East / West Line of Section Feet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dea	epest point:	(feet) No Pit	
Distance to peacest water well within one mile of	of nit-	Donth to shallo	west fresh waterfeet.	
Distance to nearest water well within one-mile of	л рп.	Source of infor	nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: I utilized in drilling/workover: king pits to be utilized: procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



1199735

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #	Well Location:				
Name:	SecTwpS. R East West				
Address 1:	County:				
Address 2:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of				
City:					
Contact Person:	the lease below:				
Phone: () Fax: ()					
Email Address:					
Surface Owner Information:					
Name:	When filing a Form T-1 involving multiple surface owners, attach an additiona				
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.				
Address 2:					
City:					
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1				
form and the associated Form C-1, Form CB-1, Form T-1, or Form CF Submitted Electronically	- I wiii be returnea.				
T.					




Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159






001733

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

#1-6 Unruh Landmark Resources, Inc. OPERATOR LEASE NAME 2072' FNL - 688' FWL Scott County, KS 33w LOCATION SPOT COUNTY Twp. GR. ELEVATION: -N/A SCALE: **Directions**: From the center of Pence Ks at the intersection of April 12th, 2014 DATE STAKED:_ Rd 270 & Cherokee Rd - Now go 3 miles East on Rd 270 - Now go 3 miles South on Falcon Rd to the NW corner of section 6-17s-Kent C. MEASURED BY:_ 33w - Now go 0.4 mile South on Falcon Rd. to ingress East into -Norby S. DRAWN BY: Now go 688' East through wheat stubble, into staked location. AUTHORIZED BY: Becky P. Final ingress must be verified with land owner or Operator. This drawing does not constitute a monumented survey or a






Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324


Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499



001733 PLAT NO.

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

#1-6 Unruh Landmark Resources, Inc. OPERATOR LEASE NAME 2072' FNL - 688' FWL Scott County, KS 17s 33w LOCATION SPOT COUNTY Twp. GR. ELEVATION: 1" = 1000" SCALE: **Directions**: From the center of Pence Ks at the intersection of April 12th, 2014 DATE STAKED: Rd 270 & Cherokee Rd - Now go 3 miles East on Rd 270 - Now go 3 miles South on Falcon Rd to the NW corner of section 6-17s-Kent C. MEASURED BY: 33w - Now go 0.4 mile South on Falcon Rd. to ingress East into -Norby S. DRAWN BY: _ Now go 688' East through wheat stubble, into staked location. AUTHORIZED BY: Becky P. Final ingress must be verified with land owner or Operator. This drawing does not constitute a monumented survey or a




末

Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324


Garden City, Kansas 67846 Office/Fax: (620) 276-6159 Cell: (620) 272-1499



001733 PLAT NO.

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

#1-6 Unruh Landmark Resources, Inc. OPERATOR LEASE NAME 2072' FNL - 688' FWL Scott County, KS 33w LOCATION SPOT COUNTY Twp. GR. ELEVATION: 1" = 1000 SCALE: **Directions**: From the center of Pence Ks at the intersection of April 12th, 2014 DATE STAKED: Rd 270 & Cherokee Rd – Now go 3 miles East on Rd 270 – Now go 3 miles South on Falcon Rd to the NW corner of section 6-17s-Kent C. MEASURED BY: 33w - Now go 0.4 mile South on Falcon Rd. to ingress East into -Norby S. DRAWN BY: _ Now go 688' East through wheat stubble, into staked location. AUTHORIZED BY: Becky P. Final ingress must be verified with land owner or Operator. This drawing does not constitute a monumented survey or a





Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com 11699

INVOICE NO.

Landmark Resources, Inc.

OPERATOR

001733

PLAT NO.

33w

LEASE NAME 2072' FNL - 688' FWL

#1-6 Unruh

LOCATION SPOT

1" = 1000 SCALE:

Scott County, KS

COUNTY

AUTHORIZED BY: Becky P.

April 12th, 2014 DATE STAKED:_ Kent C.

MEASURED BY: Norby S. DRAWN BY: _

This drawing does not constitute a monumented survey or a land survey plat. This drawing is for construction purposes only.

GR. ELEVATION: 3092.8' **Directions**: From the center of Pence Ks at the intersection of Rd 270 & Cherokee Rd - Now go 3 miles East on Rd 270 - Now go 3 miles South on Falcon Rd to the NW corner of section 6-17s-33w - Now go 0.4 mile South on Falcon Rd. to ingress East into -Now go 688' East through wheat stubble, into staked location. Final ingress must be verified with land owner or Operator.

