

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1199751

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	SecTwpS. R East West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil ☐ WSW ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane) ☐ Cathodic ☐ Other (Core, Expl., etc.): ☐ If Workover/Re-entry: Old Well Info as follows: Operator: ☐ Well Name: ☐ Well Name:	Producing Formation: Elevation: Ground: Kelly Bushing: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening □ Re-perf. □ Conv. to ENHR □ Conv. to SWD □ Plug Back □ Conv. to GSW □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #: Dual Completion Permit #: SWD Permit #:	Chloride content: ppm Fluid volume: bbls Dewatering method used: Location of fluid disposal if hauled offsite:
☐ ENHR Permit #: ☐ GSW Permit #:	Operator Name:
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec. TwpS. R East West County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

Page Two



Operator Name:			L	ease Name: _			Well #:	
Sec Twp	S. R	East We	est C	County:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in pres	sures, whether sh	ut-in pressur	e reached stati	c level, hydrosta	tic pressures, bott		rval tested, time tool erature, fluid recovery,
Final Radioactivity Lo files must be submitted					ogs must be ema	iled to kcc-well-lo	gs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes	No	L	_	on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	Yes	No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes Yes	No No					
List All E. Logs Run:								
		(CASING REC	ORD Ne	ew Used			
		· ·		ıctor, surface, inte	ermediate, producti	1		I
Purpose of String	Size Hole Drilled	Size Casin Set (In O.D		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADD	ITIONAL CEN	MENTING / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cem	ent #	Sacks Used		Type and P	ercent Additives	
Perforate Protect Casing	100 20111111							
Plug Back TD Plug Off Zone								
1 lag on zono								
Did you perform a hydrau	ulic fracturing treatment	on this well?			Yes	No (If No, ski	o questions 2 ar	nd 3)
Does the volume of the to		•				_ ` ` '	p question 3)	
Was the hydraulic fractur	ing treatment information	on submitted to the c	hemical disclo	sure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)
Shots Per Foot		ION RECORD - Bri Footage of Each Int				cture, Shot, Cement		d Depth
	, ,				,		,	·
TUBING RECORD:	Size:	Set At:	Pa	acker At:	Liner Run:			
						Yes No		
Date of First, Resumed	Production, SWD or Ef		cing Method: owing	Pumping	Gas Lift C	other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. G	as Mcf	Wate	er Bi	ols. G	as-Oil Ratio	Gravity
DIODOCITI	ON OF CAS:		N 4 - T - 1		TION:		PROPUSTIC	ON INTERVAL.
Vented Solo	ON OF GAS: Used on Lease	Open Ho		IOD OF COMPLE \Box		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)	Other (S	necify)	(Submit		mit ACO-4)		

	Operator License #	32034		ALIM		13-121-230.	JU-UU-UL	,
	Operator	JTC Oil, Inc.		Lease Na	me	Bristow		
	Address	P. O. Box 24386		Well#		P-21		
	City	Stanley, KS 66283						
	Contractor	JTC Oil, Inc.		Spud Date	е	3/14/2014		
	Contractor License #	32834		Cement D	ate	3/24/2014		
	T.D.	400		Location		Sec 27	T 17	R 22
	T.D. of pipe	381			1880	feet from	N	line
	Surface pipe size	7"			3135	feet from	E	line
	Surface pipe depth	20'		County		Miami		
	Well Type	Production						
	Driller's	Log						
Thickness	Strata	From	To					
2	soil	0	2					
8	clay	2	10					
22	lime	10	32					
14	shale	32	46					
5	lime	46	51					
30	shale	51	81					
16	lime	81	97					
10	shale	97	107					
27	lime	107	134					
7	black shale	134	141					
20	lime	141	161					
3	coal	161	164					
18	lime	164	182					
134	shale	182	316					
3	red bed	316	319					
13	shale	319	332					
3	oil sand	332	335	ok				
3	oil sand	335	338	ok				
3	oil sand	338	341	good				
3	oil sand	341	344	good				
3	oil sand	344	347	good				
2	shale	347	349					
9	lime	349	358					
42	shale	358	400					

API#

15-121-29850-00-00

Operator License # 32834



266886

LOCATION of Jama KS
FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720 620-431-9210 or 800-467-8676

FIELD TICKET & TREATMENT REPORT

DATE	OUDTOMED#							
	CUSTOMER#		NAME & NUM	BER	SECTION	TOWNSHIP	RANGE	COUNTY
3.24.14	4015	Bristo	w# P.	2/	NEZE	17	22	mi
USTOMER '	TC O:	1 7		10.				
IAILING ADDRE		Inc		-	TRUCK #	DRIVER	TRUCK#	DRIVER
251	.88 Plu	(6 5 1		712	Fre Mad		
ITY	88 T [J	m Creck STATE	ZIP CODE	-{	495	HarBx		
\sim					675	Kei Det		
	watomie	<u>KS</u>	66064	J	558	Mat Coc		
	σ χ	HOLE SIZE	3 m		гн <u>400</u>	CASING SIZE & W	/EIGHT27/8	EVE
ASING DEPTH		DRILL PIPE		_TUBING			OTHER	***
URRY WEIGH		SLURRY VOL			/sk	CEMENT LEFT in	CASING 2/2	Plug
	2.21BBL			MIX PSI		RATE 43		<i>d</i>
	ald Even	U Safel		m. /	Establis	pump 1	ate. M.	x × POMO
100 %			& x Pu	mp	50 SKS	OWC Com	eax 14 F	105ml/5/
(em	ent to s	Sulface	. Flue	Lou	mp & line	s clean,	Displaz	e 21/2"
rub	ber plug	. to ca	15145 -	TO. F	rassure	to 800# 1	SI. Relea	15 e
Pives	SUVE 4	o sex	4108A	Value.	Shut ;	n Cosini		
						0	,	
						-		
						1 ,		
77	TO DILLA	→.			•	J. DM	alu.	
						1		
		,						The state of the s
CODE	QUANITY o	or UNITS	DE	SCRIPTION	of SERVICES or PR	RODUCT	UNIT PRICE	TOTAL
CODE	QUANITY o	COLOR OVERSONES DE SOU			of SERVICES or PR		UNIT PRICE	
5401)		PUMP CHARG		of SERVICES or PR	195	UNIT PRICE	10550
5401 5406)	25 mi	PUMP CHARG	SE .			UNIT PRICE	10500
5406 5402) : :	25 mi 81	PUMP CHARG			495	UNIT PRICE	1055°
5401 5406 5402 5407) 35 15 M M	25 mi 81 mum	PUMP CHARGE MILEAGE Casha	e extentou Miles	LQ.	495 538	UNIT PRICE	1055°5 105°0 N/C 12267
5406 5406 5402) 35 15 M M	25 mi 81	PUMP CHARGE MILEAGE Casha	es Extentous Miles		495	UNIT PRICE	1055°
5401 5406 5402 5407) 35 15 M M	25 mi 81 mum	PUMP CHARGE MILEAGE Casha	e extentou Miles	LQ.	495 538	UNIT PRICE	1055 5 105 5 N/C 12267
5401 5406 5402 5407 5502C) 39 1/5 m min	2:5 mi 81 num 2 h	PUMP CHARGE MILEAGE Cashue Ton &-0 B	gfootog Miles BL Va	ie C Truck	495 538		1055°5 105°0 N/C 12267
5401 5406 5402 5407 5502C) 39 1/3 m by 1,	25 mi 81 mum 12 h	PUMP CHARGE MILEAGE Casha Ton &D B	zfostog Miles Bl Va	e Truck	495 538	78750	1055° 105° 105° 105° 105° 105° 105° 105°
5401 5406 5406 5407 5502C) 39 1/5 m min	25mi 81 mum 2h	PUMP CHARGE MILEAGE Cashue Fon B OWC PYEN	y footog Miles BL Va Cenen	e Truck	495 538	78750 2259	1055° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°° 105°°
5401 5406 5402 5407 5502C) 39 1/5 m min	25mi 81 mum 2h	PUMP CHARGE MILEAGE Casha Ton &D B	zfostog Miles Bl Va (emm)	e Truck Gel	495 538	78750 22°9 32"1	1055° 105° 105° 105° 105° 105° 105° 105°
5401 5406 5406 5407 5502C) 39 1/5 m min	25 mi 81 mum 12 h	PUMP CHARGE MILEAGE Cashue Fon B OWC PYEN	zfostog Miles Bl Va (emm)	e Truck	495 538	78750 22°9 32"	10500 NC 12267 1500
5401 5406 5402 5407 5502C) 39 1/5 m min	25mi 81 mum 2h	PUMP CHARGE MILEAGE Cashue Fon B OWC PYEN	ZFOSTOG Miles BL Va (emm)	Less,	538 675 30%	78750 22°9 32"	10500 NC 12267 1500
5401 5406 5402 5407 5502C 1126 1188) 39 1/5 m min	25mi 81 mum 2h	PUMP CHARGE MILEAGE Casha FON SO B OWC Flo So	ZFOSTOG Miles BLVa Cenen NIVM	Less,	538 675 30%	78750 22°9 32"1	1055° 105°° 105°° 105°° 105°° 105° 105°
5401 5406 5406 5407 5502C) 39 1/5 m min	25mi 81 mum 2h	PUMP CHARGE MILEAGE Casha FON SO B OWC Flo So	ZFOSTOG Miles BL Va (emm)	Less,	538 675 30%	78750 22°9 32"	1055° 105° 105° 105° 105° 105° 105° 105°
5401 5406 5402 5407 5502C 1126 1118B	35 mm	25mi 81 mum 2h	PUMP CHARGE MILEAGE Casha FON SO B OWC Flo So	ZFOSTOG Miles BLVa Cenen NIVM	Less,	538 675 30%	78750 22°9 32"	1055° 105° 105° 105° 105° 105° 105° 105°
5401 5406 5402 5407 5502C 1126 1188	35 mm	25mi 81 mum 2h	PUMP CHARGE MILEAGE Casha FON SO B OWC Flo So	ZFOSTOG Miles BLVa Cenen NIVM	Less,	538 675 30%	78750 22°0 32"0 32"0 - 3/2 98	105000 NC 12267 15000
5401 5406 5402 5407 5502C 1126 1188	35 mm	25mi 81 mum 2h	PUMP CHARGE MILEAGE Casha FON SO B OWC Flo So	ZFOSTOG Miles BLVa Cenen NIVM	Less,	538 675 30%	78750 22°9 32°1 10 71 61 - 312°95 2533.78	1055 00 105 00 105 00 00 105 00 00 00 00 00 00 00 00 00 00 00 00 0
5401 5406 5402 5407 5502C 1126 1188	35 mm	25mi 81 mum 2h	PUMP CHARGE MILEAGE Casha FON SO B OWC Flo So	ZFOSTOG Miles BLVa Cenen NIVM	Less,	538 675 30%	78750 22°9 32°1 10 71 61 - 312°95 2533.78	1055° 105° 105° 105° 105° 105° 105° 105°
5401 5406 5402 5407 5502C 1126 1188	35 mm	25mi 81 mum 2h	PUMP CHARGE MILEAGE Casha FON SO B OWC Flo So	ZFOSTOG Miles BLVa Cenen NIVM	Less,	558 575 675	78750 22.11 32.11 104161 - 312.48 - 312.48	1055° 105° 105° 105° 105° 105° 105° 105°
5406 5406 5402 5407 5502C 1126 1118B	35 mm	25mi 81 mum 2h	PUMP CHARGE MILEAGE Casha FON SO B OWC Flo So	ZFOSTOG Miles BLVa Cenen NIVM	Less,	538 675 30%	78750 22°9 32°1 10 71 61 - 312°95 2533.78	1055 00 105 00 105 00 00 105 00 00 00 00 00 00 00 00 00 00 00 00 0

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.