

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: | |
|------------|--------|--|
| Effective | Date: | |
| District # | | |
| SGA? | Yes No | |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1201146

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | Spot Description: |
|---|--|
| month day year | Sec Twp S. R E |
| DPERATOR: License# | (Q/Q/Q/Q) feet from N / S Line of Section |
| lame: | feet from E / W Line of Secti |
| Address 1: | Is SECTION: Regular Irregular? |
| ddress 2: | (Note: Locate well on the Section Plat on reverse side) |
| City: | County: |
| Contact Person: | Lease Name: Well #: |
| Phone: | Field Name: |
| CONTRACTOR: License# | Is this a Prorated / Spaced Field? |
| lame: | Target Formation(s): |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| | Ground Surface Elevation:feet MS |
| Oil Enh Rec Infield Mud Rotary | Water well within one-quarter mile: |
| Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| | Surface Pipe by Alternate: |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: |
| Operator: | Length of Conductor Pipe (if any): |
| Well Name: | Projected Total Depth: |
| Original Completion Date: Original Total Depth: | Formation at Total Depth: |
| | Water Source for Drilling Operations: |
| Directional, Deviated or Horizontal wellbore? Yes No | Well Farm Pond Other: |
| f Yes, true vertical depth: | DWR Permit #: |
| Bottom Hole Location: | (Note: Apply for Permit with DWR) |
| KCC DKT #: | Will Cores be taken? Yes 1 |
| | If Yes, proposed zone: |
| ΔFF | IDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventual plug | |
| t is agreed that the following minimum requirements will be met: | ,5 5 |
| t lo agreed that the fellowing miniman requirements will be met. | |
| 1. Notify the engrapriete district office prior to enudding of well- | |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each | drilling rig: |
| Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each The minimum amount of surface pipe as specified below <i>shall be set</i> b | 0 0, |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: |
| A copy of the approved notice of intent to drill shall be posted on each The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the distr The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be | by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging ; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 - | py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be ### Upper Completed Section 1. **The complete complet | py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be Libmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required feet Minimum surface pipe required feet per ALT I II II | py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be **Dubmitted Electronically** For KCC Use ONLY API # 15 - Conductor pipe required feet | py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be **District Use ONLY** API # 15 - Conductor pipe required | py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be **Dubmitted Electronically** For KCC Use ONLY API # 15 | py circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |

Side Two



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | | | | | | | _ Loc | cation of W | Vell: County: |
|-------------|-----------|-------------|--------------|--|-------|------------|---------------------------|--------------|---|
| Lease: | | | | | | | | | feet from N / S Line of Section |
| Well Numbe | er: | | | | | | | | feet from E / W Line of Section |
| Field: | | | | | | | Se | C | Twp S. R |
| Number of A | | | | | | | 15 3 | Section: | Regular or Irregular |
| | | | | | | | | Section is | Irregular, locate well from nearest corner boundary. er used: NE NW SE SW |
| | | | | | | | PLAT | | |
| | | | | | _ | | | | dary line. Show the predicted locations of |
| 1 | lease roa | ds, tank ba | atteries, pi | pelines an | | | required bj a separate | | sas Surface Owner Notice Act (House Bill 2032). |
| | | | | | tou m | ay allacii | а ѕерагаце | piat ii uesi | nea. |
| | | : | : | : | | <u>:</u> | : | |] |
| | | : | : | : | | | | | LEGEND |
| | | : | : | : | | : | : | : | LEGEND |
| | | : | : | : | | : | : | : | O Well Location |
| | | : | : | : | | : | : | | Tank Battery Location |
| | | • | • | • | | | | • | Pipeline Location |
| | | : | : | : | | : | : | : | Electric Line Location |
| | | : | • | : | | : | | | Lease Road Location |
| | | | : | | | | : | | |
| | | : | : | : | | : | : | | |
| | | | | | | : | | | EXAMPLE : : |
| | | : | <u>:</u> | <u>:</u> | | : | <u>:</u> | • | LAAWIFEE : : |
| | | : | : | . 2 | 2 | : | : | | |
| | | : | • | : - | _ | : | : | | |
| | | | • | · | | | • | · | |
| | | : | · • | : | | : | : | | |
| | | : : | | : | | : : | : | | |
| | ••••• | | | | •••• | | | | 1980' FSL |

1100 ft.

400 ft.

SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | | | |
|---|---|---|---|--|--|--|
| Operator Address: | | | | | | |
| Contact Person: | | | Phone Number: | | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | | | |
| Type of Pit: Emergency Pit Burn Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit is: Proposed If Existing, date colling Pit capacity: | Existing | SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section | | | |
| | | (bbls) | County | | | |
| Is the pit located in a Sensitive Ground Water A | Area? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | | |
| Is the bottom below ground level? | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? | | | |
| Pit dimensions (all but working pits): | Length (fee | et) | Width (feet) N/A: Steel Pits | | | |
| Depth fro | Depth from ground level to deepest point: (feet) No Pit | | | | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | illei | | dures for periodic maintenance and determining ncluding any special monitoring. | | | |
| Distance to nearest water well within one-mile | of pit: | Depth to shallo Source of infor | west fresh water feet. mation: | | | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: | | | |
| Producing Formation: | | Type of material utilized in drilling/workover: | | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | | | |
| Barrels of fluid produced daily: | | Abandonment procedure: | | | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | Drill pits must be closed within 365 days of spud date. | | | | |
| Submitted Electronically | | | | | | |
| | KCC | OFFICE USE O | | | | |
| Date Received: Permit Num | ber: | Permi | Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No | | | |



1201146

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB- | -1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|--|--|
| OPERATOR: License # | _ Well Location: |
| Name: | |
| Address 1: | |
| Address 2: | Lease Name: Well #: |
| City: | _ If filing a Form T-1 for multiple wells on a lease, enter the legal description or |
| Contact Person: | the lease helow: |
| Phone: () Fax: () | _ |
| Email Address: | _ |
| Surface Owner Information: | |
| Name: | _ When filing a Form T-1 involving multiple surface owners, attach an additional |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |
| Address 2: | county, and in the real estate property toy records of the county traceurer |
| City: | _ |
| | thodic Protection Borehole Intent), you must supply the surface owners and |
| | ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| Select one of the following: | |
| owner(s) of the land upon which the subject well is or will b | e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address. |
| KCC will be required to send this information to the surface | I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form. |
| If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C | ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned. |
| Submitted Electronically | |
| I | |



Fall 8.45506 ales

Stake and Elevation Service 719 W. 5" Street P.9. Box 404 Cencerdia, KS. 66901 1-800-536-2821

Date 3-24-14

| | | | | | Invoice Nun | nber 0320141 |
|--|--|--|--|---------------|--|--------------|
| AURFIN DRILLING | 4 | -22 | | Burk Trust ' | C' | |
| Operator | Nu | mber | or in a substitution of the substitution of th | Farm Nam | geggerman , mir na suu uu | |
| Rawlins-KS | 22 | 15 | 36w_ | 1100FSL 400'F | EL | |
| County-State | S | Τ', | 13 | Location | | |
| Murfin Drilling | | And the state of t | | | Elevation | 3248 Gr. |
| 250 N. Water Suite 300 | | The control of the co | | | Ordered By: | Shauna |
| Wichita, KS. 67202 | The second section of the second section of the second section | | Sesle 17- 1000 | - | | |
| | And the state of t | and the second s | | | To the state of th | |
| | | | Transfer de la constant de la consta | | as seven quinting couples | |
| | | | | | Aprilander of the second | |
| | | | | | and the second desired to the second desired | |
| | | | ************************************** | | че уницерция | |
| i de la companya de l | | | | | ense (* n. n. nego-fabrique | |
| CONTROL MANAGEMENT OF THE CONTROL MANAGEMENT | | | AND AND CONTRACTOR | | med and effect and eff | |
| | | - [| 4 | | | |
| | | | | | grading(rd)-messystem | |
| Set 4' lath on orig, foo | | | | Stake | Windowskie in 1985 in godine on en | |
| 400'FEL) Location falls pasture 80'W of new p rod & 4' wood stake 70 power line. Alt. elev. = | ower line. Se 'W as Alt. to cl | t 5' Iron | | | 8 | |
| | | | | | 1100, | |
| | | | de agrecia de la composição de la compos | | | |

