Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1202148

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD ☐ SIOW □ Gas □ D&A □ ENHR □ SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #: ENHR Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #: GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec Twp S. R East West
Recompletion Date Reached TD Recompletion Date of Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

	Page Two	1202148		
Operator Name:	Lease Name:	Well #:		
Sec TwpS. R East _ West	County:			
INCTRUCTIONS, Chow important tang of formations papatrated	Datail all aaraa Bapart al	I final conice of drill stome tests giving interval tested, time test		

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sheets)		Yes No		-	Formation (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Name	9		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth					-	

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Back TD				
Plug Off Zone				

No

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

No	(If No, skip questions 2 and 3)
No	(If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated					Depth				
TUBING RECORD:	Siz	re:	Set At:		Packer	r At:	Liner R	un:	No	
Date of First, Resumed Production, SWD or ENHR.				Producing M	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bbls	5.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITION OF GAS:			METHOD OF COMPLET				PRODUCTION IN	TERVAL:		
Vented Sold Used on Lease (If vented, Submit ACO-18.)				Open Hole Other <i>(Specify)</i>	Perf.	Uually (Submit)	,	Commingled (Submit ACO-4)		

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc. No (O)

CONDITIONS Galaxies to be delivered to the nearest accessible point over passable road, infer tructs own power. Due to delivery at owner's or intermediavy's direction, saler assumes no responsibility for demages in any manner to sidewakay. roadways, direvays, buildings, trees, structery, atc., which are at customer A risk. The maximum altoted time for unloading tructs is 5 mile contains content there are a structure of the structure of the structure of the strength is the made for holding trucks longer do not assume responsibility for strength is the normal of the structure of the structure of the contains correct water contents for strength or mit indicated accelerators are structure and strength is the normal of the software of the software precess supplying material or services to complete the contract con result in the filing of a mechanic's lien on the property which is the subject of this contract.

9 N. 一直99691 至 10 M OIL # 5 three to train the at 15 1.60% 应该新闻 韵 多行网收音量 Hi <u>(1264)</u> THE JAILING MARKE 1. THE THE THE PLANT/TRANSACTION # DRIVER/TRUCK A 1914 VARDS ORDERED FORMULA LOAD SIZE TIME 123 NEX CO 法主法 原始 制力力 TICKET NUMBER SLUMP BATCH# WATER TRIM SUMPLY: YARDS DEL LOAD # DATE (b) (b)/i *20*0 65 6.35 30 ie Chai 4 Excessive Water is Detrimental to Concrete Performance PROPERTY DAMAGE RELEASE H₂0 Added By Request/Authorized By WARNING IRRITATING TO THE SKIN AND EYES INTERIORENTING TO THE SKIN AND EYES Contains Portand Carman. War Rubbe Bools and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Fleat Throroughly With Water, if Indiation Persists, Get Medical Attention. KEEP CHILDREN AWAY. (TO BE SIGNED) IF DELINGTY TO BE MODE INSDE CVIRB INNE)-Dear Calsoner-The driver of sits truth is presenting the RELEASE to you for you signature is of the options that the site and weight of his intak may possibly can mutatifial this toget when you deared, it is proven to how you is never you have you, but is norder to other the divers is requesting that you sign this RELEASE indexing this and diversary, but is never you have you have you have the supplier row any responsible from any damage that may could diversary, but is never you have you have the norder to other the divers is requesting that you sign this RELEASE releving that may diversary, but is never your and them the vitables of the which is supplier from any responsibility from any damage that may could be understand the the public sets. Further, as additional consider-tion, the understand this supplier to runy and bit diramatics in the first and/or adjacent property which may be dealmad by anyone to have agrien out of delivery of this: matching to the premises and/or adjacent property which may be dealmad by anyone to have agrien out of delivery of this: matching to a degree. GAL X WEIGHMASTER F.A. CONCRETE IS a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEXVING the PLANT. MAY CHANGES OR CANCELLATION OF ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS. The undersigned promises to pay all costs; including reasonable attorneys' fees, incurred in collecting any sums owed. DICATES THAT I HAVE READ THE HEALTH WARNING T BE RESPONSIBLE FOR ANY DAMAGE CAUSED All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per ann Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Matsul is Deleved. LOAD RECEIV arisin oul SIGNED Jer 🛛 Cartan Cartany A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks X Excess Delay Time Charged @ \$50/HR. UNIT PRICE EXTENDED PRICE DESCRIPTION CODE QUANTITY USE. TO CHERRY PERMIT 主张 [色。 自動 (20.20) $\sim Q$ $\{e_{i},\ldots,e_{i}\}$ 13141.1. 李氏公司,我的 $\{0\} \in \mathcal{O}(\mathbb{C})$ TRACESSOC AND A 17. (yii) TOTALS iete. Is Garages t Star Star 用于法律的。(1110、14年1月)、14年1月 14, jia 月1日的日本8月 5 ŧΙ 10 Q 本い TIME ALLOWED DÉLAY EXPLANATION/CYLINDER TEST TAKEN FINISH UNLOADING ter (fi) , She LEFT JOB RETURNED TO PLANT TRUCK BROKE DOWN ACCIDENT CITATION OTHER 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 5 100 -6 $\{ G \}$ - 00-00- $\approx 44\,\mu^{2}\,(\pm,\pm)^{2}$ TIME DUE START UNLOADING ARRIVED JOB 经保护上 在祭 LEFT PLANT 4 ADDITIONAL CHARGE 1 10 00 ð DELAY TIME ÷ **ADDITIONAL CHARGE 2** UNLOADING TIME TOTAL AT JOB TOTAL ROUND TRIP GRAND TOTAL

.....

						eng .	2.
		25 8	Line	13 Black sh	ak		
	2	So a	26 Line	Blshalk			
	3	75 2	Line				
	. 4	100 1	Lone			and and a second se	
	5	17512	118 511				2 ¹⁰ 1
	6 [.]	150 199	estimited with a low and the second state of the provident problem in the second	1			
		125124	Shale		A CALL STORE	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
	8	200 199	Shall				41 N 2
	d'		172	, a lige at same die			*
· ·	10	200	226 Shale		au t er.		
	44	27₹24	JUE JUE	a de la construction de la construction de la construcción de la construcción de la construcción de la constru La construcción de la construcción d		S	
	12	an an an in the second second second	lie	•			· ·
	12	300200	202-11	Maliantes de la strata		an Alek an Alexandra	
	. 14	350 349	Shale				
2	14	375 34	2711	• 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
d'		400 399	> (Line				
2	• 16-		Lime	- Horad States			
5	17	45 484	1471	445s			
Water supply	18	450 449	UFF1		44 K		
Wa	19	4754/9	677 F	HOTI	400 m)/	- Uay	16
	20	>00 449	1 / Suman'	485 Line	170 Ann 18	7 1115	1410
	21	525 524	Shale		a ang ban ar ang sa ang		
-	22	5,60, 549	- \$70LA	Sec.	1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	lanaa sen cessoa	
839	23	\$75 74-1		- 74 (O A 1	ST7 55707	City Appendix	
00	24 05	600 599	Shall		line of the		
T N	25	(2) (624) 6 30 6 4 9	Shale	CUDIN	TREES OF	C. Shake	٠
7-8-17	26		5 655 6 18	647LA		GSDshall	•
r'a	279	695 674 700,699					
1.0	28* 29	700,039.	Shale				
0	30 s		- Shale				
t v	30				a state of the second second	te and the second se	
- H	* 32		(TOY 12	1 tots of sil	800000	and h	
	32 -		[15 10/ 15m	m 10730F6.		1579/C	
T	34	850 800	· 930015t	N Stawy!	here is a set		
seale -D870	35	R De ala		AL AND WIT	22 24-14		
- 00	36	900 889					
DS	37						
J L	38	949	(a)		4	0 870	
				i ya s kir			
	40	999		CI to m		Man and a second	
		1024					
đ	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	1049	· · · · · · · · · · · · · · · · · · ·	_	•		
		1043		Contraction of the second			
	44	- 1,099	54 G.				
н. -		1124				NAME OF GROOM	
-diff.							
*** 			· · · · · · · · · · · · · · · · · · ·	·			

e.0

۰.